

CHAPTER 62B-26 METES AND BOUNDS DESCRIPTIONS OF COASTAL CONSTRUCTION CONTROL LINES

- 62B-26.001 Description of the Walton County Coastal Construction Control Line.
- 62B-26.002 Description of the Escambia County Coastal Construction Control Line.
- 62B-26.003 Description of the Okaloosa County Coastal Construction Control Line.
- 62B-26.004 Description of the Duval County Coastal Construction Control Line.
- 62B-26.005 Description of the Nassau County Coastal Construction Control Line.
- 62B-26.006 Description of the Charlotte County Coastal Construction Control Line.
- 62B-26.007 Description of the Lee County Coastal Construction Control Line.
- 62B-26.008 Description of the Manatee County Coastal Construction Control Line.
- 62B-26.009 Description of the Sarasota County Coastal Construction Control Line.
- 62B-26.010 Description of the Palm Beach County Coastal Construction Control Line.
- 62B-26.011 Description of the Pinellas County Coastal Construction Control Line.
- 62B-26.012 Description of the Dade County Coastal Construction Control Line.
- 62B-26.013 Description of the Broward County Coastal Construction Control Line.
- 62B-26.014 Description of the Franklin County Coastal Construction Control Line.
- 62B-26.015 Description of the Martin County Coastal Construction Control Line.
- 62B-26.016 Description of the Gulf County Coastal Construction Control Line.
- 62B-26.017 Description of the Brevard County Coastal Construction Control Line.
- 62B-26.018 Description of the Indian River County Coastal Construction Control Line.
- 62B-26.019 Description of the St. Johns County Coastal Construction Control Line.
- 62B-26.020 Description of the Flagler County Coastal Construction Control Line.
- 62B-26.021 Description of the St. Lucie County Coastal Construction Control Line.
- 62B-26.022 Description of the Collier County Coastal Construction Control Line.
- 62B-26.023 Description of the Volusia County Coastal Construction Control Line.
- 62B-26.024 Description of the Bay County Coastal Construction Control Line.

62B-26.001 Description of the Walton County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Walton County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule amendment shall take effect 20 days after filing with the Florida Department of State or on the date that it is duly recorded in the public records in the office of the Clerk of the Circuit Court, in and for Walton County, Florida, together with each affected municipality, whichever is later.

(3) After this rule amendment becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 5-13-75, Amended 12-29-82, Formerly 16B-26.01, 16B-26.001.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE WALTON COUNTY, FLORIDA

Description of coastal construction control line established in compliance with Section 161.053, Florida Statutes, said control line lying along the Gulf of Mexico coast from Okaloosa County and Walton County Line easterly to the Walton County and Bay County Line.

Said coastal construction control line is related to a series of "Permanent Reference Monuments" (P. R. M.) designated and hereinafter referred to as National Geodetic Triangulation Stations, Gillis, Mule, Thompson, High and Point Washington East Base as established by National Geodetic Survey and Department of Transportation Geodetic Stations, 60-76-A01 through 60-76-A40, 60-70-E01 and 60-70-E03 and 46-70-D13 through 46-70-D10 as established by the Department of Transportation, State of Florida, said monuments are coordinated on the Florida State Plane Coordinate System, North Zone.

Commence at "P. R. M." 60-76-A03; Thence N 61 deg. 35 min. 49 sec. W a distance of 195.024 feet to the point of beginning; Thence N 81 deg. 32 min. 51 sec. W to the point of intersection with the Walton and Okaloosa County Line; said point being the westerly terminus of the coastal construction control line for Walton County; Thence return along the same course to the point of beginning;

Thence S 81 deg. 32 min. 51 sec. E a distance of 1139.43 feet to a point; Thence S 81 deg. 25 min. 09 sec. E a distance of 954.02 feet to a point; Thence S 81 deg. 13 min. 32 sec. E a distance of 1187.85 feet to a point, said point being N 66 deg. 21 min. 29 sec. W, 94.288 feet from "P. R. M." 60-70-E01;

Thence S 81 deg. 17 min. 18 sec. E a distance of 913.75 feet to a point; Thence S 80 deg. 15 min. 00 sec. E a distance of 1156.37 feet to a point; Thence S 79 deg. 21 min. 18 sec. E a distance of 930.79 feet to a point, said point being S 74 deg. 01 min. 16 sec. E, 348.339 feet from "P. R. M." 60-76-A04;

Thence S 79 deg. 39 min. 50 sec. E a distance of 2155.38 feet to a point; Thence S 78 deg. 47 min. 27 sec. E a distance of 944.76 feet to a point, said point being N 85 deg. 24 min. 48 sec. E, 301.591 feet from "P. R. M." 60-70-E03;
Thence S 79 deg. 44 min. 44 sec. E a distance of 986.57 feet to a point; Thence S 79 deg. 34 min. 35 sec. E a distance of 1053.17 feet to a point, said point being S 74 deg. 13 min. 20 sec. E, 341.600 feet from "P. R. M." 60-76-A05;
Thence S 79 deg. 02 min. 09 sec. E a distance of 1015.54 feet to a point; Thence S 79 deg. 21 min. 27 sec. E a distance of 1038.57 feet to a point; Thence S 79 deg. 18 min. 04 sec. E a distance of 1010.81 feet to a point; Thence S 79 deg. 15 min. 21 sec. E a distance of 983.51 feet to a point; Thence S 78 deg. 58 min. 36 sec. E a distance of 1095.04 feet to a point, said point being N 76 deg. 10 min. 17 sec. E, 317.292 feet from "P. R. M." 60-76-A06;
Thence S 78 deg. 43 min. 45 sec. E a distance of 1153.02 feet to a point; Thence S 78 deg. 18 min. 46 sec. E a distance of 1128.69 feet to a point; Thence S 78 deg. 02 min. 22 sec. E a distance of 958.15 feet to a point; Thence S 78 deg. 13 min. 16 sec. E a distance of 946.70 feet to a point; Thence S 76 deg. 12 min. 55 sec. E a distance of 970.38 feet to a point, said point being N 01 deg. 29 min. 41 sec. W, 102.978 feet from "P. R. M." 60-76-A07;
Thence S 78 deg. 08 min. 51 sec. E a distance of 1085.57 feet to a point; Thence S 77 deg. 15 min. 39 sec. E a distance of 1079.30 feet to a point; Thence S 76 deg. 42 min. 45 sec. E a distance of 970.12 feet to a point; Thence S 76 deg. 43 min. 43 sec. E a distance of 1008.43 feet to a point; Thence S 78 deg. 21 min. 27 sec. E a distance of 906.77 feet to a point, said point being N 61 deg. 11 min. 58 sec. W, 427.802 feet from "P. R. M." 60-76-A08;
Thence S 76 deg. 34 min. 38 sec. E a distance of 1244.61 feet to a point; Thence S 76 deg. 20 min. 17 sec. E a distance of 879.37 feet to a point; Thence S 76 deg. 03 min. 08 sec. E a distance of 1069.78 feet to a point, said point being N 63 deg. 21 min. 45 sec. W, 491.759 feet from "P. R. M." 60-76-A09;
Thence S 76 deg. 23 min. 12 sec. E a distance of 780.59 feet to a point; Thence N 68 deg. 46 min. 33 sec. E a distance of 225.82 feet to a point; Thence S 74 deg. 01 min. 37 sec. E a distance of 213.49 feet to a point; Thence S 43 deg. 14 min. 39 sec. E a distance of 209.09 feet to a point; Thence S 74 deg. 20 min. 56 sec. E a distance of 660.57 feet to a point; Thence S 74 deg. 19 min. 11 sec. E a distance of 1049.85 feet to a point; Thence S 74 deg. 30 min. 02 sec. E a distance of 1007.60 feet to a point, said point being N 62 deg. 38 min. 07 sec. W, 550.245 feet from "P. R. M." 60-76-A10;
Thence S 72 deg. 33 min. 06 sec. E a distance of 1011.03 feet to a point; Thence S 75 deg. 00 min. 24 sec. E a distance of 1039.72 feet to a point; Thence S 74 deg. 49 min. 42 sec. E a distance of 1003.54 feet to a point; Thence S 74 deg. 37 min. 31 sec. E a distance of 1024.42 feet to a point; Thence S 74 deg. 32 min. 14 sec. E a distance of 988.61 feet to a point, said point being N 74 deg. 35 min. 50 sec. E, 171.185 feet from "P. R. M." 60-76-A11;
Thence S 73 deg. 19 min. 22 sec. E a distance of 1049.91 feet to a point; Thence S 73 deg. 13 min. 40 sec. E a distance of 1012.48 feet to a point; Thence S 74 deg. 23 min. 05 sec. E a distance of 1042.05 feet to a point; Thence S 74 deg. 32 min. 56 sec. E a distance of 560.22 feet to a point; Thence N 27 deg. 05 min. 30 sec. E a distance of 252.52 feet to a point; Thence S 64 deg. 20 min. 46 sec. E a distance of 281.50 feet to a point; Thence S 10 deg. 27 min. 35 sec. E a distance of 223.09 feet to a point; Thence S 70 deg. 33 min. 15 sec. E a distance of 76.84 feet to a point; Thence S 71 deg. 24 min. 28 sec. E a distance of 1018.17 feet to a point, said point being S 41 deg. 20 min. 45 sec. W, 170.212 feet from "P. R. M." 60-76-A12;
Thence S 71 deg. 42 min. 25 sec. E a distance of 1025.70 feet to a point; Thence S 74 deg. 06 min. 16 sec. E a distance of 1023.61 feet to a point; Thence S 72 deg. 52 min. 57 sec. E a distance of 1014.25 feet to a point; Thence S 72 deg. 48 min. 02 sec. E a distance of 623.21 feet to a point; Thence N 16 deg. 13 min. 42 sec. E a distance of 66.20 feet to a point; Thence S 72 deg. 03 min. 08 sec. E a distance of 607.04 feet to a point; Thence S 71 deg. 55 min. 15 sec. E a distance of 314.79 feet to a point; Thence S 17 deg. 15 min. 18 sec. W a distance of 69.11 feet to a point; Thence S 70 deg. 20 min. 24 sec. E a distance of 816.77 feet to a point, said point being S 58 deg. 04 min. 59 sec. E, 480.298 feet from "P. R. M." 60-76-A13.
Thence S 70 deg. 06 min. 32 sec. E a distance of 1129.60 feet to a point; Thence S 70 deg. 05 min. 20 sec. E a distance of 1065.69 feet to a point; Thence S 70 deg. 48 min. 41 sec. E a distance of 1103.03 feet to a point, said point being S 35 deg. 47 min. 14 sec. E, 395.229 feet from "P. R. M." 60-76-A14;
Thence S 70 deg. 19 min. 01 sec. E a distance of 1014.65 feet to a point; Thence S 71 deg. 28 min. 59 sec. E a distance of 1052.74 feet to a point; Thence S 71 deg. 04 min. 22 sec. E a distance of 959.48 feet to a point; Thence S 70 deg. 15 min. 37 sec. E a distance of 1032.54 feet to a point, said point being N 53 deg. 14 min. 44 sec. W, 219.552 feet from "P. R. M." 60-76-A15;
Thence S 70 deg. 21 min. 20 sec. E a distance of 727.96 feet to a point; Thence N 84 deg. 33 min. 49 sec. E a distance of 328.48 feet to a point; Thence S 69 deg. 59 min. 00 sec. E a distance of 643.40 feet to a point; Thence S 21 deg. 37 min. 22 sec. E a distance of 236.67 feet to a point; Thence S 67 deg. 52 min. 10 sec. E a distance of 287.13 feet to a point; Thence S 68 deg. 00 min. 58 sec. E a distance of 1008.52 feet to a point; Thence S 71 deg. 19 min. 02 sec. E a distance of 1040.07 feet to a point; Thence S 71 deg. 59 min. 24 sec. E a distance of 1037.03 feet to a point; Thence S 71 deg. 53 min. 56 sec. E a distance of 1031.51 feet to a point; Thence S 72 deg. 27 min. 15 sec. E a distance of 1030.91 feet to a point; Thence S 72 deg. 13 min. 56 sec. E a distance of 1035.28 feet to a point; Thence S 72 deg. 23 min. 35 sec. E a distance of 938.89 feet to a point, said point being S 70 deg. 08 min. 46 sec. W, 365.170 feet from "P. R. M." 60-76-A16;
Thence S 70 deg. 50 min. 57 sec. E a distance of 201.54 feet to a point; Thence N 77 deg. 06 min. 22 sec. E a distance of 522.94 feet to a point; Thence S 84 deg. 03 min. 23 sec. E a distance of 578.86 feet to a point; Thence S 22 deg. 53 min. 37 sec. E a distance of 187.65 feet to a point; Thence S 63 deg. 37 min. 34 sec. E a distance of 988.10 feet to a point; Thence S 07 deg. 47 min. 19 sec. W

a distance of 129.13 feet to a point; Thence S 69 deg. 40 min. 34 sec. E a distance of 931.22 feet to a point; Thence S 70 deg. 05 min. 47 sec. E a distance of 1051.68 feet to a point, said point being N 47 deg. 22 min. 25 sec. W, 154.106 feet from "P. R. M." 60-76-A17;

Thence S 72 deg. 34 min. 00 sec. E a distance of 1090.39 feet to a point; Thence N 88 deg. 04 min. 41 sec. E a distance of 651.20 feet to a point; Thence S 68 deg. 45 min. 42 sec. E a distance of 476.40 feet to a point; Thence S 68 deg. 34 min. 36 sec. E a distance of 883.22 feet to a point; Thence S 68 deg. 27 min. 49 sec. E a distance of 630.00 feet to a point; Thence S 14 deg. 41 min. 12 sec. W a distance of 214.96 feet to a point; Thence S 85 deg. 59 min. 28 sec. E a distance of 432.11 feet to a point, said point being N 67 deg. 45 min. 47 sec. E, 269.721 feet from "P. R. M." 60-80-A18-2;

Thence S 86 deg. 21 min. 02 sec. E a distance of 956.63 feet to a point; Thence S 86 deg. 36 min. 15 sec. E a distance of 463.57 feet to a point; Thence S 39 deg. 25 min. 07 sec. E a distance of 1008.30 feet to a point; Thence S 69 deg. 16 min. 38 sec. E a distance of 817.79 feet to a point; Thence S 69 deg. 12 min. 14 sec. E a distance of 1006.15 feet to a point; Thence S 69 deg. 59 min. 17 sec. E a distance of 1072.47 feet to a point, said point being N 67 deg. 59 min. 29 sec. W, 260.439 feet from "P. R. M." 60-76-A19;

Thence S 69 deg. 52 min. 12 sec. E a distance of 1004.00 feet to a point; Thence S 69 deg. 54 min. 09 sec. E a distance of 991.19 feet to a point; Thence S 70 deg. 22 min. 09 sec. E a distance of 1009.03 feet to a point; Thence S 70 deg. 01 min. 25 sec. E a distance of 1022.39 feet to a point; Thence S 69 deg. 27 min. 14 sec. E a distance of 1041.63 feet to a point; Thence S 69 deg. 00 min. 13 sec. E a distance of 999.39 feet to a point, said point being S 86 deg. 49 min. 48 sec. W, 238.364 feet from "P. R. M." 60-76-A20;

Thence S 69 deg. 24 min. 07 sec. E a distance of 1010.60 feet to a point; Thence S 69 deg. 18 min. 34 sec. E a distance of 1124.12 feet to a point, said point being N 85 deg. 13 min. 55 sec. W, 509.521 feet from "P. R. M." 60-76-A21;

Thence S 69 deg. 20 min. 18 sec. E a distance of 946.63 feet to a point; Thence S 69 deg. 33 min. 39 sec. E a distance of 1033.97 feet to a point, said point being S 21 deg. 52 min. 47 sec. W, 329.219 feet from "P. R. M." 60-76-A22;

Thence S 69 deg. 41 min. 00 sec. E a distance of 1020.22 feet to a point; Thence S 69 deg. 48 min. 01 sec. E a distance of 1001.87 feet to a point; Thence S 69 deg. 47 min. 03 sec. E a distance of 1029.67 feet to a point; Thence S 69 deg. 45 min. 13 sec. E a distance of 1016.96 feet to a point, said point being S 73 deg. 48 min. 12 sec. W, 541.082 feet from "P. R. M." 60-76-A23;

Thence S 70 deg. 37 min. 21 sec. E a distance of 998.98 feet to a point; Thence S 69 deg. 08 min. 33 sec. E a distance of 999.23 feet to a point; Thence S 68 deg. 54 min. 07 sec. E a distance of 1017.83 feet to a point, said point being S 16 deg. 52 min. 51 sec. E, 499.649 feet from "P. R. M." 60-76-A24;

Thence S 70 deg. 27 min. 05 sec. E a distance of 825.64 feet to a point; Thence N 82 deg. 08 min. 31 sec. E a distance of 514.33 feet to a point; Thence S 54 deg. 57 min. 50 sec. E a distance of 934.31 feet to a point; Thence S 66 deg. 48 min. 11 sec. E a distance of 926.24 feet to a point, said point being S 78 deg. 18 min. 51 sec. E, 390.339 feet from "P. R. M." 60-76-A25;

Thence S 68 deg. 09 min. 01 sec. E a distance of 938.26 feet to a point; Thence S 68 deg. 41 min. 07 sec. E a distance of 1059.14 feet to a point; Thence N 86 deg. 41 min. 06 sec. E a distance of 851.01 feet to a point; Thence S 50 deg. 22 min. 40 sec. E a distance of 326.76 feet to a point; Thence S 50 deg. 35 min. 49 sec. E a distance of 956.89 feet to a point, said point being N 15 deg. 06 min. 03 sec. E, 128.885 feet from "P. R. M." 60-80-A26-2;

Thence S 65 Deg. 06 min. 03 sec. E a distance of 1078.13 feet to a point; Thence S 66 deg. 55 min. 27 sec. E a distance of 1015.08 feet to a point; Thence S 70 deg. 31 min. 29 sec. E a distance of 1097.68 feet to a point; Thence N 83 deg. 55 min. 23 sec. E a distance of 630.31 feet to a point; Thence S 59 deg. 33 min. 24 sec. E a distance of 373.68 feet to a point; Thence S 59 deg. 55 min. 14 sec. E a distance of 913.95 feet to a point; Thence S 54 deg. 14 min. 00 sec. E a distance of 966.19 feet to a point; Thence S 64 deg. 22 min. 42 sec. E a distance of 259.04 feet to a point, said point being S 74 deg. 51 min. 58 sec. E, 646.558 feet from "P. R. M." 60-80-A27-2;

Thence S 64 deg. 43 min. 36 sec. E a distance of 1018.52 feet to a point; Thence S 65 deg. 24 min. 00 sec. E a distance of 1030.80 feet to a point; Thence S 65 deg. 03 min. 48 sec. E a distance of 996.76 feet to a point; Thence S 65 deg. 46 min. 46 sec. E a distance of 964.19 feet to a point, said point being S 01 deg. 03 min. 48 sec. E, 262.343 feet from "P. R. M." 60-76-A28;

Thence S 66 deg. 14 min. 56 sec. E a distance of 1085.16 feet to a point; Thence S 67 deg. 04 min. 06 sec. E a distance of 990.10 feet to a point; Thence S 68 deg. 10 min. 59 sec. E a distance of 1013.09 feet to a point, said point being S 73 deg. 39 min. 51 sec. W, 335.787 feet from "P. R. M." 60-76-A29;

Thence, S 66 deg. 54 min. 58 sec. E a distance of 873.85 feet to a point; Thence S 66 deg. 29 min. 23 sec. E a distance of 1165.88 feet to a point, said point being S 20 deg. 19 min. 38 sec. W, 830.194 feet from "P. R. M." 60-76-A30;

Thence S 67 deg. 23 min. 50 sec. E a distance of 1015.62 feet to a point; Thence S 65 deg. 46 min. 48 sec. E a distance of 1025.96 feet to a point; Thence S 66 deg. 09 min. 28 sec. E a distance of 993.65 feet to a point; Thence S 67 deg. 29 min. 33 sec. E a distance of 1020.62 feet to a point, said point being S 17 deg. 49 min. 16 sec. E, 976.382 feet from "P. R. M." 60-76-A31;

Thence S 66 deg. 16 min. 23 sec. E a distance of 1049.18 feet to a point; Thence S 65 deg. 26 min. 21 sec. E a distance of 997.09 feet to a point; Thence S 66 deg. 23 min. 50 sec. E a distance of 1002.22 feet to a point; Thence S 65 deg. 45 min. 54 sec. E a distance of 836.34 feet to a point, said point being S 00 deg. 38 min. 08 sec. W, 907.194 feet from "P. R. M." 60-76-A32;

Thence S 65 deg. 24 min. 30 sec. E a distance of 1153.61 feet to a point, said point being N 62 deg. 35 min. 07 sec. W, 265.581 feet from "P. R. M." 60-76-A37;

Thence S 66 deg. 54 min. 19 sec. E a distance of 978.47 feet to a point; Thence S 66 deg. 26 min. 46 sec. E a distance of 1062.32 feet to a point; Thence S 65 deg. 33 min. 52 sec. E a distance of 1031.46 feet to a point; Thence S 65 deg. 51 min. 54 sec. E a distance of 1022.62 feet to a point, said point being N 64 deg. 37 min. 03 sec. W, 355.883 feet from "P. R. M." 60-76-A38;

Thence S 65 deg. 51 min. 54 sec. E to the point of intersection with the Walton and Bay County Line, said point being the easterly terminus of the coastal construction control line for Walton County.

62B-26.002 Description of the Escambia County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Escambia County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule amendment shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Escambia County, Florida, together with each affected municipality.

(3) After this rule amendment becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History—New 8-12-75, Formerly 16B-26.02, Amended 6-19-86, Formerly 16B-26.002.

**METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE ESCAMBIA COUNTY, FLORIDA**

Description of the coastal construction control line is established in compliance with Section 161.053, Florida Statutes, said control line lying along the Gulf of Mexico from the Alabama and Florida state line, in Escambia County, easterly to the Escambia County and Santa Rosa County line.

Said coastal construction control line is related to a series of “Permanent Reference Monuments” (P. R. M.) designated and hereinafter referred to as “48-84-A01 through 48-84-A24” and “48-84-B01 through 48-84-B49” and National Geodetic Station Payne 1942, Cullum 1942, Cooper 1942 and fixed 1942 for monuments established by the Department of Environmental Protection, State of Florida, or referenced to by Station Name for monuments established by the National Geodetic Survey (N. G. S.).

Commence at P. R. M. 48-84-A05, thence S 68 deg. 33 min. 47 sec. W (all bearings in this description are grid) a distance of 671.348 feet to the point of beginning; Thence S 78 deg. 54 min. 57 sec. W to the point of intersection with the Alabama and Florida state line, in Escambia County; Said point being the westerly terminus of the coastal construction control line for Escambia County; Thence N 78 deg. 54 min. 57 sec. E to the point of beginning.

Thence N 78 deg. 54 min. 56 sec. E a distance of 942.02 feet to a point;

Thence N 78 deg. 24 min. 15 sec. E a distance of 1341.07 feet to a point;

Thence N 77 deg. 31 min. 00 sec. E a distance of 797.24 feet to a point;

Thence N 78 deg. 27 min. 16 sec. E a distance of 1033.87 feet to a point;

Said point being S 15 deg. 39 min. 30 sec. W a distance of 151.330 feet from P. R. M. 48-84-A06.

Thence N 79 deg. 44 min. 21 sec. E a distance of 1056.55 feet to a point;

Thence N 82 deg. 51 min. 09 sec. E a distance of 1131.42 feet to a point;

Said point being S 10 deg. 48 min. 36 sec. E a distance of 139.204 feet from P. R. M. 48-84-A03.

Thence N 82 deg. 18 min. 13 sec. E a distance of 924.38 feet to a point;

Said point being S 05 deg. 48 min. 24 sec. E a distance of 198.160 feet from P. R. M. 48-84-A07.

Thence N 79 deg. 02 min. 00 sec. E a distance of 1151.56 feet to a point;

Thence N 78 deg. 20 min. 35 sec. E a distance of 921.32 feet to a point;

Said point being S 30 deg. 45 min. 04 sec. E a distance of 210.430 feet from P. R. M. 48-84-A08.

Thence N 75 deg. 10 min. 25 sec. E a distance of 1425.83 feet to a point;

Thence N 77 deg. 08 min. 26 sec. E a distance of 823.29 feet to a point;

Thence N 76 deg. 31 min. 24 sec. E a distance of 1218.57 feet to a point;

Said point being S 16 deg. 55 min. 37 sec. W a distance of 99.766 feet from P. R. M. 48-84-A09.

Thence N 81 deg. 51 min. 06 sec. E a distance of 859.41 feet to a point;

Thence N 83 deg. 44 min. 43 sec. E a distance of 834.42 feet to a point;

Thence N 78 deg. 41 min. 05 sec. E a distance of 932.39 feet to a point;

Said point being S 54 deg. 39 min. 12 sec. W a distance of 417.752 feet from P. R. M. 48-84-A01.

Thence N 78 deg. 47 min. 18 sec. E a distance of 1161.49 feet to a point;

Thence N 79 deg. 24 min. 00 sec. E a distance of 858.26 feet to a point;

Thence N 77 deg. 10 min. 20 sec. E a distance of 1019.66 feet to a point;

Said point being S 02 deg. 43 min. 33 sec. W a distance of 202.771 feet from P. R. M. 48-84-A10.

Thence N 80 deg. 41 min. 12 sec. E a distance of 1048.12 feet to a point;

Thence N 80 deg. 45 min. 36 sec. E a distance of 985.52 feet to a point;

Thence N 83 deg. 42 min. 42 sec. E a distance of 991.39 feet to a point;

Said point being S 26 deg. 10 min. 13 sec. E a distance of 156.693 feet from P. R. M. 48-84-A11.

Thence N 82 deg. 59 min. 22 sec. E a distance of 867.48 feet to a point;

Thence N 83 deg. 18 min. 57 sec. E a distance of 1092.39 feet to a point;
Thence N 82 deg. 04 min. 22 sec. E a distance of 1151.19 feet to a point;
Said point being S 08 deg. 40 min. 46 sec. E a distance of 111.658 feet from P. R. M. 48-84-A12.
Thence N 82 deg. 35 min. 07 sec. E a distance of 882.65 feet to a point;
Thence N 81 deg. 46 min. 19 sec. E a distance of 1004.95 feet to a point;
Thence N 82 deg. 21 min. 13 sec. E a distance of 1125.03 feet to a point;
Said point being S 66 deg. 50 min. 26 sec. W a distance of 400.249 feet from P. R. M. 48-84-A13.
Thence N 82 deg. 15 min. 21 sec. E a distance of 1054.13 feet to a point;
Thence N 81 deg. 05 min. 44 sec. E a distance of 1149.49 feet to a point;
Thence N 79 deg. 45 min. 22 sec. E a distance of 1054.26 feet to a point;
Said point being S 72 deg. 59 min. 42 sec. E a distance of 249.698 feet from P. R. M. 48-84-A14.
Thence N 79 deg. 39 min. 56 sec. E a distance of 968.73 feet to a point;
Said point being S 55 deg. 34 min. 07 sec. E a distance of 30.912 feet from P. R. M. 48-84-A15.
Thence N 78 deg. 32 min. 39 sec. E a distance of 995.74 feet to a point;
Thence N 77 deg. 57 min. 06 sec. E a distance of 1291.64 feet to a point;
Thence N 76 deg. 24 min. 32 sec. E a distance of 1189.62 feet to a point;
Thence N 76 deg. 27 min. 54 sec. E a distance of 1011.23 feet to a point;
Said point being N 01 deg. 47 min. 31 sec. W a distance of 33.545 feet from P. R. M. 48-84-A16.
Thence N 76 deg. 36 min. 15 sec. E a distance of 871.42 feet to a point;
Thence N 74 deg. 29 min. 30 sec. E a distance of 1043.11 feet to a point;
Thence N 74 deg. 05 min. 53 sec. E a distance of 979.05 feet to a point;
Thence N 73 deg. 59 min. 51 sec. E a distance of 1147.28 feet to a point;
Said point being N 17 deg. 31 min. 50 sec. E a distance of 69.413 feet from P. R. M. 48-84-A17.
Thence N 73 deg. 11 min. 35 sec. E a distance of 1089.52 feet to a point;
Thence N 74 deg. 49 min. 54 sec. E a distance of 1007.60 feet to a point;
Thence N 74 deg. 30 min. 23 sec. E a distance of 1113.17 feet to a point;
Thence N 76 deg. 29 min. 04 sec. E a distance of 927.01 feet to a point;
Said point being N 30 deg. 41 min. 19 sec. E a distance of 148.720 feet from P. R. M. 48-84-A18.
Thence N 76 deg. 46 min. 04 sec. E a distance of 1074.26 feet to a point;
Thence N 76 deg. 38 min. 27 sec. E a distance of 860.15 feet to a point;
Thence N 76 deg. 45 min. 31 sec. E a distance of 1139.56 feet to a point;
Thence N 75 deg. 59 min. 05 sec. E a distance of 970.73 feet to a point;
Said point being N 25 deg. 36 min. 43 sec. W a distance of 70.271 feet from P. R. M. 48-84-A19.
Thence N 75 deg. 50 min. 17 sec. E a distance of 1018.02 feet to a point;
Thence N 78 deg. 26 min. 25 sec. E a distance of 1068.04 feet to a point;
Thence N 78 deg. 01 min. 27 sec. E a distance of 1132.47 feet to a point;
Said point being N 38 deg. 54 min. 30 sec. W a distance of 112.714 feet from P. R. M. 48-84-A20.
Thence N 78 deg. 26 min. 24 sec. E a distance of 1161.38 feet to a point;
Thence N 78 deg. 25 min. 14 sec. E a distance of 830.47 feet to a point;
Thence N 78 deg. 52 min. 21 sec. E a distance of 1078.88 feet to a point;
Thence N 79 deg. 18 min. 02 sec. E a distance of 1170.03 feet to a point;
Said point being N 48 deg. 27 min. 39 sec. E a distance of 345.082 feet from P. R. M. 48-84-A21.
Thence N 78 deg. 47 min. 13 sec. E a distance of 992.02 feet to a point;
Thence N 78 deg. 37 min. 30 sec. E a distance of 1031.38 feet to a point;
Said point being N 52 deg. 16 min. 46 sec. W a distance of 189.814 feet from P. R. M. 48-84-A22.
Thence N 79 deg. 52 min. 11 sec. E a distance of 1017.57 feet to a point;
Thence N 79 deg. 31 min. 13 sec. E a distance of 1008.68 feet to a point;
Thence N 89 deg. 14 min. 14 sec. E a distance of 500.00 feet to a point;
Said point being S 00 deg. 30 min. 20 sec. W a distance of 290.289 feet from P. R. M. 48-84-A23.
Thence N 89 deg. 14 min. 14 sec. E a distance of 507.74 feet to a point;
Thence N 84 deg. 22 min. 24 sec. E a distance of 981.54 feet to a point;
Thence N 84 deg. 27 min. 46 sec. E a distance of 1026.52 feet to a point;
Thence N 83 deg. 43 min. 22 sec. E a distance of 975.97 feet to a point;
Thence N 83 deg. 46 min. 30 sec. E a distance of 846.06 feet to a point;
Thence N 53 deg. 05 min. 41 sec. E a distance of 680.47 feet to a point;
Thence N 18 deg. 45 min. 27 sec. E a distance of 979.76 feet to a point;
Thence N 19 deg. 04 min. 14 sec. E a distance of 989.73 feet to a point;
Said point being N 85 deg. 38 min. 27 sec. E a distance of 883.018 feet from P. R. M. 48-84-A24.

Thence N 19 deg. 04 min. 14 sec. E to the point of intersection with the mean high water line with the southwesterly bank of Pensacola Harbor entrance channel;
Thence S 19 deg. 04 min. 14 sec. W to the aforementioned point;
Said point being N 85 deg. 38 min. 27 sec. E a distance of 883.018 feet from P. R. M. 48-84-A24.
Recommence at N. G. S. Station Payne 1942, thence S 83 deg. 47 min. 48 sec. W a distance of 358.579 feet to a point on the coastal construction control line;
Thence N 52 deg. 31 min. 06 sec. W a distance of 572.76 feet to a point;
Thence North to the point of intersection with the mean high water line with the North bank of Pensacola Harbor entrance channel;
Thence South to the aforementioned point;
Thence S 52 deg. 31 min. 06 sec. E a distance of 572.76 feet to a point on the coastal construction control line;
Said point being S 83 deg. 47 min. 48 sec. W a distance of 358.579 feet from N. G. S. Station Payne 1942.
Thence S 52 deg. 12 min. 02 sec. E a distance of 1193.33 feet to a point;
Said point being S 31 deg. 57 min. 04 sec. W a distance of 443.513 feet from N. G. S. Station Cullum 1942.
Thence S 52 deg. 33 min. 56 sec. E a distance of 1065.06 feet to a point;
Thence S 64 deg. 43 min. 00 sec. E a distance of 801.74 feet to a point;
Thence S 61 deg. 28 min. 00 sec. E a distance of 795.97 feet to a point;
Thence S 60 deg. 47 min. 42 sec. E a distance of 927.48 feet to a point;
Said point being S 42 deg. 54 min. 04 sec. E a distance of 36.237 feet from P. R. M. 48-84-B01.
Thence S 76 deg. 24 min. 47 sec. E a distance of 985.01 feet to a point;
Said point being S 84 deg. 51 min. 58 sec. E a distance of 162.610 feet from N. G. S. Station Cooper 1942.
Thence S 80 deg. 29 min. 46 sec. E a distance of 841.85 feet to a point;
Thence S 74 deg. 16 min. 44 sec. E a distance of 1154.52 feet to a point;
Thence S 66 deg. 57 min. 10 sec. E a distance of 1014.21 feet to a point;
Thence S 66 deg. 04 min. 15 sec. E a distance of 930.79 feet to a point;
Thence S 81 deg. 23 min. 56 sec. E a distance of 971.90 feet to a point;
Thence N 85 deg. 06 min. 18 sec. E a distance of 995.14 feet to a point;
Said point being N 44 deg. 03 min. 10 sec. W a distance of 268.394 feet from P. R. M. 48-84-B02.
Thence N 86 deg. 03 min. 54 sec. E a distance of 978.61 feet to a point;
Thence S 89 deg. 50 min. 07 sec. E a distance of 953.01 feet to a point;
Said point being S 03 deg. 31 min. 34 sec. W a distance of 596.259 feet from N. G. S. Station Fixed 1942.
Thence N 89 deg. 31 min. 44 sec. E a distance of 910.18 feet to a point;
Thence N 84 deg. 07 min. 57 sec. E a distance of 965.49 feet to a point;
Said point being S 28 deg. 22 min. 07 sec. E a distance of 40.712 feet from P. R. M. 48-84-B03.
Thence N 82 deg. 13 min. 15 sec. E a distance of 945.54 feet to a point;
Thence N 81 deg. 35 min. 50 sec. E a distance of 1139.20 feet to a point;
Thence N 86 deg. 28 min. 27 sec. E a distance of 965.54 feet to a point;
Thence N 85 deg. 59 min. 56 sec. E a distance of 1029.58 feet to a point;
Said point being N 41 deg. 58 min. 09 sec. E a distance of 220.186 feet from P. R. M. 48-84-B04.
Thence S 87 deg. 08 min. 44 sec. E a distance of 1067.20 feet to a point;
Thence N 85 deg. 41 min. 26 sec. E a distance of 959.48 feet to a point;
Thence N 85 deg. 02 min. 53 sec. E a distance of 1003.37 feet to a point;
Said point being N 36 deg. 18 min. 58 sec. E a distance of 266.913 feet from P. R. M. 48-84-B05.
Thence N 82 deg. 49 min. 58 sec. E a distance of 1016.88 feet to a point;
Thence N 82 deg. 20 min. 27 sec. E a distance of 1018.08 feet to a point;
Thence N 79 deg. 21 min. 40 sec. E a distance of 980.65 feet to a point;
Said point being N 02 deg. 48 min. 13 sec. E a distance of 284.475 feet from P. R. M. 48-84-B06.
Thence N 83 deg. 50 min. 43 sec. E a distance of 939.20 feet to a point;
Thence N 84 deg. 41 min. 05 sec. E a distance of 1005.73 feet to a point;
Thence N 82 deg. 11 min. 59 sec. E a distance of 1075.72 feet to a point;
Thence N 82 deg. 27 min. 40 sec. E a distance of 977.27 feet to a point;
Said point being N 11 deg. 23 min. 04 sec. E a distance of 307.499 feet from P. R. M. 48-84-B07.
Thence N 84 deg. 41 min. 34 sec. E a distance of 1016.38 feet to a point;
Thence S 89 deg. 58 min. 32 sec. E a distance of 942.46 feet to a point;
Thence N 81 deg. 55 min. 45 sec. E a distance of 1100.71 feet to a point;
Said point being N 55 deg. 47 min. 35 sec. W a distance of 63.622 feet from P. R. M. 48-84-B08.
Thence N 81 deg. 15 min. 35 sec. E a distance of 924.97 feet to a point;
Thence N 82 deg. 18 min. 40 sec. E a distance of 1012.19 feet to a point;
Thence N 75 deg. 08 min. 30 sec. E a distance of 997.85 feet to a point;
Said point being N 61 deg. 07 min. 23 sec. W a distance of 391.143 feet from P. R. M. 48-84-B09.

Thence N 82 deg. 34 min. 15 sec. E a distance of 1099.35 feet to a point;
Thence N 82 deg. 39 min. 11 sec. E a distance of 904.47 feet to a point;
Thence N 82 deg. 29 min. 15 sec. E a distance of 918.17 feet to a point;
Thence S 84 deg. 14 min. 31 sec. E a distance of 943.27 feet to a point;
Said point being S 81 deg. 23 min. 33 sec. E a distance of 24.428 feet from P. R. M. 48-84-B10.
Thence N 82 deg. 46 min. 28 sec. E a distance of 952.25 feet to a point;
Thence N 82 deg. 59 min. 23 sec. E a distance of 1017.77 feet to a point;
Thence N 87 deg. 19 min. 15 sec. E a distance of 931.61 feet to a point;
Said point being S 67 deg. 39 min. 17 sec. E a distance of 32.808 feet from P. R. M. 48-84-B11.
Thence N 87 deg. 21 min. 14 sec. E a distance of 816.62 feet to a point;
Thence N 83 deg. 07 min. 41 sec. E a distance of 1062.16 feet to a point;
Said point being N 71 deg. 45 min. 46 sec. E a distance of 30.883 feet from P. R. M. 48-84-B12.
Thence N 80 deg. 56 min. 08 sec. E a distance of 954.93 feet to a point;
Thence N 81 deg. 12 min. 06 sec. E a distance of 951.03 feet to a point;
Said point being S 88 deg. 56 min. 40 sec. E a distance of 440.072 feet from P. R. M. 48-84-B13.
Thence N 79 deg. 55 min. 51 sec. E a distance of 1108.41 feet to a point;
Thence N 80 deg. 16 min. 30 sec. E a distance of 769.67 feet to a point;
Said point being S 10 deg. 48 min. 31 sec. E a distance of 12.441 feet from P. R. M. 48-84-B14.
Thence N 80 deg. 14 min. 53 sec. E a distance of 978.36 feet to a point;
Thence N 78 deg. 47 min. 57 sec. E a distance of 1040.72 feet to a point;
Said point being S 74 deg. 38 min. 59 sec. E a distance of 163.915 feet from P. R. M. 48-84-B15.
Thence N 78 deg. 43 min. 39 sec. E a distance of 987.37 feet to a point;
Said point being S 17 deg. 03 min. 48 sec. E a distance of 548.905 feet from P. R. M. 48-84-B16.
Thence N 78 deg. 08 min. 26 sec. E a distance of 982.19 feet to a point;
Thence N 79 deg. 24 min. 59 sec. E a distance of 1078.45 feet to a point;
Thence N 79 deg. 06 min. 05 sec. E a distance of 283.41 feet to a point;
Said point being S 18 deg. 12 min. 25 sec. W a distance of 605.800 feet from P. R. M. 48-84-B17.
Thence N 79 deg. 06 min. 05 sec. E a distance of 615.00 feet to a point;
Thence N 80 deg. 13 min. 49 sec. E a distance of 939.94 feet to a point;
Thence N 80 deg. 20 min. 50 sec. E a distance of 500.00 feet to a point;
Said point being S 12 deg. 59 min. 04 sec. W distance of 385.492 feet from P. R. M. 48-84-B18.
Thence N 80 deg. 20 min. 50 sec. E a distance of 535.22 feet to a point;
Thence N 78 deg. 37 min. 18 sec. E a distance of 1072.57 feet to a point;
Thence N 82 deg. 03 min. 57 sec. E a distance of 852.21 feet to a point;
Thence N 82 deg. 01 min. 34 sec. E a distance of 695.34 feet to a point;
Said point being S 11 deg. 44 min. 10 sec. E a distance of 572.190 feet from P. R. M. 48-84-B19.
Thence N 82 deg. 01 min. 34 sec. E a distance of 210.00 feet to a point;
Thence N 78 deg. 15 min. 55 sec. E a distance of 1025.41 feet to a point;
Thence N 78 deg. 30 min. 37 sec. E a distance of 1032.33 feet to a point;
Thence N 78 deg. 31 min. 16 sec. E a distance of 714.39 feet to a point;
Said point being S 10 deg. 22 min. 35 sec. E a distance of 608.184 feet from P. R. M. 48-84-B20.
Thence N 78 deg. 31 min. 16 sec. E a distance of 210.00 feet to a point;
Thence N 78 deg. 55 min. 00 sec. E a distance of 991.36 feet to a point;
Thence N 78 deg. 58 min. 52 sec. E a distance of 957.68 feet to a point;
Thence N 79 deg. 00 min. 54 sec. E a distance of 950.27 feet to a point;
Thence N 78 deg. 54 min. 01 sec. E a distance of 841.48 feet to a point;
Said point being S 10 deg. 49 min. 39 sec. E a distance of 622.286 feet from P. R. M. 48-84-B21.
Thence N 78 deg. 54 min. 01 sec. E a distance of 280.00 feet to a point;
Thence N 77 deg. 59 min. 38 sec. E a distance of 961.02 feet to a point;
Thence N 78 deg. 11 min. 31 sec. E a distance of 992.72 feet to a point;
Thence N 76 deg. 15 min. 59 sec. E a distance of 928.08 feet to a point;
Thence N 76 deg. 35 min. 15 sec. E a distance of 1003.76 feet to a point;
Said point being N 66 deg. 58 min. 30 sec. E a distance of 215.269 feet from P. R. M. 48-84-B22.
Thence N 78 deg. 17 min. 26 sec. E a distance of 1112.88 feet to a point;
Thence N 79 deg. 30 min. 14 sec. E a distance of 984.10 feet to a point;
Thence N 79 deg. 28 min. 46 sec. E a distance of 1034.87 feet to a point;
Said point being N 66 deg. 01 min. 45 sec. E a distance of 45.952 feet from P. R. M. 48-84-B23.
Thence N 79 deg. 10 min. 51 sec. E a distance of 1028.10 feet to a point;
Thence N 78 deg. 59 min. 55 sec. E a distance of 975.31 feet to a point;

Thence N 79 deg. 02 min. 09 E a distance of 1021.68 feet to a point;
Said point being N 26 deg. 58 min. 56 sec. E a distance of 31.132 feet from P. R. M. 48-84-B24.
Thence N 79 deg. 02 min. 11 sec. E a distance of 983.16 feet to a point;
Thence N 79 deg. 50 min. 29 sec. E a distance of 1042.63 feet to a point;
Thence N 78 deg. 29 min. 55 sec. E a distance of 1002.59 feet to a point;
Thence N 78 deg. 01 min. 41 sec. E a distance of 973.40 feet to a point;
Said point being N 63 deg. 27 min. 09 sec. E a distance of 227.177 feet from P. R. M. 48-84-B25.
Thence N 79 deg. 43 min. 43 sec. E a distance of 1098.74 feet to a point;
Thence N 81 deg. 20 min. 08 sec. E a distance of 961.21 feet to a point;
Thence N 81 deg. 30 min. 56 sec. E a distance of 1004.40 feet to a point;
Said point being N 07 deg. 34 min. 04 sec. W a distance of 15.118 feet from P. R. M. 48-84-B26.
Thence N 80 deg. 07 min. 17 sec. E a distance of 1002.80 feet to a point;
Thence N 80 deg. 08 min. 04 sec. E a distance of 993.27 feet to a point;
Thence N 78 deg. 15 min. 48 sec. E a distance of 1056.55 feet to a point;
Said point being N 55 deg. 44 min. 24 sec. W a distance of 44.528 feet from P. R. M. 48-84-B27.
Thence N 78 deg. 32 min. 12 sec. E a distance of 981.74 feet to a point;
Thence N 78 deg. 53 min. 13 sec. E a distance of 1006.05 feet to a point;
Thence N 78 deg. 39 min. 04 sec. E a distance of 977.59 feet to a point;
Said point being N 36 deg. 15 min. 13 sec. W a distance of 36.978 feet from P. R. M. 48-84-B28.
Thence N 78 deg. 11 min. 09 sec. E a distance of 1041.77 feet to a point;
Thence N 79 deg. 06 min. 14 sec. E a distance of 1021.08 feet to a point;
Thence N 81 deg. 20 min. 14 sec. E a distance of 984.90 feet to a point;
Said point being N 80 deg. 37 min. 54 sec. W a distance of 112.292 feet from P. R. M. 48-84-B29.
Thence N 80 deg. 26 min. 17 sec. E a distance of 1046.50 feet to a point;
Thence N 80 deg. 32 min. 39 sec. E a distance of 862.06 feet to a point;
Thence N 81 deg. 43 min. 27 sec. E a distance of 1063.60 feet to a point;
Said point being S 89 deg. 35 min. 53 sec. W a distance of 89.529 (feet from P. R. M. 48-84-B30).
Thence N 80 deg. 46 min. 57 sec. E a distance of 1040.84 feet to a point;
Thence N 81 deg. 00 min. 26 sec. E a distance of 958.17 feet to a point;
Thence N 80 deg. 59 min. 47 sec. E a distance of 952.13 feet to a point;
Said point being N 79 deg. 43 min. 32 sec. W a distance of 65.489 feet from P. R. M. 48-84-B31.
Thence N 80 deg. 33 min. 17 sec. E a distance of 1063.42 feet to a point;
Thence N 80 deg. 25 min. 33 sec. E a distance of 1030.84 feet to a point;
Thence N 80 deg. 37 min. 44 sec. E a distance of 1020.01 feet to a point;
Said point being N 26 deg. 17 min. 25 sec. W a distance of 52.125 feet from P. R. M. 48-84-B32.
Thence N 81 deg. 04 min. 30 sec. E a distance of 1027.84 feet to a point;
Thence N 78 deg. 56 min. 56 sec. E a distance of 907.66 feet to a point;
Thence N 78 deg. 48 min. 30 sec. E a distance of 986.24 feet to a point;
Said point being N 30 deg. 06 min. 10 sec. E a distance of 160.763 feet from P. R. M. 48-84-B33.
Thence N 78 deg. 51 min. 06 sec. E a distance of 939.06 feet to a point;
Thence N 79 deg. 18 min. 55 sec. E a distance of 1071.11 feet to a point;
Thence N 79 deg. 40 min. 13 sec. E a distance of 805.68 feet to a point;
Said point being S 44 deg. 59 min. 33 sec. E a distance of 642.256 feet from P. R. M. 48-84-B34.
Thence N 79 deg. 40 min. 13 sec. E a distance of 240.00 feet to a point;
Thence N 79 deg. 15 min. 56 sec. E a distance of 987.45 feet to a point;
Thence N 79 deg. 22 min. 33 sec. E a distance of 922.84 feet to a point;
Thence N 79 deg. 37 min. 34 sec. E a distance of 994.71 feet to a point;
Said point being N 84 deg. 47 min. 03 sec. E a distance of 127.667 feet from P. R. M. 48-84-B35.
Thence N 79 deg. 20 min. 54 sec. E a distance of 1034.10 feet to a point;
Thence N 79 deg. 26 min. 07 sec. E a distance of 987.35 feet to a point;
Thence N 80 deg. 59 min. 21 sec. E a distance of 1035.27 feet to a point;
Said point being N 75 deg. 29 min. 36 sec. W a distance of 68.374 feet from P. R. M. 48-84-B36.
Thence N 80 deg. 01 min. 30 sec. E a distance of 1011.64 feet to a point;
Thence N 80 deg. 11 min. 19 sec. E a distance of 1001.97 feet to a point;
Thence N 79 deg. 33 min. 57 sec. E a distance of 1090.87 feet to a point;
Said point being N 54 deg. 12 min. 14 sec. E a distance of 69.877 feet from P. R. M. 48-84-B37.
Thence N 79 deg. 44 min. 03 sec. E a distance of 962.15 feet to a point;
Thence N 78 deg. 16 min. 57 sec. E a distance of 971.74 feet to a point;
Thence N 78 deg. 25 min. 48 sec. E a distance of 991.09 feet to a point;

Said point being N 54 deg. 24 min. 53 sec. W a distance of 39.774 feet from P. R. M. 48-84-B38.
 Thence N 79 deg. 07 min. 29 sec. E a distance of 986.37 feet to a point;
 Thence N 79 deg. 26 min. 52 sec. E a distance of 960.90 feet to a point;
 Thence N 80 deg. 32 min. 27 sec. E a distance of 1079.46 feet to a point;
 Said point being N 22 deg. 45 min. 00 sec. W a distance of 08.872 feet from P. R. M. 48-84-B39.
 Thence N 80 deg. 36 min. 31 sec. E a distance of 1163.40 feet to a point;
 Thence N 81 deg. 03 min. 29 sec. E a distance of 857.76 feet to a point;
 Thence N 79 deg. 03 min. 24 sec. E a distance of 956.32 feet to a point;
 Said point being N 07 deg. 47 min. 38 sec. W a distance of 70.069 feet from P. R. M. 48-84-B40.
 Thence N 80 deg. 01 min. 18 sec. E a distance of 1049.88 feet to a point;
 Thence N 81 deg. 56 min. 05 sec. E a distance of 1051.65 feet to a point;
 Thence N 80 deg. 55 min. 02 sec. E a distance of 971.68 feet to a point;
 Said point being N 33 deg. 29 min. 03 sec. E a distance of 49.421 feet from P. R. M. 48-84-B41.
 Thence N 81 deg. 52 min. 49 sec. E a distance of 1028.38 feet to a point;
 Thence N 80 deg. 42 min. 55 sec. E a distance of 925.66 feet to a point;
 Thence N 80 deg. 59 min. 08 sec. E a distance of 1044.94 feet to a point;
 Said point being S 12 deg. 35 min. 55 sec. E a distance of 28.719 feet from P. R. M. 48-84-B42.
 Thence N 81 deg. 46 min. 52 sec. E a distance of 1012.82 feet to a point;
 Thence N 79 deg. 09 min. 14 sec. E distance of 1002.73 feet to a point;
 Thence N 80 deg. 29 min. 46 sec. E a distance of 1012.77 feet to a point;
 Thence N 83 deg. 03 min. 30 sec. E a distance of 905.07 feet to a point;
 Said point being N 33 deg. 53 min. 16 sec. E a distance of 102.825 feet from P. R. M. 48-84-B43.
 Thence N 82 deg. 31 min. 23 sec. E a distance of 1156.98 feet to a point;
 Said point being S 00 deg. 22 min. 30 sec. E a distance of 387.179 feet from P. R. M. 48-84-B44.
 Thence N 79 deg. 59 min. 28 sec. E a distance of 1035.74 feet to a point;
 Thence N 82 deg. 03 min. 18 sec. E a distance of 1089.22 feet to a point;
 Thence N 87 deg. 12 min. 56 sec. E a distance of 955.05 feet to a point;
 Said point being S 22 deg. 04 min. 03 sec. E a distance of 489.671 feet from P. R. M. 48-84-B45.
 Thence N 83 deg. 11 min. 37 sec. E a distance of 1101.82 feet to a point;
 Thence N 81 deg. 36 min. 54 sec. E a distance of 1034.91 feet to a point;
 Said point being S 65 deg. 03 min. 37 sec. E a distance of 810.553 feet from P. R. M. 48-84-B46.
 Thence N 81 deg. 32 min. 01 sec. E a distance of 1044.71 feet to a point;
 Thence N 76 deg. 01 min. 31 sec. E a distance of 707.42 feet to a point;
 Thence N 10 deg. 00 min. 00 sec. W a distance of 380.00 feet to a point;
 Thence N 83 deg. 52 min. 49 sec. E a distance of 1275.91 feet to a point;
 Thence N 83 deg. 52 min. 49 sec. E to the point of intersection with the Escambia County and Santa Rosa County line;
 Said point being the easterly terminus of the coastal construction control line for Escambia County;
 Thence S 83 deg. 52 min. 49 sec. W to the aforementioned point;
 Thence S 83 deg. 52 min. 49 sec. W a distance of 1275.91 feet to a point;
 Thence S 10 deg. 00 min. 00 sec. E a distance of 380.00 feet to a point;
 Thence S 76 deg. 01 min. 31 sec. W a distance of 707.42 feet to a point;
 Thence S 81 deg. 32 min. 01 sec. W a distance of 1044.71 feet to a point;
 Said point being S 65 deg. 03 min. 37 sec. E a distance of 810.553 feet from P. R. M. 48-84-B46.

62B-26.003 Description of the Okaloosa County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Okaloosa County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule amendment shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Okaloosa County, Florida, together with each affected municipality.

(3) After this rule amendment becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History—New 10-25-76, Amended 1-25-79, Formerly 16B-26.03, Amended 1-8-92, Formerly 16B-26.003.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE OKALOOSA COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES.

SAID CONTROL LINE LYING ALONG THE GULF OF MEXICO FROM THE EASTERLY BOUNDARY OF EGLIN AIR FORCE BASE AND THE WESTERLY BOUNDARY OF THE OKALOOSA ISLAND AUTHORITY LINE EASTERLY TO THE INTERSECTION WITH THE WESTERN BOUNDARY OF EGLIN AIR FORCE BASE. RECOMMENCING AT THE EASTERLY BOUNDARY OF EGLIN AIR FORCE BASE AND CONTINUING EASTERLY TO ITS TERMINUS AT THE INTERSECTION WITH THE OKALOOSA-WALTON COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "NARR 2 1973", "57-81-A01", "57-81-A02", "57-89-A02 A", "57-81-A03-2 1989", "ARIUM-1956", "57-89-A03A", "57-81-A04", "57-81-A05", "CONTRAVES ONE 1956", "57-81-A06 THROUGH 57-81-A10", "57-81-A11-2 1989", "57-89-A11 A", "57-81-A12", "57-89-A12 A", "57-81-A13 THROUGH 57-81-A15", "RENO 1934", "57-81-A16 THROUGH 57-81-A20".

FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ESTABLISHED ON THE NORTH ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) 57-81-A01, 57-81-A13.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE OKALOOSA COUNTY, FLORIDA

COMMENCE AT P. R. M. 57-81-A01; THENCE S 07 DEG. 01 MIN. 33 SEC. W A DISTANCE OF 319.18 FEET TO THE POINT OF BEGINNING; THENCE N 87 DEG. 33 MIN. 41 SEC. W A DISTANCE OF 1162.35 FEET TO A POINT; THENCE N 87 DEG. 31 MIN. 42 SEC. W TO THE POINT OF INTERSECTION WITH THE EASTERLY BOUNDARY OF EGLIN AIR FORCE BASE; SAID POINT BEING THE WESTERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR OKALOOSA COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING; SAID POINT BEING S 07 DEG. 01 MIN. 33 SEC. W A DISTANCE OF 319.18 FEET FROM P. R. M. 57-81-A01.

THENCE S 86 DEG. 37 MIN. 37 SEC. E A DISTANCE OF 1097.79 FEET TO A POINT; THENCE S 86 DEG. 33 MIN. 09 SEC. E A DISTANCE OF 1100.47 FEET TO A POINT; THENCE S 85 DEG. 52 MIN. 36 SEC. E A DISTANCE OF 1046.82 FEET TO A POINT; SAID POINT BEING S 18 DEG. 03 MIN. 53 SEC. W A DISTANCE OF 284.05 FEET FROM P. R. M. 57-81-A02.

THENCE S 82 DEG. 25 MIN. 22 SEC. E A DISTANCE OF 1101.01 FEET TO A POINT; THENCE S 81 DEG. 33 MIN. 58 SEC. E A DISTANCE OF 1067.93 FEET TO A POINT; SAID POINT BEING S 29 DEG. 28 MIN. 48 SEC. W A DISTANCE OF 411.06 FEET FROM P. R. M. 57-89-A02 A.

THENCE S 82 DEG. 03 MIN. 55 SEC. E A DISTANCE OF 1102.50 FEET TO A POINT; THENCE S 80 DEG. 46 MIN. 52 SEC. E A DISTANCE OF 1029.84 FEET TO A POINT; SAID POINT BEING S 04 DEG. 29 MIN. 33 SEC. E A DISTANCE OF 368.43 FEET FROM P. R. M. 57-81-A03-2 1989.

THENCE S 80 DEG. 49 MIN. 59 SEC. E A DISTANCE OF 1016.95 FEET TO A POINT; SAID POINT BEING S 61 DEG. 30 MIN. 08 SEC. W A DISTANCE OF 887.86 FEET FROM P. R. M. ARIUM-1956.

THENCE S 81 DEG. 10 MIN. 58 SEC. E A DISTANCE OF 1102.19 FEET TO A POINT; SAID POINT BEING S 03 DEG. 29 MIN. 59 SEC. W A DISTANCE OF 674.93 FEET FROM P. R. M. 57-89-A03A.

THENCE S 84 DEG. 37 MIN. 09 SEC. E A DISTANCE OF 1089.49 FEET TO A POINT; SAID POINT BEING S 15 DEG. 23 MIN. 23 SEC. E A DISTANCE OF 761.81 FEET FROM P. R. M. 57-81-A04.

THENCE S 84 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 1058.22 FEET TO A POINT; THENCE S 85 DEG. 26 MIN. 40 SEC. E A DISTANCE OF 1068.71 FEET TO A POINT; THENCE S 85 DEG. 06 MIN. 18 SEC. E A DISTANCE OF 870.44 FEET TO A POINT; SAID POINT BEING S 05 DEG. 54 MIN. 32 SEC. W A DISTANCE OF 583.84 FEET FROM P. R. M. 57-81-A05.

THENCE S 85 DEG. 06 MIN. 18 SEC. E TO THE POINT OF INTERSECTION WITH THE WESTERLY BOUNDARY OF EGLIN AIR FORCE BASE; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING S 05 DEG. 54 MIN. 32 SEC. W A DISTANCE OF 583.84 FEET FROM P. R. M. 57-81-A05.

RECOMMENCE AT P. R. M. 57-81-A09; THENCE N 40 DEG. 59 MIN. 14 SEC. E A DISTANCE OF 105.92 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 68 DEG. 55 MIN. 47 SEC. W A DISTANCE OF 1251.69 FEET TO A POINT; THENCE N 29 DEG. 55 MIN. 40 SEC. W A DISTANCE OF 815.78 FEET TO A POINT; THENCE N 64 DEG. 52 MIN. 47 SEC. W A DISTANCE OF 301.52 FEET TO A POINT; THENCE N 34 DEG. 21 MIN. 18 SEC. W A DISTANCE OF 1075.64 FEET TO A POINT; THENCE N 81 DEG. 50 MIN. 20 SEC. W A DISTANCE OF 260.64 FEET TO A POINT; THENCE N 38 DEG. 59 MIN. 57 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER

LINE OF THE EAST SHORE OF EAST PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING N 40 DEG. 59 MIN. 14 SEC. E A DISTANCE OF 105.92 FEET FROM P. R. M. 57-81-A09.

THENCE S 25 DEG. 05 MIN. 12 SEC. W A DISTANCE OF 745.31 FEET TO A POINT; THENCE N 86 DEG. 32 MIN. 58 SEC. E A DISTANCE OF 721.74 FEET TO A POINT; THENCE N 87 DEG. 06 MIN. 09 SEC. E A DISTANCE OF 945.87 FEET TO A POINT; SAID POINT BEING S 13 DEG. 12 MIN. 47 SEC. W A DISTANCE OF 290.21 FEET FROM P. R. M. 57-81-A10.

THENCE N 86 DEG. 09 MIN. 19 SEC. E A DISTANCE OF 1170.22 FEET TO A POINT; THENCE N 86 DEG. 14 MIN. 49 SEC. E A DISTANCE OF 1004.87 FEET TO A POINT; THENCE N 89 DEG. 16 MIN. 51 SEC. E A DISTANCE OF 1010.59 FEET TO A POINT; SAID POINT BEING S 73 DEG. 09 MIN. 04 SEC. E A DISTANCE OF 532.98 FEET FROM P. R. M. 57-81-A11-2 1989.

THENCE N 89 DEG. 14 MIN. 23 SEC. E A DISTANCE OF 865.58 FEET TO A POINT; SAID POINT BEING S 71 DEG. 15 MIN. 40 SEC. W A DISTANCE OF 419.44 FEET FROM P. R. M. 57-89-A11 A.

THENCE N 89 DEG. 10 MIN. 49 SEC. E A DISTANCE OF 1284.38 FEET TO A POINT; SAID POINT BEING S 59 DEG. 42 MIN. 39 SEC. E A DISTANCE OF 699.27 FEET FROM P. R. M. 57-81-A12.

THENCE N 89 DEG. 34 MIN. 44 SEC. E A DISTANCE OF 1013.81 FEET TO A POINT; SAID POINT BEING S 43 DEG. 31 MIN. 44 SEC. E A DISTANCE OF 1859.98 FEET FROM P. R. M. 57-89-A12 A.

THENCE N 89 DEG. 26 MIN. 02 SEC. E A DISTANCE OF 456.58 FEET TO A POINT; THENCE N 06 DEG. 20 MIN. 25 SEC. E A DISTANCE OF 181.11 FEET TO A POINT; THENCE S 89 DEG. 31 MIN. 34 SEC. E A DISTANCE OF 645.41 FEET TO A POINT; THENCE N 89 DEG. 41 MIN. 35 SEC. E A DISTANCE OF 72.60 FEET TO A POINT; THENCE S 18 DEG. 16 MIN. 11 SEC. E A DISTANCE OF 108.51 FEET TO A POINT; THENCE S 87 DEG. 38 MIN. 09 SEC. E A DISTANCE OF 961.57 FEET TO A POINT; THENCE S 87 DEG. 44 MIN. 13 SEC. E A DISTANCE OF 1021.34 FEET TO A POINT; SAID POINT BEING S 17 DEG. 46 MIN. 12 SEC. E A DISTANCE OF 560.18 FEET FROM P. R. M. 57-81-A14.

THENCE S 87 DEG. 36 MIN. 50 SEC. E A DISTANCE OF 1200.02 FEET TO A POINT; THENCE S 87 DEG. 23 MIN. 40 SEC. E A DISTANCE OF 1056.72 FEET TO A POINT; THENCE S 85 DEG. 41 MIN. 11 SEC. E A DISTANCE OF 884.06 FEET TO A POINT; SAID POINT BEING N 21 DEG. 08 MIN. 50 SEC. W A DISTANCE OF 74.19 FEET FROM P. R. M. 57-81-A15.

THENCE S 85 DEG. 40 MIN. 05 SEC. E A DISTANCE OF 969.58 FEET TO A POINT; THENCE S 86 DEG. 15 MIN. 35 SEC. E A DISTANCE OF 1060.34 FEET TO A POINT; THENCE S 85 DEG. 58 MIN. 53 SEC. E A DISTANCE OF 991.75 FEET TO A POINT; SAID POINT BEING S 67 DEG. 20 MIN. 35 SEC. E A DISTANCE OF 177.21 FEET FROM P. R. M. RENO 1934.

THENCE S 89 DEG. 00 MIN. 29 SEC. E A DISTANCE OF 940.21 FEET TO A POINT; SAID POINT BEING N 07 DEG. 24 MIN. 26 SEC. W A DISTANCE OF 64.88 FEET FROM P. R. M. 57-81-A16.

THENCE S 84 DEG. 56 MIN. 55 SEC. E A DISTANCE OF 1119.43 FEET TO A POINT; THENCE S 85 DEG. 17 MIN. 36 SEC. E A DISTANCE OF 1021.26 FEET TO A POINT; THENCE S 85 DEG. 04 MIN. 32 SEC. E A DISTANCE OF 971.22 FEET TO A POINT; THENCE S 82 DEG. 43 MIN. 50 SEC. E A DISTANCE OF 963.52 FEET TO A POINT; SAID POINT BEING S 88 DEG. 57 MIN. 47 SEC. E A DISTANCE OF 341.76 FEET FROM P. R. M. 57-81-A17.

THENCE S 82 DEG. 50 MIN. 58 SEC. E A DISTANCE OF 1140.01 FEET TO A POINT; THENCE S 81 DEG. 38 MIN. 34 SEC. E A DISTANCE OF 992.97 FEET TO A POINT; SAID POINT BEING S 45 DEG. 34 MIN. 17 SEC. W A DISTANCE OF 193.72 FEET FROM P. R. M. 57-81-A18.

THENCE S 81 DEG. 44 MIN. 15 SEC. E A DISTANCE OF 952.37 FEET TO A POINT; THENCE S 83 DEG. 22 MIN. 32 SEC. E A DISTANCE OF 1038.27 FEET TO A POINT; THENCE S 83 DEG. 14 MIN. 28 SEC. E A DISTANCE OF 986.58 FEET TO A POINT; THENCE S 83 DEG. 45 MIN. 21 SEC. E A DISTANCE OF 1139.21 FEET TO A POINT; SAID POINT BEING S 89 DEG. 37 MIN. 40 SEC. E A DISTANCE OF 126.22 FEET FROM P. R. M. 57-81-A19.

THENCE S 83 DEG. 49 MIN. 34 SEC. E A DISTANCE OF 958.02 FEET TO A POINT; THENCE S 82 DEG. 00 MIN. 13 SEC. E A DISTANCE OF 1063.76 FEET TO A POINT; THENCE S 82 DEG. 04 MIN. 06 SEC. E A DISTANCE OF 961.59 FEET TO A POINT; SAID POINT BEING N 61 DEG. 44 MIN. 49 SEC. W A DISTANCE OF 71.92 FEET FROM P. R. M. 57-81-A20.

THENCE S 82 DEG. 03 MIN. 23 SEC. E A DISTANCE OF 1003.99 FEET TO A POINT; THENCE S 78 DEG. 25 MIN. 52 SEC. E TO THE POINT OF INTERSECTION WITH THE OKALOOSA-WALTON COUNTY LINE AND THE TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR OKALOOSA COUNTY, FLORIDA.

62B-26.004 Description of the Duval County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Duval County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule amendment shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Duval County, Florida, together with each affected municipality.

(3) After this rule amendment becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History—New 2-24-76, Formerly 16B-26.04, Amended 8-12-92, Formerly 16B-26.004.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE DUVAL COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053, OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE ATLANTIC OCEAN FROM THE MEAN HIGH WATER LINE OF THE NORTHWESTERN SHORE OF LITTLE TALBOT ISLAND SOUTHERLY TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF LITTLE TALBOT ISLAND. RECOMMENCING AT THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF FORT GEORGE ISLAND, CONTINUING SOUTHERLY TO THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF FORT GEORGE ISLAND. RECOMMENCING AT THE SOUTHERN BOUNDARY OF MAYPORT NAVAL STATION, CONTINUING SOUTHERLY TO ITS TERMINUS AT THE DUVAL-SAINT JOHNS COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "72-81-A01-2 1989", "72-81-A02-2 1989 THROUGH 72-81-A06", "72-81-A07-2 1989", "72-81-A08", "72-81-A09-2 1989", "72-81-A12 THROUGH 72-81-A33", AND "78-79-A09".

FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY THE NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED IN THE EAST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED UPON THE NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) 72-81-A17, 74-81-A 27, AND 78-79-A08.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE DUVAL COUNTY, FLORIDA

COMMENCE AT "P.R.M." 72-81-A01-2 1989; THENCE S 22 DEG. 07 MIN. 51 SEC. W A DISTANCE OF 445.50 FEET TO THE POINT OF BEGINNING; THENCE N 74 DEG. 40 MIN. 45 SEC. W A DISTANCE OF 884.39 FEET TO A POINT; THENCE N 74 DEG. 40 MIN. 45 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHWESTERN SHORE OF LITTLE TALBOT ISLAND, SAID POINT BEING THE NORTHWESTERN TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR DUVAL COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING; SAID POINT BEING S 22 DEG. 07 MIN. 51 SEC. W A DISTANCE OF 445.50 FEET FROM P. R. M. 72-81-A01-2 1989.

THENCE S 27 DEG. 04 MIN. 10 SEC. E A DISTANCE OF 298.35 FEET TO A POINT; THENCE S 14 DEG. 29 MIN. 34 SEC. E A DISTANCE OF 945.27 FEET TO A POINT; SAID POINT BEING S 87 DEG. 41 MIN. 59 SEC. W A DISTANCE OF 487.18 FEET FROM P. R. M. 72-81-A02-2 1989.

THENCE S 01 DEG. 50 MIN. 29 SEC. W A DISTANCE OF 1016.06 FEET TO A POINT; THENCE S 01 DEG. 06 MIN. 07 SEC. W A DISTANCE OF 461.07 FEET TO A POINT; THENCE S 00 DEG. 28 MIN. 18 SEC. W A DISTANCE OF 989.81 FEET TO A POINT; THENCE S 01 DEG. 33 MIN. 20 SEC. E A DISTANCE OF 1188.16 FEET TO A POINT; SAID POINT BEING S 56 DEG. 14 MIN. 17 SEC. W A DISTANCE OF 679.80 FEET FROM P. R. M. 72-81-A03.

THENCE S 01 DEG. 54 MIN. 33 SEC. E A DISTANCE OF 1010.21 FEET TO A POINT; THENCE S 00 DEG. 27 MIN. 59 SEC. W A DISTANCE OF 1021.06 FEET TO A POINT; THENCE S 00 DEG. 39 MIN. 45 SEC. W A DISTANCE OF 1021.12 FEET TO A POINT; SAID POINT BEING S 38 DEG. 36 MIN. 34 SEC. W A DISTANCE OF 428.80 FEET FROM P. R. M. 72-81-A04. THENCE S 01 DEG. 11 MIN. 29 SEC. E A DISTANCE OF 1082.36 FEET TO A POINT; THENCE S 01 DEG. 14 MIN. 42 SEC. E A DISTANCE OF 1047.71 FEET TO A POINT; THENCE S 03 DEG. 09 MIN. 37 SEC. E A DISTANCE OF 959.95 FEET TO A POINT; SAID POINT BEING S 86 DEG. 55 MIN. 17 SEC. W A DISTANCE OF 191.07 FEET FROM P. R. M. 72-81-A05.

THENCE S 02 DEG. 59 MIN. 34 SEC. E A DISTANCE OF 880.99 FEET TO A POINT; THENCE S 05 DEG. 49 MIN. 16 SEC. E A DISTANCE OF 1154.89 FEET TO A POINT; THENCE S 06 DEG. 05 MIN. 19 SEC. E A DISTANCE OF 879.78 FEET TO A POINT; SAID POINT BEING N 68 DEG. 05 MIN. 24 SEC. W A DISTANCE OF 183.35 FEET FROM P. R. M. 72-81-A06.

THENCE S 09 DEG. 25 MIN. 41 SEC. E A DISTANCE OF 976.32 FEET TO A POINT; THENCE S 11 DEG. 13 MIN. 21 SEC. E A DISTANCE OF 890.83 FEET TO A POINT; THENCE S 10 DEG. 28 MIN. 50 SEC. E A DISTANCE OF 711.53 FEET TO A POINT; THENCE S 01 DEG. 30 MIN. 04 SEC. E A DISTANCE OF 268.32 FEET TO A POINT;

THENCE S 02 DEG. 14 MIN. 08 SEC. E A DISTANCE OF 1020.34 FEET TO A POINT; THENCE S 02 DEG. 04 MIN. 28 SEC. E A DISTANCE OF 936.39 FEET TO A POINT; SAID POINT BEING S 49 DEG. 49 MIN. 33 SEC. W A DISTANCE OF 566.72 FEET FROM P. R. M. 72-81-A07-2 1989.

THENCE S 15 DEG. 25 MIN. 45 SEC. W A DISTANCE OF 401.21 FEET TO A POINT; THENCE S 47 DEG. 32 MIN. 35 SEC. W A DISTANCE OF 1276.62 FEET TO A POINT; THENCE S 47 DEG. 32 MIN. 35 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF LITTLE TALBOT ISLAND.

RECOMMENCE AT P. R. M. 72-81-A08; THENCE S 67 DEG. 34 MIN. 42 SEC. W A DISTANCE OF 698.06 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 18 DEG. 08 MIN. 28 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF FORT GEORGE ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 67 DEG. 34 MIN. 42 SEC. W A DISTANCE OF 698.06 FEET FROM P. R. M. 72-81-A08.

THENCE S 24 DEG. 39 MIN. 14 SEC. E A DISTANCE OF 868.44 FEET TO A POINT; THENCE S 30 DEG. 03 MIN. 07 SEC. E A DISTANCE OF 899.06 FEET TO A POINT; THENCE S 60 DEG. 44 MIN. 11 SEC. E A DISTANCE OF 494.41 FEET TO A POINT; THENCE S 08 DEG. 59 MIN. 33 SEC. E A DISTANCE OF 300.70 FEET TO A POINT; THENCE S 17 DEG. 07 MIN. 24 SEC. W A DISTANCE OF 1015.14 FEET TO A POINT; SAID POINT BEING S 86 DEG. 11 MIN. 12 SEC. W A DISTANCE OF 416.69 FEET FROM P. R. M. 72-81-A09-2 1989.

THENCE S 17 DEG. 07 MIN. 24 SEC. W TO THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF FORT GEORGE ISLAND.

RECOMMENCE AT P. R. M. 72-81-A12; THENCE N 53 DEG. 22 MIN. 46 SEC. E A DISTANCE OF 469.29 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 05 DEG. 20 MIN. 40 SEC. E TO THE POINT OF INTERSECTION WITH THE SOUTHERN BOUNDARY OF MAYPORT NAVAL STATION; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 53 DEG. 22 MIN. 46 SEC. E A DISTANCE OF 469.29 FEET FROM P. R. M. 72-81-A12.

THENCE S 05 DEG. 20 MIN. 40 SEC. W A DISTANCE OF 1011.22 FEET TO A POINT; THENCE S 02 DEG. 38 MIN. 15 SEC. W A DISTANCE OF 923.12 FEET TO A POINT; THENCE S 04 DEG. 00 MIN. 47 SEC. W A DISTANCE OF 971.89 FEET TO A POINT; SAID POINT BEING N 27 DEG. 28 MIN. 49 SEC. E A DISTANCE OF 542.96 FEET FROM P. R. M. 72-81-A13.

THENCE S 01 DEG. 59 MIN. 04 SEC. W A DISTANCE OF 1058.56 FEET TO A POINT; THENCE S 01 DEG. 13 MIN. 30 SEC. W A DISTANCE OF 917.21 FEET TO A POINT; THENCE S 00 DEG. 52 MIN. 37 SEC. W A DISTANCE OF 774.40 FEET TO A POINT; SAID POINT BEING S 64 DEG. 18 MIN. 19 SEC. E A DISTANCE OF 211.96 FEET FROM P. R. M. 72-81-A14.

THENCE S 05 DEG. 21 MIN. 06 SEC. E A DISTANCE OF 1265.85 FEET TO A POINT; THENCE S 02 DEG. 49 MIN. 28 SEC. E A DISTANCE OF 850.72 FEET TO A POINT; SAID POINT BEING S 79 DEG. 00 MIN. 56 SEC. E A DISTANCE OF 321.68 FEET FROM P. R. M. 72-81-A15.

THENCE S 02 DEG. 03 MIN. 26 SEC. E A DISTANCE OF 975.99 FEET TO A POINT; THENCE S 01 DEG. 48 MIN. 53 SEC. E A DISTANCE OF 885.54 FEET TO A POINT; THENCE S 04 DEG. 20 MIN. 21 SEC. E A DISTANCE OF 1048.95 FEET TO A POINT; SAID POINT BEING N 81 DEG. 57 MIN. 44 SEC. E A DISTANCE OF 476.58 FEET FROM P. R. M. 72-81-A16.

THENCE S 02 DEG. 52 MIN. 59 SEC. E A DISTANCE OF 815.80 FEET TO A POINT; THENCE S 03 DEG. 48 MIN. 40 SEC. E A DISTANCE OF 951.78 FEET TO A POINT; SAID POINT BEING N 58 DEG. 47 MIN. 23 SEC. E A DISTANCE OF 659.98 FEET FROM P. R. M. 72-81-A17.

THENCE S 04 DEG. 01 MIN. 52 SEC. E A DISTANCE OF 936.37 FEET TO A POINT; THENCE S 04 DEG. 05 MIN. 10 SEC. E A DISTANCE OF 980.48 FEET TO A POINT; SAID POINT BEING N 30 DEG. 26 MIN. 33 SEC. E A DISTANCE OF 1059.89 FEET FROM P. R. M. 72-81-A18.

THENCE S 05 DEG. 03 MIN. 57 SEC. E A DISTANCE OF 991.16 FEET TO A POINT; SAID POINT BEING S 54 DEG. 16 MIN. 41 SEC. W A DISTANCE OF 244.32 FEET FROM P. R. M. 72-81-A19.

THENCE S 04 DEG. 54 MIN. 47 SEC. E A DISTANCE OF 1046.23 FEET TO A POINT; THENCE S 04 DEG. 57 MIN. 14 SEC. E A DISTANCE OF 888.20 FEET TO A POINT; SAID POINT BEING N 87 DEG. 58 MIN. 28 SEC. W A DISTANCE OF 228.12 FEET FROM P. R. M. 72-81-A20.

THENCE S 05 DEG. 06 MIN. 58 SEC. E A DISTANCE OF 949.50 FEET TO A POINT; THENCE S 05 DEG. 04 MIN. 04 SEC. E A DISTANCE OF 934.80 FEET TO A POINT; THENCE S 06 DEG. 12 MIN. 17 SEC. E A DISTANCE OF 1058.52 FEET TO A POINT; SAID POINT BEING N 38 DEG. 52 MIN. 22 SEC. W A DISTANCE OF 335.48 FEET FROM P. R. M. 72-81-A21.

THENCE S 06 DEG. 26 MIN. 53 SEC. E A DISTANCE OF 934.06 FEET TO A POINT; SAID POINT BEING S 30 DEG. 01 MIN. 25 SEC. E A DISTANCE OF 681.87 FEET FROM P. R. M. 72-81-A22.

THENCE S 06 DEG. 05 MIN. 17 SEC. E A DISTANCE OF 913.87 FEET TO A POINT; THENCE S 07 DEG. 05 MIN. 35 SEC. E A DISTANCE OF 941.41 FEET TO A POINT; SAID POINT BEING N 32 DEG. 36 MIN. 18 SEC. E A DISTANCE OF 368.56 FEET FROM P. R. M. 72-81-A23.

THENCE S 07 DEG. 14 MIN. 26 SEC. E A DISTANCE OF 933.21 FEET TO A POINT; THENCE S 06 DEG. 55 MIN. 36 SEC. E A DISTANCE OF 884.38 FEET TO A POINT; THENCE S 08 DEG. 00 MIN. 11 SEC. E A DISTANCE OF 991.25 FEET TO A POINT; THENCE S 07 DEG. 09 MIN. 18 SEC. E A DISTANCE OF 932.27 FEET TO A POINT; SAID POINT BEING S 80 DEG. 58 MIN. 33 SEC. E A DISTANCE OF 296.54 FEET FROM P. R. M. 72-81-A24.

THENCE S 07 DEG. 12 MIN. 07 SEC. E A DISTANCE OF 917.59 FEET TO A POINT; SAID POINT BEING N 63 DEG. 48 MIN. 50 SEC. E A DISTANCE OF 129.18 FEET FROM P. R. M. 72-81-A25.

THENCE S 08 DEG. 25 MIN. 11 SEC. E A DISTANCE OF 1087.65 FEET TO A POINT; THENCE S 08 DEG. 29 MIN. 35 SEC. E A DISTANCE OF 868.17 FEET TO A POINT; SAID POINT BEING N 06 DEG. 05 MIN. 28 SEC. E A DISTANCE OF 418.66 FEET FROM P. R. M. 72-81-A26.

THENCE S 08 DEG. 32 MIN. 55 SEC. E A DISTANCE OF 1018.89 FEET TO A POINT; THENCE S 08 DEG. 19 MIN. 13 SEC. E A DISTANCE OF 895.06 FEET TO A POINT; THENCE S 10 DEG. 28 MIN. 06 SEC. E A DISTANCE OF 980.62 FEET TO A POINT; SAID POINT BEING N 04 DEG. 24 MIN. 50 SEC. W A DISTANCE OF 505.63 FEET FROM P. R. M. 72-81-A27.
THENCE S 10 DEG. 20 MIN. 44 SEC. E A DISTANCE OF 988.40 FEET TO A POINT; THENCE S 10 DEG. 07 MIN. 43 SEC. E A DISTANCE OF 990.01 FEET TO A POINT; THENCE S 09 DEG. 19 MIN. 17 SEC. E A DISTANCE OF 957.83 FEET TO A POINT; SAID POINT BEING S 66 DEG. 38 MIN. 53 SEC. E A DISTANCE OF 107.68 FEET FROM P. R. M. 72-81-A28.
THENCE S 09 DEG. 33 MIN. 54 SEC. E A DISTANCE OF 1049.53 FEET TO A POINT; THENCE S 09 DEG. 11 MIN. 09 SEC. E A DISTANCE OF 1025.77 FEET TO A POINT; SAID POINT BEING N 49 DEG. 26 MIN. 50 SEC. E A DISTANCE OF 45.05 FEET FROM P. R. M. 72-81-A29.
THENCE S 10 DEG. 37 MIN. 32 SEC. E A DISTANCE OF 924.89 FEET TO A POINT; THENCE S 10 DEG. 44 MIN. 10 SEC. E A DISTANCE OF 970.66 FEET TO A POINT; SAID POINT BEING S 26 DEG. 37 MIN. 52 SEC. E A DISTANCE OF 232.43 FEET FROM P. R. M. 72-81-A30.
THENCE S 10 DEG. 23 MIN. 26 SEC. E A DISTANCE OF 1007.66 FEET TO A POINT; SAID POINT BEING S 42 DEG. 11 MIN. 34 SEC. E A DISTANCE OF 391.49 FEET FROM P. R. M. 72-81-A31.
THENCE S 11 DEG. 48 MIN. 18 SEC. E A DISTANCE OF 911.28 FEET TO A POINT; THENCE S 11 DEG. 46 MIN. 04 SEC. E A DISTANCE OF 972.09 FEET TO A POINT; SAID POINT BEING S 41 DEG. 25 MIN. 11 SEC. E A DISTANCE OF 357.60 FEET FROM P. R. M. 72-81-A32.
THENCE S 11 DEG. 04 MIN. 06 SEC. E A DISTANCE OF 1057.09 FEET TO A POINT; SAID POINT BEING N 89 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 240.26 FEET FROM P. R. M. 72-81-A33.
THENCE S 10 DEG. 55 MIN. 34 SEC. E A DISTANCE OF 919.70 FEET TO A POINT; THENCE S 11 DEG. 25 MIN. 47 SEC. E A DISTANCE OF 850.07 FEET TO A POINT; THENCE S 12 DEG. 38 MIN. 46 SEC. E A DISTANCE OF 1028.71 FEET TO A POINT; SAID POINT BEING N 05 DEG. 18 MIN. 57 SEC. W A DISTANCE OF 1263.89 FEET FROM P. R. M. 78-79-A09.
THENCE S 12 DEG. 31 MIN. 15 SEC. E TO THE POINT OF INTERSECTION WITH THE DUVAL-SAINT JOHNS COUNTY LINE. SAID POINT BEING THE SOUTHERN TERMINUS OF COASTAL CONSTRUCTION CONTROL LINE FOR DUVAL COUNTY.

Description of Coastal Construction Setback lines established in compliance with Section 161.053 Florida Statutes, said Setback line lying along the Atlantic Ocean Coast from the Duval County line and Nassau County line southerly to the Duval County and St. Johns County line.

Said Coastal Construction Setback line is related to a series of "Permanent Reference Monuments" (P.R.M.) designated and hereinafter referred to as "R-1" through "R-80" as established by the Department of Environmental Protection, State of Florida in 1973, said monuments are co-ordinated on the Florida State Plane co-ordinate system, East Zone and a table of said co-ordinates are attached hereto and made a part hereof, said "P.R.M." R-1 is located near the Duval County and Nassau County line.

Commence at "P.R.M." R-1 thence run S 16° 44' 00" W a distance of 77.0 feet to the point of beginning;
thence S 77° 32' 39" E a distance of 931.53 feet to a point, said point being S 26° 44' 00" W, 49.00 feet from "P.R.M." R-2;
thence S 32° 46' 51" E a distance of 699.42 feet to a point, said point being S 76° 44' 00" W, 92.00 feet from "P.R.M." R-3
thence S 19° 51' 01" E a distance of 937.23 feet to a point, said point being S 76° 44' 00" W, 107.00 feet from "P.R.M." R-4;
thence S 13° 55' 04" E a distance of 1077.32 feet to a point, said point being S 81° 44' 00" W, 118.00 feet from "P.R.M." R-5;
thence S 01° 30' 52" W a distance of 808.69 feet to a point, said point being N 73° 16' 00" W, 79.00 feet from "P.R.M." R-6;
thence S 06° 07' 04" W a distance of 968.24 feet to a point, said point being N 73° 16' 00" W, 112.00 feet from "P.R.M." R-7;
thence S 11° 07' 41" W a distance of 1021.19 feet to a point, said point being N 88° 16' 00" W, 53.00 feet from "P.R.M." R-8;
thence S 09° 50' 44" W a distance of 1031.02 feet to a point, said point being N 88° 16' 00" W, 52.00 feet from "P.R.M." R-9;
thence S 03° 56' 38" W a distance of 1021.90 feet to a point, said point being N 88° 16' 00" W, 103.00 feet from "P.R.M." R-10;
thence S 03° 40' 41" W a distance of 1026.68 feet to a point, said point being S 88° 16' 00" E, "W 13.00 feet from "P.R.M." R-11;
thence S 00° 52' 24" W a distance of 1081.13 feet to a point, said point being N 88° 16' 00" W, 24.00 feet from "P.R.M." R-12;
thence S 03° 23' 21" E a distance of 1045.69 feet to a point, said point being N 88° 16' 00" W, 143.00 feet from "P.R.M." R-13;
thence S 03° 24' 28" E a distance of 962.48 feet to a point, said point being N 88° 16' 00" W, 72.00 feet from "P.R.M." R-14;
thence S 02° 15' 25" E a distance of 900.91 feet to a point, said point being N 88° 16' 00" W, 68.00 feet from "P.R.M." R-15;
thence S 04° 20' 08" E a distance of 1129.18 feet to a point, said point being N 88° 16' 00" W, 152.00 feet from "P.R.M." R-16;
thence S 03° 01' 20" E a distance of 877.99 feet to a point, said point being N 88° 16' 00" W, 96.00 feet from "P.R.M." R-17;
thence S 08° 58' 38" E a distance of 973.75 feet to a point, said point being N 88° 16' 00" W, 131.00 feet from "P.R.M." R-18;
thence S 09° 13' 56" E a distance of 887.22 feet to a point, said point being N 88° 16' 00" W, 67.00 feet from "P.R.M." R-19;
thence S 10° 21' 10" E a distance of 974.26 feet to a point, said point being S 81° 44' 00" W, 153.00 feet from "P.R.M." R-20;
thence S 10° 53' 38" E a distance of 1003.11 feet to a point, said point being N 76° 44' 00" E, 142.00 feet from "P.R.M." R-21;
thence S 19° 02' 40" E a distance of 910.00 feet to a point, said point being S 76° 44' 00" W, 30.00 feet from "P.R.M." R-22;
thence S 16° 55' 22" E a distance of 940.35 feet to a point, said point being N 88° 16' 00" W, 190.00 feet from "P.R.M." R-23;
thence S 09° 13' 20" E a distance of 543.67 feet to a point, said point being N 27° 16' 00" W, 250.00 feet from "P.R.M." R-24;
thence S 47° 03' 48" W a distance of 1071.67 feet to a point, said point being N 43° 16' 00" W, 151.00 feet from "P.R.M." R-25;
thence S 02° 28' 18" E across Fort George Inlet a distance of 3525.13 feet to a point, said point being S 21° 44' 00" W, 447.00 feet from "P.R.M." R-26;

thence S 25° 05' 38" E a distance of 799.36 feet to a point, said point being S 61° 44' 00" W, 328.00 feet from "P.R.M." R-27;
 thence S 30° 22' 37" E a distance of 875.59 feet to a point, said point being S 71° 44' 00" W, 519.00 feet from "P.R.M." R-28;
 thence S 57° 56' 58" E a distance of 526.00 feet to a point on the set back line;
 thence S 09° 18' 34" E distance of 970.00 feet to a point, said point being S 86° 44' 00" W, 162.00 feet from "P.R.M." R-29;
 thence S 08° 32' 07" E distance of 871.28 feet to a point, said point being N 63° 16' 00" W, 194.00 feet from "P.R.M." R-30;
 thence S 14° 08' 17" E across another portion of Fort George Inlet a distance of 8583.58 feet to a point, said point being N 83° 16' 00" W, 98.00 feet from "P.R.M." R-31;
 thence S 05° 56' 35" W a distance of 1092.84 feet to a point, said point being N 78° 16' 00" W, 32.00 feet from "P.R.M." R-32;
 thence S 02° 19' 13" W a distance of 841.78 feet to a point, said point being N 83° 16' 00" W, 68.00 feet from "P.R.M." R-33;
 thence S 02° 25' 28" W a distance of 958.57 feet to a point, said point being N 83° 16' 00" W, 43.00 feet from "P.R.M." R-34;
 thence S 01° 39' 03" W a distance of 1071.89 feet to a point, said point being N 83° 16' 00" W, 67.00 feet from "P.R.M." R-35;
 thence S 01° 51' 04" W a distance of 918.97 feet to a point, said point being N 83° 16' 00" W, 36.00 feet from "P.R.M." R-36;
 thence S 01° 03' 49" W a distance of 755.14 feet to a point, said point being N 83° 16' 00" W, 76.00 feet from "P.R.M." R-37;
 thence S 00° 10' 07" W a distance of 1267.00 feet to a point, said point being N 88° 16' 00" W, 88.00 feet from "P.R.M." R-38;
 thence S 02° 52' 58" E a distance of 852.15 feet to a point, said point being N 88° 16' 00" W, 64.00 feet from "P.R.M." R-39;
 thence S 01° 59' 54" E a distance of 976.90 feet to a point, said point being N 88° 16' 00" W, 11.00 feet from "P.R.M." R-40;
 thence S 01° 52' 50" E a distance of 884.32 feet to a point, said point being N 88° 16' 00" W, 85.00 feet from "P.R.M." R-41;
 thence S 08° 32' 55" E a distance of 1058.77 feet to a point, said point being N 88° 16' 00" W, 17.00 feet from "P.R.M." R-42;
 thence S 03° 18' 23" E a distance of 815.61 feet to a point, said point being N 88° 16' 00" W, 34.00 feet from "P.R.M." R-43;
 thence S 05° 43' 59" E a distance of 971.41 feet to a point, said point being S 88° 16' 00" E, 100.00 feet from "P.R.M." R-44;
 thence S 04° 51' 16" E a distance of 921.94 feet to a point, said point being N 88° 16' 00" W, 12.00 feet from "P.R.M." R-45;
 thence S 04° 59' 41" E a distance of 968.72 feet to a point, said point being N 86° 44' 00" E, 7.00 feet from "P.R.M." R-46;
 thence S 06° 16' 54" E a distance of 990.18 feet to a point, said point being S 86° 44' 00" W, 25.00 feet from "P.R.M." R-47;
 thence S 05° 39' 54" E a distance of 1031.13 feet to a point, said point being S 81° 44' 00" W, 40.00 feet from "P.R.M." R-48;
 thence S 05° 05' 29" E a distance of 920.49 feet to a point, said point being N 88° 16' 00" W, 25.00 feet from "P.R.M." R-49;
 thence S 04° 41' 39" E a distance of 926.39 feet to a point, said point being S 84° 44' 00" W, 29.00 feet from "P.R.M." R-50;
 thence S 04° 26' 53" E a distance of 942.22 feet to a point, said point being S 86° 44' 00" W, 28.00 feet from "P.R.M." R-51;
 thence S 04° 52' 59" E a distance of 1057.16 feet to a point, said point being S 86° 44' 00" W, 33.00 feet from "P.R.M." R-52;
 thence S 02° 48' 47" E a distance of 934.64 feet to a point, said point being S 86° 44' 00" W, 55.00 feet from "P.R.M." R-53;
 thence S 06° 37' 34" E a distance of 915.07 feet to a point, said point being S 86° 44' 00" W, 16.00 feet from "P.R.M." R-54;
 thence S 06° 28' 47" E a distance of 918.80 feet to a point, said point being S 86° 44' 00" W, 51.00 feet from "P.R.M." R-55;
 thence S 06° 42' 58" E a distance of 945.78 feet to a point, said point being S 81° 44' 00" W, 56.00 feet from "P.R.M." R-56;
 thence S 09° 22' 42" E a distance of 892.96 feet to a point, said point being S 81° 44' 00" W, 33.00 feet from "P.R.M." R-57;
 thence S 07° 41' 46" E a distance of 992.51 feet to a point, said point being S 86° 44' 00" W, 33.00 feet from "P.R.M." R-58;
 thence S 08° 23' 18" E a distance of 938.49 feet to a point, said point being N 86° 44' 00" E, 89.00 feet from "P.R.M." R-59;
 thence S 08° 27' 43" E a distance of 909.44 feet to a point, said point being S 81° 44' 00" W, 47.00 feet from "P.R.M." R-60;
 thence S 08° 11' 52" E a distance of 1079.11 feet to a point, said point being S 81° 44' 00" W, 29.00 feet from "P.R.M." R-61;
 thence S 08° 32' 21" E a distance of 892.22 feet to a point, said point being S 81° 44' 00" W, 27.00 feet from "P.R.M." R-62;
 thence S 08° 20' 08" E a distance of 994.62 feet to a point, said point being S 81° 44' 00" W, 39.00 feet from "P.R.M." R-63;
 thence S 08° 34' 35" E a distance of 895.37 feet to a point, said point being S 81° 44' 00" W, 25.00 feet from "P.R.M." R-64;
 thence S 09° 29' 22" E a distance of 981.70 feet to a point, said point being S 81° 44' 00" W, 46.00 feet from "P.R.M." R-65;
 thence S 09° 29' 53" E a distance of 991.65 feet to a point, said point being N 81° 44' 00" E, 149.00 feet from "P.R.M." R-66;
 thence S 09° 32' 23" E a distance of 976.50 feet to a point, said point being S 76° 44' 00" W, 39.00 feet from "P.R.M." R-67;
 thence S 09° 37' 35" E a distance of 970.22 feet to a point, said point being S 81° 44' 00" W, 21.00 feet from "P.R.M." R-68;
 thence S 09° 41' 54" E a distance of 1046.25 feet to a point, said point being S 81° 44' 00" W, 27.00 feet from "P.R.M." R-69;
 thence S 09° 51' 24" E a distance of 1025.03 feet to a point, said point being S 81° 44' 00" W, 48.00 feet from "P.R.M." R-70;
 thence S 11° 06' 59" E a distance of 970.51 feet to a point, said point being N 81° 44' 00" E, 166.00 feet from "P.R.M." R-71;
 thence S 11° 05' 37" E a distance of 925.26 feet to a point, said point being S 81° 44' 00" W, 48.00 feet from "P.R.M." R-72;
 thence S 11° 36' 51" E a distance of 1011.65 feet to a point, said point being N 81° 44' 00" E, 29.00 feet from "P.R.M." R-73;
 thence S 12° 08' 23" E a distance of 894.90 feet to a point, said point being S 76° 44' 00" W, 12.00 feet from "P.R.M." R-74;
 thence S 11° 01' 22" E a distance of 999.63 feet to a point, said point being S 81° 44' 00" W, 35.00 feet from "P.R.M." R-75;
 thence S 10° 59' 33" E a distance of 1029.34 feet to a point, said point being S 76° 44' 00" W, 48.00 feet from "P.R.M." R-76;
 thence S 10° 45' 09" E a distance of 924.87 feet to a point, said point being N 86° 44' 00" E, 26.00 feet from "P.R.M." R-77;
 thence S 09° 37' 24" E a distance of 867.62 feet to a point, said point being S 86° 44' 00" W, 48.00 feet from "P.R.M." R-78;
 thence S 11° 03' 28" E a distance of 1018.31 feet to a point, said point being S 81° 44' 00" W, 24.00 feet from "P.R.M." R-79;
 thence S 11° 02' 57" E a distance of 1142.94 feet to a point, said point being S 76° 44' 00" W, 48.00 feet from "P.R.M." R-80; said point being the southerly terminus of said Coastal Construction Setback line, said point also being St. Johns Co. "P.R.M." R-1 at the approximate location of the Duval County, St. Johns County line.

DUVAL COUNTY COASTAL SETBACK MONUMENTS COORDINATE LIST

STATION	NORTHING	EASTING
R-1	2,235,650.747	368,670.225
R-2	2,235,419.850	369,579.703
R-3	2,234,809.164	370,025.891
R-4	2,233,931.062	370,358.741
R-5	2,232,877.781	370,630.498
R-6	2,232,029.664	370,568.005
R-7	2,231,057.435	370,496.420
R-8	2,230,086.090	370,245.049
R-9	2,229,070.286	370,067.753
R-10	2,228,049.263	370,048.443
R-11	2,227,028.210	369,866.635
R-12	2,225,946.086	369,887.139
R-13	2,224,898.626	370,067.901
R-14	2,223,939.991	370,054.144
R-15	2,223,039.898	370,085.627
R-16	2,221,911.409	370,254.953
R-17	2,221,036.334	370,245.270
R-18	2,220,073.454	370,432.201
R-19	2,219,199.660	370,510.572
R-20	2,218,265.284	370,770.097
R-21	2,217,225.669	370,670.056
R-22	2,216,404.953	371,134.401
R-23	2,215,492.687	371,568.836
R-24	2,214,739.568	371,580.588
R-25	2,214,121.825	370,784.977
R-26	2,211,125.155	370,999.029
R-27	2,210,141.352	371,461.406
R-28	2,209,393.310	372,108.142
R-29	2,208,003.511	372,379.773
R-30	2,207,045.384	372,520.615
R-31	2,198,797.579	374,541.314
R-32	2,197,715.600	374,362.169
R-33	2,196,873.049	374,364.289
R-34	2,195,918.268	374,298.913
R-35	2,194,844.007	374,291.869
R-36	2,193,929.149	374,281.397
R-37	2,193,169.450	374,257.102
R-38	2,191,908.708	374,265.859
R-39	2,191,058.360	374,284.727
R-40	2,190,083.658	374,265.817
R-41	2,189,197.575	374,368.804
R-42	2,188,152.625	374,458.220
R-43	2,187,337.857	374,522.254
R-44	2,186,375.856	374,485.256
R-45	2,185,453.340	374,675.323
R-46	2,184,488.260	374,740.678
R-47	2,183,505.847	374,880.968
R-48	2,182,484.075	374,997.380
R-49	2,181,560.708	375,064.474
R-50	2,180,640.844	375,144.175
R-51	2,179,700.398	375,216.327

R-52	2,178,647.364	375,311.309
R-53	2,177,715.098	375,379.145
R-54	2,176,803.920	375,445.797
R-55	2,175,892.978	375,584.481
R-56	2,174,958.837	375,699.543
R-57	2,174,074.507	375,822.294
R-58	2,173,088.070	375,955.500
R-59	2,172,152.663	375,970.609
R-60	2,171,264.952	376,289.800
R-61	2,170,194.280	376,375.857
R-62	2,169,311.664	376,506.359
R-63	2,168,329.276	376,662.427
R-64	2,167,411.903	376,782.099
R-65	2,166,476.652	376,964.780
R-66	2,165,470.560	376,935.393
R-67	2,164,537.938	377,282.640
R-68	2,163,575.450	377,427.705
R-69	2,162,545.018	377,609.895
R-70	2,161,538.134	377,806.144
R-71	2,160,555.065	377,781.484
R-72	2,159,677.863	378,171.291
R-73	2,158,675.855	378,298.757
R-74	2,157,807.886	378,527.332
R-75	2,156,828.979	378,741.415
R-76	2,155,824.503	378,949.774
R-77	2,154,903.371	379,049.650
R-78	2,154,052.174	379,268.570
R-79	2,153,053.482	379,439.709
R-80	2,151,939.292	379,681.726

62B-26.005 Description of the Nassau County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Nassau County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule amendment shall take effect 20 days after filing with the Florida Department of State or on the date that it is duly recorded in the public records in the office of the Clerk of the Circuit Court, in and for Nassau County, Florida, together with each affected municipality, whichever is later.

(3) After this rule amendment becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 4-15-76, Amended 4-6-83, Formerly 16B-26.05, 16B-26.005.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE NASSAU COUNTY, FLORIDA

Description of the coastal construction control line is established in compliance with Section 161.053, Florida Statutes, said control line lying along the Atlantic Coast from the mean high water line of the southern bank of Cumberland Sound southerly to the mean high water line of the northern bank of Nassau Sound.

Said coastal construction control line is related to a series of "Permanent Reference Monuments" (P. R. M.) designated and hereinafter referred to as "74-81-A01 through 74-81-A29" for monuments established by the Department of Environmental Protection, State of Florida or referred to by station name for monuments established by the National Geodetic Survey (N. G. S.) or by the U. S. Corps of Engineers (U. S. C. E.).

Commence at P. R. M. 74-81-A02; Thence S 62 deg. 59 min. 38 sec. E a distance of 901.314 feet to the point of beginning; Thence N 10 deg. 00 min. 00 sec. E to the point of intersection with the mean high water line of the southern bank of Cumberland Sound; said point being the northerly terminus of the coastal construction control line in Nassau County; Thence return along the same course to the point of beginning.

Thence S 73 deg. 48 min. 45 sec. E a distance of 1000.42 feet to a point; Thence S 73 deg. 36 min. 17 sec. E a distance of 903.20 feet to a point; Thence N 85 deg. 48 min. 53 sec. E a distance of 1067.21 feet to a point; Thence N 80 deg. 42 min. 29 sec. E a distance of 969.22 feet to a point, said point being S 66 deg. 57 min. 20 sec. E a distance of 452.293 feet from P. R. M. 74-81-A03.

Thence S 87 deg. 06 min. 54 sec. E a distance of 835.05 feet to a point; Thence S 66 deg. 25 min. 28 sec. E a distance of 853.90 feet to a point; Thence S 42 deg. 50 min. 33 sec. E a distance of 823.26 feet to a point; Thence S 64 deg. 20 min. 04 sec. E a distance of 1294.83 feet to a point, said point being S 62 deg. 39 min. 02 sec. E a distance of 451.992 feet from P. R. M. 74-81-A04.

Thence S 43 deg. 24 min. 55 sec. E a distance of 268.45 feet to a point; Thence S 10 deg. 31 min. 35 sec. W a distance of 1021.74 feet to a point; Thence S 10 deg. 36 min. 24 sec. W a distance of 930.85 feet to a point; Thence S 02 deg. 49 min. 08 sec. W a distance of 1148.90 feet to a point, said point being S 77 deg. 40 min. 40 sec. E a distance of 533.381 feet from P. R. M. 74-81-A06.

Thence S 06 deg. 00 min. 55 sec. W a distance of 949.95 feet to a point; Thence S 01 deg. 18 min. 47 sec. W a distance of 1055.03 feet to a point, said point being N 03 deg. 12 min. 50 sec. W a distance of 404.207 feet from P. R. M. 74-81-A07.

Thence S 01 deg. 18 min. 44 sec. E a distance of 1095.40 feet to a point; Thence S 05 deg. 58 min. 43 sec. W a distance of 891.18 feet to a point; Thence S 05 deg. 52 min. 56 sec. W a distance of 981.15 feet to a point, said point being N 13 deg. 59 min. 25 sec. E a distance of 328.512 feet from P. R. M. 74-81-A08.

Thence S 07 deg. 17 min. 59 sec. W a distance of 807.06 feet to a point; Thence S 07 deg. 14 min. 19 sec. W a distance of 967.15 feet to a point; Thence S 06 deg. 53 min. 03 sec. W a distance of 887.69 feet to a point, said point being N 79 deg. 06 min. 40 sec. E a distance of 92.486 feet from P. R. M. 74-81-A09.

Thence S 08 deg. 14 min. 08 sec. W a distance of 1050.73 feet to a point; Thence S 08 deg. 20 min. 49 sec. W a distance of 1034.41 feet to a point, said point being S 06 deg. 36 min. 55 sec. E a distance of 406.092 feet from P. R. M. 74-81-A10.

Thence S 08 deg. 21 min. 35 sec. W a distance of 843.68 feet to a point; Thence S 06 deg. 18 min. 18 sec. W a distance of 948.13 feet to a point, said point being S 22 deg. 43 min. 27 sec. W a distance of 296.392 feet from P. R. M. 74-81-A11.

Thence S 09 deg. 18 min. 10 sec. W a distance of 906.75 feet to a point; Thence S 09 deg. 52 min. 34 sec. W a distance of 854.58 feet to a point, said point being N 02 deg. 04 min. 03 sec. E a distance of 447.708 feet from P. R. M. 74-81-A12.

Thence S 09 deg. 55 min. 07 sec. W a distance of 1100.59 feet to a point; Thence S 10 deg. 23 min. 03 sec. W a distance of 972.59 feet to a point; Thence S 09 deg. 27 min. 20 sec. W a distance of 1018.24 feet to a point, said point being N 11 deg. 45 min. 14 sec. E a distance of 367.116 feet from P. R. M. 74-81-A13.

Thence S 09 deg. 46 min. 56 sec. W a distance of 975.04 feet to a point; Thence S 10 deg. 22 min. 05 sec. W a distance of 896.35 feet to a point; Thence S 10 deg. 13 min. 37 sec. W a distance of 1068.69 feet to a point; Thence S 10 deg. 11 min. 39 sec. W a distance of 998.71 feet to a point, said point being S 04 deg. 51 min. 53 sec. E a distance of 481.970 feet from P. R. M. 74-81-A14.

Thence S 10 deg. 17 min. 31 sec. W a distance of 1014.66 feet to a point; Thence S 11 deg. 23 min. 07 sec. W a distance of 879.95 feet to a point; Thence S 09 deg. 22 min. 39 sec. W a distance of 955.22 feet to a point; Thence S 07 deg. 58 min. 02 sec. W a distance of 1042.15 feet to a point, said point being N 80 deg. 47 min. 19 sec. E a distance of 170.510 feet from P. R. M. 74-81-A15.

Thence S 08 deg. 34 min. 17 sec. W a distance of 1068.58 feet to a point; Thence S 10 deg. 49 min. 49 sec. W a distance of 969.93 feet to a point; Thence S 11 deg. 08 min. 14 sec. W a distance of 793.01 feet to a point, said point being S 25 deg. 24 min. 49 sec. E a distance of 319.300 feet from P. R. M. 74-81-A16.

Thence S 09 deg. 03 min. 02 sec. W a distance of 1167.69 feet to a point; Thence S 05 deg. 48 min. 15 sec. W a distance of 888.37 feet to a point, said point being N 80 deg. 30 min. 30 sec. E a distance of 135.812 feet from P. R. M. 74-81-A17.

Thence S 07 deg. 13 min. 36 sec. W a distance of 815.99 feet to a point; Thence S 07 deg. 55 min. 38 sec. W a distance of 981.07 feet to a point; Thence S 08 deg. 07 min. 17 sec. W a distance of 1021.13 feet to a point; Thence S 06 deg. 06 min. 18 sec. W a distance of 993.57 feet to a point, said point being N 40 deg. 18 min. 22 sec. E a distance of 436.772 feet from P. R. M. 74-81-A18.

Thence S 04 deg. 41 min. 10 sec. W a distance of 922.90 feet to a point; Thence S 03 deg. 41 min. 34 sec. W a distance of 1026.94 feet to a point; Thence S 02 deg. 35 min. 37 sec. W a distance of 886.47 feet to a point; Thence S 01 deg. 58 min. 12 sec. W a distance of 948.20 feet to a point; Thence S 01 deg. 54 min. 20 sec. W a distance of 1025.77 feet to a point, said point being S 85 deg. 13 min. 17 sec. E a distance of 95.000 feet from P. R. M. 74-81-A19.

Thence S 02 deg. 37 min. 28 sec. W a distance of 834.02 feet to a point; Thence S 02 deg. 05 min. 23 sec. W a distance of 901.65 feet to a point; Thence S 00 deg. 57 min. 45 sec. W a distance of 941.73 feet to a point; Thence S 02 deg. 49 min. 25 sec. W a distance of 1175.39 feet to a point, said point being S 80 deg. 19 min. 01 sec. E a distance of 144.937 feet from P. R. M. 74-81-A20.

Thence S 00 deg. 07 min. 55 sec. E a distance of 1012.78 feet to a point; Thence S 01 deg. 06 min. 52 sec. E a distance of 980.45 feet to a point; Thence S 02 deg. 42 min. 39 sec. E a distance of 962.08 feet to a point; Thence S 03 deg. 51 min. 36 sec. E a distance of 1023.38 feet to a point, said point being S 10 deg. 35 min. 56 sec. W a distance of 181.740 feet from P. R. M. 74-81-A21.

Thence S 03 deg. 14 min. 39 sec. E a distance of 941.54 feet to a point; Thence S 03 deg. 29 min. 07 sec. E a distance of 1027.09 feet to a point; Thence S 03 deg. 56 min. 45 sec. E a distance of 953.01 feet to a point; Thence S 05 deg. 13 min. 26 sec. E a distance of 948.28 feet to a point, said point being S 26 deg. 27 min. 21 sec. W a distance of 192.372 feet from P. R. M. 74-81-A22.

Thence S 06 deg. 36 min. 31 sec. E a distance of 938.87 feet to a point; Thence S 08 deg. 27 min. 03 sec. E a distance of 911.37 feet to a point; Thence S 08 deg. 58 min. 38 sec. E a distance of 935.68 feet to a point; Thence S 08 deg. 45 min. 27 sec. E a distance of 978.96 feet to a point; Thence S 09 deg. 32 min. 09 sec. E a distance of 1038.84 feet to a point, said point being N 67 deg. 43 min. 44 sec. W a distance of 98.712 feet from P. R. M. 74-81-A23.

Thence S 10 deg. 59 min. 36 sec. E a distance of 972.92 feet to a point; Thence S 11 deg. 00 min. 37 sec. E a distance of 1030.15 feet to a point; Thence S 13 deg. 02 min. 19 sec. E a distance of 889.30 feet to a point, said point being N 45 deg. 12 min. 02 sec. W a distance of 234.871 feet from P. R. M. 74-81-A24.

Thence S 12 deg. 48 min. 27 sec. E a distance of 993.02 feet to a point; Thence S 15 deg. 08 min. 15 sec. E a distance of 1044.80 feet to a point; Thence S 14 deg. 56 min. 45 sec. E a distance of 942.18 feet to a point; Thence S 12 deg. 01 min. 36 sec. E a distance of 735.68 feet to a point; Thence S 09 deg. 00 min. 11 sec. W a distance of 1045.09 feet to a point, said point being S 60 deg. 02 min. 58 sec. W a distance of 411.935 feet from P. R. M. 74-81-A26.

Thence S 19 deg. 42 min. 54 sec. W a distance of 929.52 feet to a point; Thence S 27 deg. 16 min. 56 sec. W a distance of 955.63 feet to a point, said point being N 33 deg. 00 min. 38 sec. W a distance of 377.248 feet P. R. M. 74-81-A27.

Thence S 27 deg. 16 min. 56 sec. W to the point of intersection with the mean high water line of the northern bank of Nassau Sound; said point being the southerly terminus of the coastal construction control line in Nassau County.

62B-26.006 Description of the Charlotte County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Charlotte County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect 20 days after filing with the Florida Department of State or on the date that it is duly recorded in the public records in the office of the Clerk of the Circuit Court, in and for Charlotte County, Florida, together with each affected municipality, whichever is later.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History—New 2-14-77, Amended 4-28-78, 1-29-85, Formerly 16B-26.06, 16B-26.006.

**METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE CHARLOTTE COUNTY, FLORIDA**

Description of the coastal construction control line is established in compliance with Section 161.053, Florida Statutes, said control line lying along the Gulf of Mexico coast from the Sarasota County and Charlotte County line southeasterly to the Charlotte County and Lee County Line.

Said coastal construction control line is related to a series of “Permanent Reference Monuments” (P.R.M.) designated and hereinafter referred to as “01-82-A01 through 01-82-A28” and “12-81-A01 through 12-81-A08” for monuments established by the Department of Environmental Protection, State of Florida, or referenced to by station name for monuments established by the National Geodetic Survey (N.G.S.).

Commence at P. R. M. 01-82-A01, thence S 18 deg. 09 min. 56 sec. W (all bearings in this description are grid) a distance of 244.714 feet to the point of beginning; Thence N 27 deg. 16 min. 46 sec. W to the point of intersection with the Charlotte and Sarasota County line; Said point being the northwesterly terminus of the coastal construction control line for Charlotte County; Thence S 27 deg. 16 min. 46 sec. E to the point of beginning.

Thence S 27 deg. 16 min. 46 sec. E a distance of 579.02 feet to a point; Thence S 24 deg. 22 min. 33 sec. E a distance of 996.28 feet to a point; Thence S 27 deg. 55 min. 23 sec. E a distance of 1042.87 feet to a point; Thence S 27 deg. 41 min. 06 sec. E a distance of 986.50 feet to a point; Thence S 27 deg. 58 min. 21 sec. E a distance of 210.00 feet to a point; Said point being S 84 deg. 36 min. 26 sec. W a distance of 85.591 feet from P. R. M. 01-82-A02.

Thence S 27 deg. 58 min. 21 sec. E a distance of 778.97 feet to a point; Thence S 27 deg. 50 min. 18 sec. E a distance of 918.14 feet to a point; Thence S 29 deg. 12 min. 42 sec. E a distance of 900.16 feet to a point; Said point being N 86 deg. 13 min. 30 sec. W a distance of 165.953 feet from P. R. M. 01-82-A03.

Thence S 29 deg. 04 min. 27 sec. E a distance of 1011.63 feet to a point; Thence S 33 deg. 18 min. 11 sec. E a distance of 1118.39 feet to a point; Said point being N 17 deg. 36 min. 58 sec. W a distance of 197.637 feet from P. R. M. 01-82-A04.

Thence S 25 deg. 47 min. 49 sec. E a distance of 681.80 feet to a point; Thence S 44 deg. 49 min. 51 sec. W a distance of 177.13 feet to a point; Said point being N 58 deg. 07 min. 31 sec. E a distance of 101.492 feet from P. R. M. 01-82-A05.

Thence S 27 deg. 50 min. 07 sec. E a distance of 237.06 feet to a point; Thence N 61 deg. 07 min. 47 sec. E a distance of 179.43 feet to a point; Thence S 29 deg. 12 min. 17 sec. E a distance of 106.28 feet to a point; Thence S 25 deg. 06 min. 34 sec. E a distance of 385.00 feet to a point; Said point being S 61 deg. 38 min. 19 sec. W a distance of 34,869 feet from P. R. M. 01-82-A06.

Thence S 25 deg. 06 min. 34 sec. E a distance of 586.14 feet to a point; Thence S 27 deg. 52 min. 01 sec. E a distance of 1023.15 feet to a point; Thence S 28 deg. 34 min. 04 sec. E a distance of 400.00 feet to a point; Said point being S 60 deg. 45 min. 01 sec. W a distance of 128.467 feet from P. R. M. 01-82-A07.

Thence S 28 deg. 34 min. 04 sec. E a distance of 679.99 feet to a point; Thence S 32 deg. 09 min. 26 sec. E a distance of 500.00 feet to a point; Said point being S 55 deg. 19 min. 34 sec. W a distance of 87.651 feet from P. R. M. 01-82-A08.

Thence S 32 deg. 09 min. 26 sec. E a distance of 482.77 feet to a point; Thence S 18 deg. 07 min. 32 sec. E a distance of 188.74 feet to a point; Thence S 14 deg. 06 min. 32 sec. W a distance of 195.90 feet to a point; Said point being N 26 deg. 23 min. 28 sec. E a distance of 126.003 feet from P. R. M. 01-82-A09.

Thence S 36 deg. 40 min. 09 sec. E a distance of 393.51 feet to a point; Thence S 20 deg. 39 min. 22 sec. E a distance of 251.36 feet to a point; Thence S 30 deg. 36 min. 47 sec. E a distance of 997.67 feet to a point; Said point being N 47 deg. 10 min. 30 sec. E a distance of 109.281 feet from P. R. M. 01-82-A10.

Thence S 37 deg. 35 min. 44 sec. E a distance of 1001.42 feet to a point; Thence S 34 deg. 21 min. 12 sec. E a distance of 970.80 feet to a point; Thence S 46 deg. 00 min. 35 sec. E a distance of 920.35 feet to a point; Said point being S 89 deg. 45 min. 08 sec. E a distance of 577.825 feet from P. R. M. 01-82-A11.

Thence S 59 deg. 17 min. 53 sec. E a distance of 1002.22 feet to a point; Said point being N 51 deg. 40 min. 18 sec. E a distance of 774.459 feet from P. R. M. 01-82-A12.

Thence S 18 deg. 20 min. 49 sec. E to the mean high water line on the northwesterly bank of Stump Pass; Thence N 18 deg. 20 min. 49 sec. W to the aforementioned point; Said point being 51 deg. 40 min. 18 sec. E a distance of 774.459 feet from P. R. M. 01-82-A12.

Recommence at P. R. M. 01-82-A13, thence N 54 deg. 58 min. 33 sec. E a distance of 391.928 feet to a point on the coastal construction control line; thence N 42 deg. 46 min. 20 sec. W to the mean high water line on the southeasterly bank of Stump Pass; Thence S 42 deg. 46 min. 20 sec. E to the aforementioned point; said point being N 54 deg. 58 min. 33 sec. E a distance of 391.928 feet from P. R. M. 01-82-A13.

Thence S 28 deg. 20 min. 01 sec. E a distance of 1030.47 feet to a point; Thence S 43 deg. 11 min. 38 sec. E a distance of 1091.70 feet to a point; Said point being N 25 deg. 16 min. 00 sec. E a distance of 516.646 feet from P. R. M. 01-82-A14.

Thence S 42 deg. 46 min. 52 sec. E a distance of 1001.95 feet to a point; Thence S 43 deg. 59 min. 40 sec. E a distance of 921.40 feet to a point; Thence S 34 deg. 50 min. 42 sec. E a distance of 1010.54 feet to a point; Said point being N 10 deg. 07 min. 07 sec. E a distance of 611.608 feet from P. R. M. 01-82-A15.

Thence S 33 deg. 21 min. 34 sec. E a distance of 1058.73 feet to a point; Thence S 32 deg. 17 min. 54 sec. E a distance of 1046.42 feet to a point; Said point being N 82 deg. 15 min. 34 sec. E a distance of 365.708 feet from P. R. M. 01-82-A16.

Thence S 31 deg. 15 min. 19 sec. E a distance of 999.98 feet to a point; Thence S 31 deg. 44 min. 38 sec. E a distance of 1051.89 feet to a point; Thence S 29 deg. 26 min. 46 sec. E a distance of 883.97 feet to a point; Said point being S 83 deg. 00 min. 57 Sec. E a distance of 157.393 feet from P. R. M. 01-82-A18.

Thence S 30 deg. 52 min. 32 sec. E a distance of 460.10 feet to a point; Thence S 47 deg. 55 min. 01 sec. W a distance of 188.55 feet to a point; Thence S 20 deg. 40 min. 14 sec. E a distance of 94.19 feet to a point; Thence S 65 deg. 44 min. 54 sec. E a distance of 135.73 feet to a point; Thence S 07 deg. 09 min. 43 sec. W a distance of 188.97 feet to a point; Thence S 33 deg. 56 min. 47 sec. E a distance of 73.35 feet to a point; Thence S 61 deg. 11 min. 53 sec. E a distance of 480.55 feet to a point; Thence S 31 deg. 03 min. 20 sec. E a distance of 272.58 feet to a point; Said point being S 38 deg. 38 min. 58 sec. W a distance of 348.276 feet from P. R. M. 01-82-A20.

Thence S 08 deg. 40 min. 59 sec. E a distance of 283.46 feet to a point; Thence S 18 deg. 41 min. 08 sec. E a distance of 192.83 feet to a point; Thence S 32 deg. 19 min. 02 sec. E a distance of 167.87 feet to a point; Said point being S 79 deg. 24 min. 48 sec. E a distance of 47.435 feet from P. R. M. 01-82-A21.

Thence S 58 deg. 10 min. 24 sec. E a distance of 326.16 feet to a point; Thence S 31 deg. 08 min. 30 sec. E a distance of 357.87 feet to a point; Thence S 32 deg. 26 min. 15 sec. E a distance of 973.59 feet to a point; Thence S 33 deg. 47 min. 47 sec. E a distance of 774.42 feet to a point; Thence S 33 deg. 44 min. 10 sec. E a distance of 942.25 feet to a point; Thence S 35 deg. 57 min. 56 sec. E a distance of 600.00 feet to a point; Said point being N 16 deg. 44 min. 20 sec. E a distance of 406.723 feet from P. R. M. 01-82-A22.

Thence S 35 deg. 57 min. 56 sec. E a distance of 404.98 feet to a point; Thence S 34 deg. 10 min. 32 sec. E a distance of 964.48 feet to a point; Thence S 32 deg. 46 min. 51 sec. E a distance of 1089.06 feet to a point; Thence S 35 deg. 04 min. 18 sec. E a distance of 1008.83 feet to a point; Said point being N 61 deg. 55 min. 11 sec. E a distance of 337.042 feet from P. R. M. 01-82-A23.

Thence S 33 deg. 15 min. 44 sec. E a distance of 1090.26 feet to a point; Thence S 33 deg. 51 min. 10 sec. E a distance of 1039.17 feet to a point; Thence S 29 deg. 27 min. 05 sec. E a distance of 968.00 feet to a point; Said point being N 04 deg. 27 min. 55 sec. E a distance of 309.045 feet from P. R. M. 01-82-A24.

Thence S 34 deg. 10 min. 52 sec. E a distance of 384.95 feet to a point; Thence S 20 deg. 19 min. 23 sec. W a distance of 237.54 feet to a point; Thence S 26 deg. 59 min. 36 sec. E a distance of 507.97 feet to a point; Thence N 69 deg. 51 min. 06 sec. E a distance of 279.43 feet to a point; Thence S 34 deg. 34 min. 39 sec. E a distance of 844.13 feet to a point; Said point being N 67 deg. 13 min. 23 sec. E a distance of 494.555 feet from P. R. M. 01-82-A25.

Thence S 30 deg. 55 min. 15 sec. E a distance of 1041.47 feet to a point; Thence S 32 deg. 33 min. 46 sec. E a distance of 944.46 feet to a point; Thence S 36 deg. 12 min. 48 sec. E a distance of 425.00 feet to a point; Said point being N 53 deg. 36 min. 46 sec. E a distance of 365.872 feet from P. R. M. 01-82-A26.

Thence S 36 deg. 12 min. 48 sec. E a distance of 770.46 feet to a point; Thence S 36 deg. 38 min. 22 sec. E a distance of 1103.56 feet to a point; Thence S 31 deg. 46 min. 14 sec. E a distance of 920.00 feet to a point; Said point being N 60 deg. 23 min. 02 sec. E a distance of 138.199 feet from P. R. M. 01-82-A27.

Thence S 31 deg. 46 min. 14 sec. E a distance of 179.38 feet to a point; Thence S 28 deg. 54 min. 24 sec. E a distance of 1057.62 feet to a point; Thence S 28 deg. 04 min. 04 sec. E a distance of 1032.37 feet to a point; Thence S 32 deg. 45 min. 36 sec. E a distance of 380.00 feet to a point; Said point being N 57 deg. 56 min. 32 sec. E a distance of 313.857 feet from P. R. M. 01-82-A28.

Thence S 32 deg. 45 min. 36 sec. E a distance of 603.81 feet to a point; Thence S 31 deg. 40 min. 17 sec. E a distance of 110.40 feet to a point; Thence S 13 deg. 27 min. 50 sec. E a distance of 173.39 feet to a point; Thence S 48 deg. 27 min. 30 sec. E a distance of 216.47 feet to a point; Thence S 32 deg. 39 min. 44 sec. E to the mean high water line on the northwesterly bank of Gasparilla Pass; Thence N 32 deg. 39 min. 44 sec. W to the aforementioned point;

Thence N 48 deg. 27 min. 30 sec. W a distance of 216.47 feet to a point; Thence N 13 deg. 27 min. 50 sec. W a distance of 173.39 feet to a point; Thence N 31 deg. 40 min. 17 sec. W a distance of 110.40 feet to a point; Thence N 32 deg. 45 min. 36 sec. W a distance of 603.81 feet to a point; Said point being N 57 deg. 56 min. 32 sec. E a distance of 313.857 feet from P. R. M. 01-82-A28. Recommence at P. R. M. 12-81-A03, thence N 65 deg. 51 min. 26 sec. W a distance of 1524.386 feet to a point on the coastal construction control line; Thence N 68 deg. 23 min. 11 sec. E to the mean high water line on the southwesterly bank of Gasparilla Pass; Thence S 68 deg. 23 min. 11 sec. W to the aforementioned point; Said point being N 65 deg. 51 min. 26 sec. W a distance of 1524.386 feet from P. R. M. 12-81-A03.

Thence S 68 deg. 23 min. 11 sec. W a distance of 519.42 feet to a point; Thence S 34 deg. 22 min. 09 sec. W a distance of 471.68 feet to a point; Thence S 07 deg. 21 min. 28 sec. E a distance of 1010.23 feet to a point; Thence S 33 deg. 21 min. 08 sec. E a distance of 1069.06 feet to a point; Thence S 36 deg. 38 min. 57 sec. E a distance of 880.69 feet to a point; Said point being S 43 deg. 26 min. 41 sec. W a distance of 978.499 feet from P. R. M. 12-81-A05.

Thence S 31 deg. 06 min. 37 sec. E a distance of 1090.22 feet to a point; Said point being S 32 deg. 56 min. 39 sec. W a distance of 813.187 feet from P. R. M. 12-81-A06.

Thence S 33 deg. 56 min. 35 sec. E a distance of 1009.53 feet to a point; Thence S 33 deg. 58 min. 39 sec. E a distance of 985.22 feet to a point; Said point being S 80 deg. 50 min. 57 sec. W a distance of 324.244 feet from P. R. M. 12-81-A07.

Thence S 25 deg. 15 min. 33 sec. E a distance of 1025.72 feet to a point; Thence S 25 deg. 38 min. 22 sec. E a distance of 542.95 feet to a point; Thence S 25 deg. 38 min. 22 sec. E a distance of 100.00 feet to a point; Said point being N 54 deg. 38 min. 49 sec. W a distance of 449.064 feet from P. R. M. 12-81-A08.

Thence S 25 deg. 38 min. 22 sec. E to the point of intersection with the Charlotte and Lee County line; Said point being the southeasterly terminus of the coastal construction control line for Charlotte County; Thence N 25 deg. 38 min. 22 sec. W to the aforementioned point; Said point being N 54 deg. 38 min. 49 sec. W a distance of 449.064 feet from P. R. M. 12-81-A08.

62B-26.007 Description of the Lee County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Lee County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule amendment shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Lee County, Florida, together with each affected municipality.

(3) After this rule amendment becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 9-28-77, Formerly 16B-26.07, Amended 5-30-91, Formerly 16B-26.007.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE LEE COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE GULF OF MEXICO FROM CHARLOTTE-LEE COUNTY LINE SOUTHERLY TO THE LEE-COLLIER COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "12-81-A08 THROUGH 12-81-A09", "12-81-A10-2 1988 THROUGH 12-81-A11-2 1988", "12-81-A12 THROUGH 12-81-A18", "12-81-A19-2 1988", "12-81-A20 THROUGH 12-81-A30", "12-81-A31-2 1988", "12-81-A32 THROUGH 12-81-A35", "12-81-A36-2 1988", "12-81-A37 THROUGH 12-81-A43", "12-81-A45", "12-81-A46-2 1988 THROUGH 12-81-A48-2 1988", "12-81-A49 THROUGH 12-81-A58-2 1988", "12-81-A59-2 THROUGH 12-81-A60-2", "12-81-A61-2 1988", "12-81-A62 THROUGH 12-81-A65", "12-81-A66-2 1988", "12-81-A67 THROUGH 12-81-A68", "12-81-A70", "12-81-A69", "GLASS-1955-1978", "12-83-A01", "12-83-A02-2 1988", "12-83-A03", "12-83-A04-2", "12-83-A05", "12-83-A06-2 1988", "12-83-A07", "12-83-A08-2 1988 THROUGH 12-83-A09-2 1988", "12-83-A10 THROUGH 12-83-A11", "12-83-A12-2 1988", "12-83-A13 THROUGH 12-83-A24", "12-83-A25-2 1988", "12-88-A25A", "12-83-A26 THROUGH 12-83-A33", "12-83-A34-2 1988", "12-88-A34A", "12-83-A35-2 1988", "12-83-A36", "BOOB-2 1955", "12-83-A37", "12-88-A37A", "12-83-A38-2 1988", "12-83-A39", "12-83-A40-2 1988", "12-83-A41 THROUGH 12-83-A44", "12-83-A44A", "12-83-A45 THROUGH 12-83-A49".

FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE WEST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) 12-81-A01, 12-81-A17, 12-81-A29, 12-81-A47, 12-81-A70, 12-83-A22, 12-83-A38, AND NATIONAL GEODETIC SURVEY (N.G.S.) STATION WIGGINS-1934-70.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE LEE COUNTY, FLORIDA

COMMENCE AT "P.R.M." 12-81-A08; THENCE S 36 DEG. 42 MIN. 25 SEC. W A DISTANCE OF 291.57 FEET TO THE POINT OF BEGINNING; THENCE N 21 DEG. 58 MIN. 55 SEC. W TO THE POINT OF INTERSECTION WITH THE LEE-CHARLOTTE COUNTY LINE, SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR LEE COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING. SAID POINT BEING S 36 DEG. 42 MIN. 25 SEC. W A DISTANCE OF 291.57 FEET FROM P. R. M. 12-81-A08.

THENCE S 21 DEG. 58 MIN. 55 SEC. E A DISTANCE OF 1022.56 FEET TO A POINT; THENCE S 10 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 991.75 FEET TO A POINT; THENCE S 14 DEG. 18 MIN. 58 SEC. E A DISTANCE OF 1008.23 FEET TO A POINT; SAID POINT BEING N 86 DEG. 52 MIN. 35 SEC. W A DISTANCE OF 623.54 FEET FROM P. R. M. 12-81-A09.

THENCE S 14 DEG. 25 MIN. 59 SEC. E A DISTANCE OF 1018.10 FEET TO A POINT; THENCE S 09 DEG. 56 MIN. 53 SEC. E A DISTANCE OF 1044.63 FEET TO A POINT; THENCE S 06 DEG. 50 MIN. 39 SEC. E A DISTANCE OF 986.01 FEET TO A POINT; SAID POINT BEING N 45 DEG. 58 MIN. 36 SEC. W A DISTANCE OF 597.32 FEET FROM P. R. M. 12-81-A10-2 1988.

THENCE S 09 DEG. 36 MIN. 57 SEC. E A DISTANCE OF 1004.76 FEET TO A POINT; THENCE S 09 DEG. 26 MIN. 13 SEC. E A DISTANCE OF 1184.18 FEET TO A POINT; SAID POINT BEING N 26 DEG. 03 MIN. 00 SEC. W A DISTANCE OF 753.90 FEET FROM P. R. M. 12-81-A11-2 1988.

THENCE S 03 DEG. 20 MIN. 58 SEC. E A DISTANCE OF 1289.28 FEET TO A POINT; THENCE S 09 DEG. 22 MIN. 38 SEC. E A DISTANCE OF 1523.90 FEET TO A POINT; THENCE S 06 DEG. 24 MIN. 14 SEC. E A DISTANCE OF 1193.16 FEET TO A POINT; SAID POINT BEING S 23 DEG. 57 MIN. 26 SEC. W A DISTANCE OF 393.73 FEET FROM P. R. M. 12-81-A12.

THENCE S 02 DEG. 56 MIN. 31 SEC. E A DISTANCE OF 1019.18 FEET TO A POINT; SAID POINT BEING N 51 DEG. 22 MIN. 17 SEC. W A DISTANCE OF 713.99 FEET FROM P. R. M. 12-81-A13.

THENCE S 02 DEG. 52 MIN. 57 SEC. E A DISTANCE OF 1002.59 FEET TO A POINT; SAID POINT BEING S 24 DEG. 38 MIN. 45 SEC. W A DISTANCE OF 409.65 FEET FROM P. R. M. 12-81-A14.

THENCE S 00 DEG. 46 MIN. 47 SEC. E A DISTANCE OF 1006.04 FEET TO A POINT; THENCE S 10 DEG. 35 MIN. 58 SEC. E A DISTANCE OF 1120.07 FEET TO A POINT; SAID POINT BEING S 07 DEG. 01 MIN. 58 SEC. E A DISTANCE OF 415.10 FEET FROM P. R. M. 12-81-A15.

THENCE S 03 DEG. 18 MIN. 43 SEC. W A DISTANCE OF 1019.74 FEET TO A POINT; THENCE S 00 DEG. 22 MIN. 07 SEC. W A DISTANCE OF 1075.30 FEET TO A POINT; SAID POINT BEING S 05 DEG. 38 MIN. 31 SEC. W A DISTANCE OF 271.42 FEET FROM P. R. M. 12-81-A16.

THENCE S 01 DEG. 56 MIN. 26 SEC. E A DISTANCE OF 915.98 FEET TO A POINT; THENCE S 05 DEG. 41 MIN. 27 SEC. E A DISTANCE OF 1083.91 FEET TO A POINT; THENCE S 03 DEG. 01 MIN. 58 SEC. E A DISTANCE OF 863.65 FEET TO A POINT; SAID POINT BEING S 77 DEG. 42 MIN. 34 SEC. W A DISTANCE OF 197.73 FEET FROM P. R. M. 12-81-A17.

THENCE S 03 DEG. 02 MIN. 05 SEC. E A DISTANCE OF 547.77 FEET TO A POINT; THENCE S 29 DEG. 33 MIN. 31 SEC. E A DISTANCE OF 617.84 FEET TO A POINT; SAID POINT BEING N 36 DEG. 50 MIN. 36 SEC. E A DISTANCE OF 290.10 FEET FROM P. R. M. 12-81-A18.

THENCE S 11 DEG. 59 MIN. 40 SEC. W A DISTANCE OF 861.52 FEET TO A POINT; THENCE S 08 DEG. 54 MIN. 43 SEC. W A DISTANCE OF 973.10 FEET TO A POINT; SAID POINT BEING S 10 DEG. 24 MIN. 14 SEC. E A DISTANCE OF 395.36 FEET FROM P. R. M. 12-81-A19-2 1988.

THENCE S 03 DEG. 47 MIN. 28 SEC. W A DISTANCE OF 990.67 FEET TO A POINT; THENCE S 47 DEG. 38 MIN. 19 SEC. E A DISTANCE OF 223.49 FEET TO A POINT; THENCE S 48 DEG. 11 MIN. 09 SEC. E A DISTANCE OF 503.76 FEET TO A POINT; SAID POINT BEING S 68 DEG. 59 MIN. 17 SEC. E A DISTANCE OF 545.47 FEET FROM P. R. M. 12-81-A20.

THENCE S 48 DEG. 05 MIN. 09 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF CHARLOTTE HARBOR; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 68 DEG. 59 MIN. 17 SEC. E A DISTANCE OF 545.47 FEET FROM P. R. M. 12-81-A20.

RECOMMENCE AT "P.R.M." 12-81-A21; THENCE N 60 DEG. 43 MIN. 39 SEC. E A DISTANCE OF 485.45 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 16 DEG. 30 MIN. 31 SEC. E A DISTANCE OF 1105.35 FEET TO A POINT; THENCE N 21 DEG. 33 MIN. 12 SEC. E A DISTANCE OF 285.18 FEET TO A POINT; THENCE N 43 DEG. 13 MIN. 06 SEC. E A DISTANCE OF 1005.30 FEET TO A POINT; THENCE N 43 DEG. 13 MIN. 06 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERLY SHORE OF LA COSTA ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING N 60 DEG. 43 MIN. 39 SEC. E A DISTANCE OF 485.45 FEET FROM P. R. M. 12-81-A21.

THENCE S 02 DEG. 09 MIN. 22 SEC. E A DISTANCE OF 909.52 FEET TO A POINT; THENCE S 06 DEG. 44 MIN. 36 SEC. E A DISTANCE OF 653.92 FEET TO A POINT; SAID POINT BEING N 53 DEG. 36 MIN. 49 SEC. E A DISTANCE OF 561.91 FEET FROM P. R. M. 12-81-A22.

THENCE S 03 DEG. 59 MIN. 00 SEC. W A DISTANCE OF 1265.23 FEET TO A POINT; THENCE S 04 DEG. 34 MIN. 53 SEC. W A DISTANCE OF 908.32 FEET TO A POINT; SAID POINT BEING S 19 DEG. 12 MIN. 18 SEC. E A DISTANCE OF 478.71 FEET FROM P. R. M. 12-81-A23.

THENCE S 09 DEG. 58 MIN. 15 SEC. W A DISTANCE OF 1073.13 FEET TO A POINT; SAID POINT BEING N 02 DEG. 04 MIN. 34 SEC. E A DISTANCE OF 325.11 FEET FROM P. R. M. 12-81-A24.

THENCE S 28 DEG. 29 MIN. 54 SEC. W A DISTANCE OF 797.24 FEET TO A POINT; THENCE S 20 DEG. 51 MIN. 41 SEC. E A DISTANCE OF 743.73 FEET TO A POINT; THENCE S 20 DEG. 25 MIN. 27 SEC. E A DISTANCE OF 954.46 FEET TO A POINT; SAID POINT BEING S 48 DEG. 52 MIN. 59 SEC. E A DISTANCE OF 488.10 FEET FROM P. R. M. 12-81-A25.

THENCE S 09 DEG. 13 MIN. 00 SEC. E A DISTANCE OF 1135.13 FEET TO A POINT; THENCE S 29 DEG. 15 MIN. 17 SEC. E A DISTANCE OF 743.95 FEET TO A POINT; SAID POINT BEING N 15 DEG. 47 MIN. 33 SEC. W A DISTANCE OF 132.33 FEET FROM P. R. M. 12-81-A26.

THENCE S 26 DEG. 17 MIN. 37 SEC. E A DISTANCE OF 936.38 FEET TO A POINT; THENCE S 21 DEG. 31 MIN. 12 SEC. E A DISTANCE OF 758.51 FEET TO A POINT; SAID POINT BEING N 11 DEG. 56 MIN. 08 SEC. W A DISTANCE OF 188.53 FEET FROM P. R. M. 12-81-A27.

THENCE S 40 DEG. 39 MIN. 55 SEC. E A DISTANCE OF 1150.81 FEET TO A POINT; THENCE S 22 DEG. 00 MIN. 10 SEC. E A DISTANCE OF 1305.24 FEET TO A POINT; SAID POINT BEING N 87 DEG. 56 MIN. 15 SEC. E A DISTANCE OF 401.12 FEET FROM P. R. M. 12-81-A28.

THENCE S 16 DEG. 00 MIN. 19 SEC. E A DISTANCE OF 956.27 FEET TO A POINT; SAID POINT BEING N 32 DEG. 09 MIN. 50 SEC. E A DISTANCE OF 595.36 FEET FROM P. R. M. 12-81-A29.

THENCE S 15 DEG. 23 MIN. 56 SEC. E A DISTANCE OF 1048.88 FEET TO A POINT; SAID POINT BEING N 45 DEG. 53 MIN. 43 SEC. E A DISTANCE OF 606.71 FEET FROM P. R. M. 12-81-A30.

THENCE S 17 DEG. 32 MIN. 02 SEC. E A DISTANCE OF 811.01 FEET TO A POINT; THENCE S 38 DEG. 26 MIN. 09 SEC. E A DISTANCE OF 1250.19 FEET TO A POINT; THENCE S 18 DEG. 03 MIN. 03 SEC. E A DISTANCE OF 826.09 FEET TO A POINT; THENCE S 09 DEG. 28 MIN. 08 SEC. E A DISTANCE OF 1064.54 FEET TO A POINT; THENCE S 24 DEG. 17 MIN. 34 SEC. E A DISTANCE OF 1079.68 FEET TO A POINT; THENCE S 24 DEG. 47 MIN. 09 SEC. E A DISTANCE OF 864.21 FEET TO A POINT; SAID POINT BEING S 10 DEG. 27 MIN. 55 SEC. E A DISTANCE OF 92.83 FEET FROM P. R. M. 12-81-A31-2 1988.

THENCE S 39 DEG. 43 MIN. 14 SEC. E A DISTANCE OF 784.92 FEET TO A POINT; SAID POINT BEING N 37 DEG. 34 MIN. 20 SEC. E A DISTANCE OF 420.86 FEET FROM P. R. M. 12-81-A32.

THENCE S 49 DEG. 53 MIN. 19 SEC. E A DISTANCE OF 942.82 FEET TO A POINT; THENCE S 39 DEG. 29 MIN. 18 SEC. E A DISTANCE OF 995.00 FEET TO A POINT; THENCE S 29 DEG. 48 MIN. 54 SEC. E A DISTANCE OF 1061.49 FEET TO A POINT; SAID POINT BEING N 07 DEG. 30 MIN. 01 SEC. E A DISTANCE OF 340.43 FEET FROM P. R. M. 12-81-A33.

THENCE S 28 DEG. 30 MIN. 26 SEC. E A DISTANCE OF 1070.63 FEET TO A POINT; THENCE S 26 DEG. 06 MIN. 40 SEC. E A DISTANCE OF 1021.61 FEET TO A POINT; THENCE S 25 DEG. 25 MIN. 29 SEC. E A DISTANCE OF 1038.71 FEET TO A POINT; SAID POINT BEING N 42 DEG. 13 MIN. 34 SEC. E A DISTANCE OF 446.78 FEET FROM P. R. M. 12-81-A34.

THENCE S 21 DEG. 03 MIN. 46 SEC. E A DISTANCE OF 989.49 FEET TO A POINT; THENCE S 12 DEG. 52 MIN. 10 SEC. E A DISTANCE OF 963.85 FEET TO A POINT; SAID POINT BEING N 37 DEG. 22 MIN. 11 SEC. E A DISTANCE OF 551.34 FEET FROM P. R. M. 12-81-A35.

THENCE S 13 DEG. 52 MIN. 26 SEC. E A DISTANCE OF 1122.90 FEET TO A POINT; THENCE S 11 DEG. 15 MIN. 58 SEC. E A DISTANCE OF 981.62 FEET TO A POINT; THENCE S 13 DEG. 45 MIN. 03 SEC. E A DISTANCE OF 1289.59 FEET TO A POINT; THENCE S 35 DEG. 12 MIN. 59 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERLY SHORE OF LA COSTA ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING N 37 DEG. 22 MIN. 11 SEC. E A DISTANCE OF 551.34 FEET FROM P. R. M. 12-81-A35.

RECOMMENCE AT "P.R.M." 12-81-A36-2 1988 AZ MK; THENCE S 20 DEG. 36 MIN. 59 SEC. E A DISTANCE OF 1115.09 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 36 DEG. 14 MIN. 20 SEC. E TO THE MEAN HIGH WATER LINE OF PINE SOUND.

THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING S 20 DEG. 36 MIN. 59 SEC. E A DISTANCE OF 1115.09 FEET FROM P. R. M. 12-81-A36-2 1988 AZ MK. THENCE N 36 DEG. 14 MIN. 20 SEC. W A DISTANCE OF 580.00 FEET TO A POINT; THENCE N 82 DEG. 37 MIN. 00 SEC. W A DISTANCE OF 607.55 FEET TO A POINT; THENCE N 30 DEG. 00 MIN. 00 SEC. W A DISTANCE OF 1440.00 FEET TO A POINT; THENCE S 40 DEG. 53 MIN. 32 SEC. W A DISTANCE OF 635.81 FEET TO A POINT; SAID POINT BEING S 67 DEG. 26 MIN. 02 SEC. E A DISTANCE OF 475.24 FEET FROM P. R. M. 12-81-A36-2 1988.

THENCE S 40 DEG. 58 MIN. 57 SEC. W A DISTANCE OF 793.13 FEET TO A POINT; SAID POINT BEING N 85 DEG. 29 MIN. 39 SEC. W A DISTANCE OF 68.04 FEET FROM P. R. M. 12-81-A37.

THENCE S 00 DEG. 51 MIN. 56 SEC. W A DISTANCE OF 1074.80 FEET TO A POINT; SAID POINT BEING S 47 DEG. 02 MIN. 12 SEC. E A DISTANCE OF 191.28 FEET FROM P. R. M. 12-81-A38.

THENCE S 01 DEG. 06 MIN. 20 SEC. W A DISTANCE OF 952.27 FEET TO A POINT; SAID POINT BEING S 22 DEG. 11 MIN. 35 SEC. E A DISTANCE OF 411.03 FEET FROM P. R. M. 12-81-A39.

THENCE S 07 DEG. 45 MIN. 58 SEC. E A DISTANCE OF 1013.57 FEET TO A POINT; SAID POINT BEING S 12 DEG. 20 MIN. 56 SEC. E A DISTANCE OF 747.13 FEET FROM P. R. M. 12-81-A40.

THENCE S 21 DEG. 52 MIN. 51 SEC. E A DISTANCE OF 1406.56 FEET TO A POINT; SAID POINT BEING S 42 DEG. 37 MIN. 55 SEC. E A DISTANCE OF 1055.97 FEET FROM P. R. M. 12-81-A41.

THENCE S 39 DEG. 36 MIN. 44 SEC. E A DISTANCE OF 1406.45 FEET TO A POINT; SAID POINT BEING S 55 DEG. 10 MIN. 36 SEC. E A DISTANCE OF 993.54 FEET FROM P. R. M. 12-81-A42.

THENCE S 51 DEG. 38 MIN. 14 SEC. E A DISTANCE OF 1047.31 FEET TO A POINT; SAID POINT BEING N 72 DEG. 16 MIN. 20 SEC. E A DISTANCE OF 542.23 FEET FROM P. R. M. 12-81-A43.

THENCE S 40 DEG. 30 MIN. 07 SEC. E A DISTANCE OF 672.03 FEET TO A POINT; THENCE S 33 DEG. 10 MIN. 47 SEC. E A DISTANCE OF 602.78 FEET TO A POINT; THENCE S 33 DEG. 27 MIN. 41 SEC. E A DISTANCE OF 738.49 FEET TO A POINT; THENCE S 33 DEG. 19 MIN. 51 SEC. E A DISTANCE OF 934.14 FEET TO A POINT; THENCE S 34 DEG. 05 MIN. 17 SEC. E A DISTANCE OF 746.30 FEET TO A POINT; THENCE S 34 DEG. 36 MIN. 03 SEC. E A DISTANCE OF 627.27 FEET TO A POINT; THENCE S 52 DEG. 11 MIN. 22 SEC. E A DISTANCE OF 752.11 FEET TO A POINT; THENCE S 25 DEG. 28 MIN. 01 SEC. E A DISTANCE OF 1496.54 FEET TO A POINT; THENCE S 25 DEG. 31 MIN. 27 SEC. E A DISTANCE OF 1413.54 FEET TO A POINT; THENCE S 09 DEG. 05 MIN. 28 SEC. E A DISTANCE OF 741.98 FEET TO A POINT; THENCE S 09 DEG. 02 MIN. 47 SEC. E A DISTANCE OF 741.25 FEET TO A POINT; THENCE S 09 DEG. 05 MIN. 35 SEC. E A DISTANCE OF 1020.89 FEET TO A POINT; THENCE S 14 DEG. 29 MIN. 30 SEC. E A DISTANCE OF 928.06 FEET TO A POINT; SAID POINT BEING N 70 DEG. 37 MIN. 19 SEC. E A DISTANCE OF 619.94 FEET FROM P. R. M. 12-81-A45.

THENCE S 47 DEG. 59 MIN. 53 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERLY SHORE OF NORTH CAPTIVA ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING N 70 DEG. 37 MIN. 19 SEC. E A DISTANCE OF 619.94 FEET FROM P. R. M. 12-81-A45.

RECOMMENCE AT "P.R.M." 12-81-A46-2 1988; THENCE N 72 DEG. 46 MIN. 03 SEC. E A DISTANCE OF 624.25 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 59 DEG. 31 MIN. 46 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERLY SHORE OF CAPTIVA ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING N 72 DEG. 46 MIN. 03 SEC. E A DISTANCE OF 624.25 FEET FROM P. R. M. 12-81-A46-2 1988.

THENCE S 28 DEG. 53 MIN. 59 SEC. E A DISTANCE OF 1149.80 FEET TO A POINT; THENCE S 05 DEG. 56 MIN. 52 SEC. W A DISTANCE OF 875.28 FEET TO A POINT; THENCE S 20 DEG. 47 MIN. 15 SEC. E A DISTANCE OF 1057.55 FEET TO A POINT; THENCE S 20 DEG. 06 MIN. 46 SEC. E A DISTANCE OF 940.79 FEET TO A POINT; SAID POINT BEING N 83 DEG. 08 MIN. 39 SEC. E A DISTANCE OF 283.51 FEET FROM P. R. M. 12-81-A47-2 1988.

THENCE S 10 DEG. 08 MIN. 27 SEC. E A DISTANCE OF 1005.52 FEET TO A POINT; THENCE S 10 DEG. 07 MIN. 43 SEC. E A DISTANCE OF 905.02 FEET TO A POINT; THENCE S 10 DEG. 11 MIN. 26 SEC. E A DISTANCE OF 964.12 FEET TO A POINT; THENCE S 07 DEG. 13 MIN. 26 SEC. E A DISTANCE OF 1121.19 FEET TO A POINT; THENCE S 09 DEG. 35 MIN. 28 SEC. E A DISTANCE OF 899.22 FEET TO A POINT; SAID POINT BEING N 13 DEG. 44 MIN. 15 SEC. E A DISTANCE OF 822.96 FEET FROM P. R. M. 12-81-A48-2 1988.

THENCE S 08 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 1547.59 FEET TO A POINT; SAID POINT BEING S 34 DEG. 10 MIN. 38 SEC. W A DISTANCE OF 657.57 FEET FROM P. R. M. 12-81-A49.

THENCE S 09 DEG. 56 MIN. 12 SEC. E A DISTANCE OF 908.79 FEET TO A POINT; THENCE S 10 DEG. 04 MIN. 05 SEC. E A DISTANCE OF 1006.06 FEET TO A POINT; SAID POINT BEING N 32 DEG. 08 MIN. 13 SEC. E A DISTANCE OF 377.81 FEET FROM P. R. M. 12-81-A50.

THENCE S 11 DEG. 34 MIN. 10 SEC. E A DISTANCE OF 892.78 FEET TO A POINT; THENCE S 10 DEG. 45 MIN. 47 SEC. E A DISTANCE OF 1102.41 FEET TO A POINT; THENCE S 10 DEG. 52 MIN. 38 SEC. E A DISTANCE OF 952.45 FEET TO A POINT; THENCE S 09 DEG. 42 MIN. 24 SEC. E A DISTANCE OF 1037.48 FEET TO A POINT; THENCE S 09 DEG. 39 MIN. 18 SEC. E A DISTANCE OF 983.72 FEET TO A POINT; SAID POINT BEING N 06 DEG. 47 MIN. 32 SEC. E A DISTANCE OF 322.64 FEET FROM P. R. M. 12-81-A51.

THENCE S 09 DEG. 21 MIN. 59 SEC. E A DISTANCE OF 1209.37 FEET TO A POINT; SAID POINT BEING S 09 DEG. 05 MIN. 06 SEC. W A DISTANCE OF 875.70 FEET FROM P. R. M. 12-81-A52.

THENCE S 09 DEG. 28 MIN. 42 SEC. E A DISTANCE OF 784.72 FEET TO A POINT; SAID POINT BEING S 66 DEG. 40 MIN. 00 SEC. W A DISTANCE OF 377.58 FEET FROM P. R. M. 12-81-A53.

THENCE S 08 DEG. 39 MIN. 55 SEC. E A DISTANCE OF 1060.53 FEET TO A POINT; SAID POINT BEING S 17 DEG. 18 MIN. 36 SEC. W A DISTANCE OF 701.25 FEET FROM P. R. M. 12-81-A54.

THENCE S 15 DEG. 13 MIN. 25 SEC. E A DISTANCE OF 1136.44 FEET TO A POINT; THENCE S 12 DEG. 41 MIN. 33 SEC. E A DISTANCE OF 935.49 FEET TO A POINT; SAID POINT BEING N 42 DEG. 04 MIN. 10 SEC. W A DISTANCE OF 585.18 FEET FROM P. R. M. 12-81-A55.

THENCE S 12 DEG. 16 MIN. 04 SEC. E A DISTANCE OF 1093.02 FEET TO A POINT; THENCE S 19 DEG. 59 MIN. 45 SEC. E A DISTANCE OF 1298.44 FEET TO A POINT; SAID POINT BEING N 35 DEG. 19 MIN. 30 SEC. W A DISTANCE OF 222.07 FEET FROM P. R. M. 12-81-A56.

THENCE S 24 DEG. 52 MIN. 19 SEC. E A DISTANCE OF 685.63 FEET TO A POINT; THENCE S 75 DEG. 39 MIN. 36 SEC. E A DISTANCE OF 580.04 FEET TO A POINT; THENCE S 26 DEG. 56 MIN. 29 SEC. E A DISTANCE OF 195.00 FEET TO A POINT; THENCE S 26 DEG. 56 MIN. 26 SEC. E A DISTANCE OF 1086.88 FEET TO A POINT; SAID POINT BEING N 47 DEG. 01 MIN. 01 SEC. E A DISTANCE OF 560.54 FEET FROM P. R. M. 12-81-A58-2 1988.

THENCE S 29 DEG. 32 MIN. 30 SEC. E A DISTANCE OF 676.07 FEET TO A POINT; THENCE S 51 DEG. 06 MIN. 27 SEC. E A DISTANCE OF 1292.13 FEET TO A POINT; SAID POINT BEING N 60 DEG. 14 MIN. 41 SEC. E A DISTANCE OF 825.99 FEET FROM P. R. M. 12-81-A59-2.

THENCE S 29 DEG. 50 MIN. 59 SEC. E A DISTANCE OF 816.01 FEET TO A POINT; THENCE S 29 DEG. 34 MIN. 09 SEC. E A DISTANCE OF 1013.03 FEET TO A POINT; THENCE S 33 DEG. 29 MIN. 40 SEC. E A DISTANCE OF 1136.91 FEET TO A POINT; SAID POINT BEING N 84 DEG. 36 MIN. 27 SEC. E A DISTANCE OF 793.84 FEET FROM P. R. M. 12-81-A60-2.

THENCE S 41 DEG. 16 MIN. 36 SEC. E A DISTANCE OF 1074.66 FEET TO A POINT; SAID POINT BEING N 71 DEG. 48 MIN. 30 SEC. E A DISTANCE OF 480.39 FEET FROM P. R. M. 12-81-A61-2 1988.

THENCE S 58 DEG. 24 MIN. 28 SEC. E A DISTANCE OF 1044.03 FEET TO A POINT; SAID POINT BEING N 00 DEG. 44 MIN. 30 SEC. W A DISTANCE OF 461.67 FEET FROM P. R. M. 12-81-A62.

THENCE S 61 DEG. 51 MIN. 00 SEC. E A DISTANCE OF 1059.30 FEET TO A POINT; THENCE S 79 DEG. 39 MIN. 34 SEC. E A DISTANCE OF 1096.81 FEET TO A POINT; THENCE S 55 DEG. 45 MIN. 20 SEC. E A DISTANCE OF 1006.83 FEET TO A POINT; THENCE S 57 DEG. 50 MIN. 16 SEC. E A DISTANCE OF 982.03 FEET TO A POINT; SAID POINT BEING N 61 DEG. 08 MIN. 53 SEC. E A DISTANCE OF 785.67 FEET FROM P. R. M. 12-81-A63.

THENCE S 57 DEG. 45 MIN. 24 SEC. E A DISTANCE OF 1118.89 FEET TO A POINT; THENCE S 49 DEG. 16 MIN. 19 SEC. E A DISTANCE OF 1056.95 FEET TO A POINT; THENCE S 52 DEG. 52 MIN. 09 SEC. E A DISTANCE OF 1213.94 FEET TO A POINT; THENCE S 49 DEG. 55 MIN. 42 SEC. E A DISTANCE OF 1043.00 FEET TO A POINT; SAID POINT BEING N 44 DEG. 07 MIN. 54 SEC. E A DISTANCE OF 355.48 FEET FROM P. R. M. 12-81-A64.

THENCE S 46 DEG. 27 MIN. 22 SEC. E A DISTANCE OF 1082.88 FEET TO A POINT; THENCE S 48 DEG. 33 MIN. 23 SEC. E A DISTANCE OF 1370.89 FEET TO A POINT; SAID POINT BEING N 49 DEG. 56 MIN. 08 SEC. E A DISTANCE OF 410.76 FEET FROM P. R. M. 12-81-A65.

THENCE S 38 DEG. 12 MIN. 04 SEC. E A DISTANCE OF 924.73 FEET TO A POINT; THENCE S 36 DEG. 45 MIN. 09 SEC. E A DISTANCE OF 1172.75 FEET TO A POINT; THENCE S 44 DEG. 27 MIN. 40 SEC. E A DISTANCE OF 993.58 FEET TO A POINT; SAID POINT BEING N 10 DEG. 01 MIN. 07 SEC. W A DISTANCE OF 501.11 FEET FROM P. R. M. 12-81-A66-2 1988.

THENCE S 44 DEG. 18 MIN. 02 SEC. E A DISTANCE OF 1019.92 FEET TO A POINT; THENCE S 50 DEG. 26 MIN. 39 SEC. E A DISTANCE OF 865.33 FEET TO A POINT; SAID POINT BEING N 85 DEG. 58 MIN. 05 SEC. E A DISTANCE OF 461.05 FEET FROM P. R. M. 12-81-A67.

THENCE S 52 DEG. 31 MIN. 53 SEC. E A DISTANCE OF 330.00 FEET TO A POINT; SAID POINT BEING N 30 DEG. 29 MIN. 07 SEC. E A DISTANCE OF 276.86 FEET FROM P. R. M. 12-81-A68.

THENCE S 52 DEG. 31 MIN. 53 SEC. E A DISTANCE OF 470.00 FEET TO A POINT; SAID POINT BEING S 25 DEG. 56 MIN. 41 SEC. W A DISTANCE OF 75.56 FEET FROM P. R. M. 12-81-A70.

THENCE S 52 DEG. 31 MIN. 52 SEC. E A DISTANCE OF 216.74 FEET TO A POINT; SAID POINT BEING N 34 DEG. 03 MIN. 20 SEC. E A DISTANCE OF 194.44 FEET FROM P. R. M. 12-81-A69.

THENCE S 64 DEG. 49 MIN. 20 SEC. E A DISTANCE OF 500.00 FEET TO A POINT; SAID POINT BEING S 37 DEG. 18 MIN. 16 SEC. W A DISTANCE OF 142.46 FEET FROM P. R. M. GLASS-1955-1978.

THENCE S 64 DEG. 49 MIN. 19 SEC. E A DISTANCE OF 494.59 FEET TO A POINT; SAID POINT BEING S 86 DEG. 30 MIN. 45 SEC. W A DISTANCE OF 211.10 FEET FROM P. R. M. 12-83-A01.

THENCE S 64 DEG. 45 MIN. 03 SEC. E A DISTANCE OF 863.94 FEET TO A POINT; SAID POINT BEING N 88 DEG. 28 MIN. 17 SEC. W A DISTANCE OF 543.38 FEET FROM P. R. M. 12-83-A02-2 1988.

THENCE S 64 DEG. 31 MIN. 53 SEC. E A DISTANCE OF 1174.88 FEET TO A POINT; THENCE S 64 DEG. 26 MIN. 38 SEC. E A DISTANCE OF 863.29 FEET TO A POINT; THENCE S 67 DEG. 47 MIN. 03 SEC. E A DISTANCE OF 1087.66 FEET TO A POINT; SAID POINT BEING S 47 DEG. 52 MIN. 27 SEC. E A DISTANCE OF 409.74 FEET FROM P. R. M. 12-83-A03.

THENCE S 67 DEG. 47 MIN. 04 SEC. E A DISTANCE OF 928.21 FEET TO A POINT; THENCE S 67 DEG. 42 MIN. 39 SEC. E A DISTANCE OF 980.70 FEET TO A POINT; THENCE S 67 DEG. 49 MIN. 42 SEC. E A DISTANCE OF 967.62 FEET TO A POINT; SAID POINT BEING S 01 DEG. 00 MIN. 01 SEC. W A DISTANCE OF 323.04 FEET FROM P. R. M. 12-83-A04-2.

THENCE S 73 DEG. 26 MIN. 54 SEC. E A DISTANCE OF 1080.31 FEET TO A POINT; SAID POINT BEING S 21 DEG. 53 MIN. 50 SEC. E A DISTANCE OF 133.24 FEET FROM P. R. M. 12-83-A05.

THENCE S 67 DEG. 45 MIN. 12 SEC. E A DISTANCE OF 915.08 FEET TO A POINT; SAID POINT BEING S 16 DEG. 17 MIN. 09 SEC. W A DISTANCE OF 376.62 FEET FROM P. R. M. 12-83-A06-2 1988.

THENCE S 65 DEG. 00 MIN. 20 SEC. E A DISTANCE OF 975.24 FEET TO A POINT; THENCE S 75 DEG. 55 MIN. 54 SEC. E A DISTANCE OF 1027.12 FEET TO A POINT; THENCE S 83 DEG. 13 MIN. 53 SEC. E A DISTANCE OF 998.13 FEET TO A POINT; SAID POINT BEING S 72 DEG. 36 MIN. 46 SEC. E A DISTANCE OF 318.52 FEET FROM P. R. M. 12-83-A07.

THENCE S 80 DEG. 35 MIN. 07 SEC. E A DISTANCE OF 1037.28 FEET TO A POINT; SAID POINT BEING S 88 DEG. 26 MIN. 20 SEC. W A DISTANCE OF 471.10 FEET FROM P. R. M. 12-83-A08-2 1988.

THENCE S 75 DEG. 11 MIN. 48 SEC. E A DISTANCE OF 971.38 FEET TO A POINT; SAID POINT BEING S 78 DEG. 19 MIN. 31 SEC. W A DISTANCE OF 961.43 FEET FROM P. R. M. 12-83-A09-2 1988.

THENCE N 89 DEG. 16 MIN. 56 SEC. E A DISTANCE OF 949.34 FEET TO A POINT; SAID POINT BEING N 05 DEG. 50 MIN. 46 SEC. E A DISTANCE OF 322.16 FEET FROM P. R. M. 12-83-A10.

THENCE S 89 DEG. 32 MIN. 19 SEC. E A DISTANCE OF 1099.40 FEET TO A POINT; SAID POINT BEING N 36 DEG. 58 MIN. 59 SEC. W A DISTANCE OF 295.02 FEET FROM P. R. M. 12-83-A11.

THENCE N 83 DEG. 21 MIN. 04 SEC. E A DISTANCE OF 822.22 FEET TO A POINT; SAID POINT BEING N 60 DEG. 26 MIN. 49 SEC. W A DISTANCE OF 459.54 FEET FROM P. R. M. 12-83-A12-2 1988.

THENCE N 73 DEG. 33 MIN. 12 SEC. E A DISTANCE OF 1193.60 FEET TO A POINT; THENCE N 72 DEG. 08 MIN. 50 SEC. E A DISTANCE OF 838.18 FEET TO A POINT; SAID POINT BEING N 81 DEG. 10 MIN. 28 SEC. W A DISTANCE OF 533.71 FEET FROM P. R. M. 12-83-A13.

THENCE N 57 DEG. 49 MIN. 26 SEC. E A DISTANCE OF 955.01 FEET TO A POINT; THENCE N 67 DEG. 53 MIN. 25 SEC. E A DISTANCE OF 999.83 FEET TO A POINT; THENCE N 63 DEG. 40 MIN. 14 SEC. E A DISTANCE OF 986.15 FEET TO A POINT; SAID POINT BEING N 25 DEG. 05 MIN. 59 SEC. W A DISTANCE OF 472.15 FEET FROM P. R. M. 12-83-A14.

THENCE N 66 DEG. 29 MIN. 14 SEC. E A DISTANCE OF 933.67 FEET TO A POINT; THENCE N 66 DEG. 15 MIN. 10 SEC. E A DISTANCE OF 1039.10 FEET TO A POINT; SAID POINT BEING N 36 DEG. 11 MIN. 12 SEC. W A DISTANCE OF 408.38 FEET FROM P. R. M. 12-83-A15.

THENCE N 66 DEG. 10 MIN. 56 SEC. E A DISTANCE OF 819.32 FEET TO A POINT; THENCE N 55 DEG. 01 MIN. 58 SEC. E A DISTANCE OF 1031.00 FEET TO A POINT; SAID POINT BEING N 05 DEG. 54 MIN. 20 SEC. W A DISTANCE OF 387.53 FEET FROM P. R. M. 12-83-A16.

THENCE N 54 DEG. 31 MIN. 54 SEC. E A DISTANCE OF 1135.69 FEET TO A POINT; THENCE N 54 DEG. 48 MIN. 35 SEC. E A DISTANCE OF 714.40 FEET TO A POINT; SAID POINT BEING N 07 DEG. 07 MIN. 34 SEC. W A DISTANCE OF 538.77 FEET FROM P. R. M. 12-83-A17.

THENCE N 61 DEG. 17 MIN. 57 SEC. E A DISTANCE OF 1276.53 FEET TO A POINT; THENCE N 61 DEG. 29 MIN. 27 SEC. E A DISTANCE OF 578.92 FEET TO A POINT; SAID POINT BEING N 71 DEG. 12 MIN. 03 SEC. W A DISTANCE OF 513.84 FEET FROM P. R. M. 12-83-A18.

THENCE N 60 DEG. 02 MIN. 01 SEC. E A DISTANCE OF 1297.02 FEET TO A POINT; THENCE N 58 DEG. 51 MIN. 20 SEC. E A DISTANCE OF 953.79 FEET TO A POINT; THENCE N 58 DEG. 55 MIN. 00 SEC. E A DISTANCE OF 1024.19 FEET TO A POINT; SAID POINT BEING N 21 DEG. 18 MIN. 36 SEC. E A DISTANCE OF 524.88 FEET FROM P. R. M. 12-83-A19.

THENCE N 46 DEG. 27 MIN. 49 SEC. E A DISTANCE OF 1042.67 FEET TO A POINT; THENCE N 62 DEG. 11 MIN. 27 SEC. E A DISTANCE OF 1035.25 FEET TO A POINT; SAID POINT BEING N 23 DEG. 39 MIN. 52 SEC. W A DISTANCE OF 533.33 FEET FROM P. R. M. 12-83-A20.

THENCE N 62 DEG. 44 MIN. 31 SEC. E A DISTANCE OF 1100.14 FEET TO A POINT; THENCE N 53 DEG. 25 MIN. 31 SEC. E A DISTANCE OF 968.48 FEET TO A POINT; SAID POINT BEING N 07 DEG. 07 MIN. 09 SEC. E A DISTANCE OF 648.61 FEET FROM P. R. M. 12-83-A21.

THENCE N 53 DEG. 33 MIN. 21 SEC. E A DISTANCE OF 783.48 FEET TO A POINT; THENCE N 56 DEG. 32 MIN. 06 SEC. E A DISTANCE OF 1112.54 FEET TO A POINT; THENCE N 56 DEG. 29 MIN. 09 SEC. E A DISTANCE OF 558.74 FEET TO A POINT; SAID POINT BEING N 17 DEG. 32 MIN. 31 SEC. W A DISTANCE OF 497.81 FEET FROM P. R. M. 12-83-A22.

THENCE N 56 DEG. 29 MIN. 08 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERLY SHORE OF SANIBEL ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING N 17 DEG. 32 MIN. 31 SEC. W A DISTANCE OF 497.81 FEET FROM P. R. M. 12-83-A22.

RECOMMENCE AT "P.R.M." 12-83-A23; THENCE S 77 DEG. 50 MIN. 43 SEC. E A DISTANCE OF 152.22 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 03 DEG. 49 MIN. 57 SEC. W A DISTANCE OF 816.64 FEET TO A POINT; THENCE N 06 DEG. 45 MIN. 58 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERLY SHORE OF ESTERO ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING S 77 DEG. 50 MIN. 43 SEC. E A DISTANCE OF 152.22 FEET FROM P. R. M. 12-83-A23.

THENCE S 26 DEG. 48 MIN. 29 SEC. E A DISTANCE OF 915.19 FEET TO A POINT; THENCE S 47 DEG. 12 MIN. 46 SEC. E A DISTANCE OF 1102.75 FEET TO A POINT; THENCE S 40 DEG. 42 MIN. 03 SEC. E A DISTANCE OF 808.95 FEET TO A POINT; SAID POINT BEING N 53 DEG. 23 MIN. 15 SEC. W A DISTANCE OF 244.41 FEET FROM P. R. M. 12-83-A24.

THENCE S 53 DEG. 05 MIN. 26 SEC. E A DISTANCE OF 541.22 FEET TO A POINT; THENCE S 72 DEG. 37 MIN. 25 SEC. E A DISTANCE OF 551.32 FEET TO A POINT; SAID POINT BEING N 48 DEG. 19 MIN. 02 SEC. W A DISTANCE OF 870.02 FEET FROM P. R. M. 12-83-A25-2 1988.

THENCE S 43 DEG. 47 MIN. 02 SEC. E A DISTANCE OF 999.19 FEET TO A POINT; SAID POINT BEING N 47 DEG. 59 MIN. 53 SEC. W A DISTANCE OF 27.80 FEET FROM P. R. M. 12-88-A25A.

THENCE S 67 DEG. 47 MIN. 54 SEC. E A DISTANCE OF 1020.06 FEET TO A POINT; THENCE S 67 DEG. 48 MIN. 19 SEC. E A DISTANCE OF 863.58 FEET TO A POINT; THENCE S 74 DEG. 40 MIN. 08 SEC. E A DISTANCE OF 1061.70 FEET TO A POINT; SAID POINT BEING N 67 DEG. 18 MIN. 13 SEC. W A DISTANCE OF 418.71 FEET FROM P. R. M. 12-83-A26.

THENCE S 61 DEG. 53 MIN. 52 SEC. E A DISTANCE OF 1023.60 FEET TO A POINT; THENCE S 61 DEG. 43 MIN. 56 SEC. E A DISTANCE OF 937.38 FEET TO A POINT; THENCE S 77 DEG. 05 MIN. 21 SEC. E A DISTANCE OF 853.58 FEET TO A POINT; SAID POINT BEING S 50 DEG. 13 MIN. 15 SEC. W A DISTANCE OF 99.95 FEET FROM P. R. M. 12-83-A27.

THENCE S 55 DEG. 12 MIN. 42 SEC. E A DISTANCE OF 609.40 FEET TO A POINT; SAID POINT BEING N 10 DEG. 55 MIN. 47 SEC. W A DISTANCE OF 92.94 FEET FROM P. R. M. 12-83-A28.

THENCE S 59 DEG. 19 MIN. 43 SEC. E A DISTANCE OF 981.41 FEET TO A POINT; THENCE S 59 DEG. 17 MIN. 33 SEC. E A DISTANCE OF 694.83 FEET TO A POINT; SAID POINT BEING N 59 DEG. 26 MIN. 03 SEC. W A DISTANCE OF 239.23 FEET FROM P. R. M. 12-83-A29.

THENCE S 60 DEG. 21 MIN. 09 SEC. E A DISTANCE OF 1035.98 FEET TO A POINT; THENCE S 60 DEG. 32 MIN. 12 SEC. E A DISTANCE OF 1034.34 FEET TO A POINT; SAID POINT BEING N 45 DEG. 05 MIN. 00 SEC. W A DISTANCE OF 348.32 FEET FROM P. R. M. 12-83-A30.

THENCE S 56 DEG. 40 MIN. 49 SEC. E A DISTANCE OF 883.60 FEET TO A POINT; THENCE S 53 DEG. 16 MIN. 37 SEC. E A DISTANCE OF 1089.17 FEET TO A POINT; SAID POINT BEING N 43 DEG. 30 MIN. 49 SEC. W A DISTANCE OF 252.47 FEET FROM P. R. M. 12-83-A31.

THENCE S 53 DEG. 27 MIN. 39 SEC. E A DISTANCE OF 850.32 FEET TO A POINT; THENCE S 47 DEG. 11 MIN. 00 SEC. E A DISTANCE OF 1320.81 FEET TO A POINT; THENCE S 47 DEG. 01 MIN. 45 SEC. E A DISTANCE OF 945.29 FEET TO A POINT; SAID POINT BEING S 36 DEG. 43 MIN. 34 SEC. E A DISTANCE OF 261.95 FEET FROM P. R. M. 12-83-A32.

THENCE S 48 DEG. 14 MIN. 53 SEC. E A DISTANCE OF 904.47 FEET TO A POINT; THENCE S 45 DEG. 23 MIN. 38 SEC. E A DISTANCE OF 1124.60 FEET TO A POINT; SAID POINT BEING S 49 DEG. 48 MIN. 31 SEC. E A DISTANCE OF 375.92 FEET FROM P. R. M. 12-83-A33.

THENCE S 43 DEG. 31 MIN. 06 SEC. E A DISTANCE OF 927.22 FEET TO A POINT; SAID POINT BEING N 25 DEG. 42 MIN. 11 SEC. W A DISTANCE OF 312.12 FEET FROM P. R. M. 12-83-A34-2 1988.

THENCE S 39 DEG. 09 MIN. 46 SEC. E A DISTANCE OF 1099.56 FEET TO A POINT; SAID POINT BEING S 23 DEG. 19 MIN. 04 SEC. W A DISTANCE OF 385.51 FEET FROM P. R. M. 12-88-A34A.

THENCE S 53 DEG. 49 MIN. 22 SEC. E A DISTANCE OF 908.90 FEET TO A POINT; THENCE S 28 DEG. 02 MIN. 21 SEC. E A DISTANCE OF 1142.40 FEET TO A POINT; SAID POINT BEING N 61 DEG. 29 MIN. 41 SEC. W A DISTANCE OF 241.84 FEET FROM P. R. M. 12-83-A35-2 1988.

THENCE S 18 DEG. 21 MIN. 00 SEC. E A DISTANCE OF 1063.12 FEET TO A POINT; THENCE S 10 DEG. 18 MIN. 49 SEC. E A DISTANCE OF 1292.22 FEET TO A POINT; THENCE S 30 DEG. 03 MIN. 37 SEC. E A DISTANCE OF 1181.94 FEET TO A POINT; SAID POINT BEING N 47 DEG. 03 MIN. 58 SEC. W A DISTANCE OF 189.47 FEET FROM P. R. M. 12-83-A36.

THENCE S 30 DEG. 01 MIN. 09 SEC. E A DISTANCE OF 623.26 FEET TO A POINT; SAID POINT BEING N 45 DEG. 43 MIN. 16 SEC. W A DISTANCE OF 1133.31 FEET FROM P. R. M. BOOB-2-1955.

THENCE S 47 DEG. 22 MIN. 55 SEC. E A DISTANCE OF 1216.56 FEET TO A POINT; SAID POINT BEING N 13 DEG. 43 MIN. 48 SEC. W A DISTANCE OF 219.45 FEET FROM P. R. M. 12-83-A37.

THENCE S 45 DEG. 55 MIN. 38 SEC. E A DISTANCE OF 850.04 FEET TO A POINT; SAID POINT BEING S 75 DEG. 40 MIN. 07 SEC. E A DISTANCE OF 144.47 FEET FROM P. R. M. 12-88-A37A.

THENCE S 85 DEG. 00 MIN. 18 SEC. E A DISTANCE OF 1045.55 FEET TO A POINT; SAID POINT BEING N 42 DEG. 34 MIN. 00 SEC. E A DISTANCE OF 329.59 FEET FROM P. R. M. 12-83-A38-2 1988.

THENCE N 89 DEG. 28 MIN. 31 SEC. E A DISTANCE OF 988.09 FEET TO A POINT; SAID POINT BEING N 47 DEG. 05 MIN. 01 SEC. W A DISTANCE OF 449.88 FEET FROM P. R. M. 12-83-A39.

THENCE N 89 DEG. 27 MIN. 36 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERLY SHORE OF ESTERO ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING N 47 DEG. 05 MIN. 01 SEC. W A DISTANCE OF 449.88 FEET FROM P. R. M. 12-83-A39.

RECOMMENCE AT "P.R.M." 12-83-A40-2 1988; THENCE S 76 DEG. 41 MIN. 23 SEC. E A DISTANCE OF 1590.47 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 39 DEG. 51 MIN. 32 SEC. E A DISTANCE OF 312.12 FEET TO A POINT; THENCE N 40 DEG. 34 MIN. 08 SEC. E A DISTANCE OF 695.45 FEET TO A POINT; THENCE N 41 DEG. 54 MIN. 55 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERLY SHORE OF LOVERS KEY; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING S 76 DEG. 41 MIN. 23 SEC. E A DISTANCE OF 1590.47 FEET FROM P. R. M. 12-83-A40-2 1988.

THENCE S 41 DEG. 58 MIN. 57 SEC. W A DISTANCE OF 564.03 FEET TO A POINT; THENCE S 46 DEG. 04 MIN. 05 SEC. E A DISTANCE OF 1000.22 FEET TO A POINT; SAID POINT BEING N 64 DEG. 16 MIN. 34 SEC. E A DISTANCE OF 1054.84 FEET FROM P. R. M. 12-83-A41.

THENCE S 42 DEG. 59 MIN. 45 SEC. E A DISTANCE OF 1258.42 FEET TO A POINT; THENCE S 42 DEG. 01 MIN. 32 SEC. E A DISTANCE OF 909.94 FEET TO A POINT; THENCE S 42 DEG. 10 MIN. 23 SEC. E A DISTANCE OF 1075.14 FEET TO A POINT; SAID POINT BEING N 68 DEG. 10 MIN. 52 SEC. E A DISTANCE OF 786.27 FEET FROM P. R. M. 12-83-A42.

THENCE S 42 DEG. 00 MIN. 58 SEC. E A DISTANCE OF 946.33 FEET TO A POINT; THENCE S 30 DEG. 54 MIN. 32 SEC. E A DISTANCE OF 1002.41 FEET TO A POINT; SAID POINT BEING N 31 DEG. 47 MIN. 26 SEC. E A DISTANCE OF 862.61 FEET FROM P. R. M. 12-83-A43.

THENCE S 59 DEG. 20 MIN. 48 SEC. E A DISTANCE OF 675.85 FEET TO A POINT; THENCE S 24 DEG. 54 MIN. 31 SEC. E A DISTANCE OF 2534.62 FEET TO A POINT; THENCE S 24 DEG. 26 MIN. 42 SEC. E A DISTANCE OF 1262.95 FEET TO A POINT; THENCE S 25 DEG. 55 MIN. 23 SEC. E A DISTANCE OF 975.40 FEET TO A POINT; THENCE S 15 DEG. 06 MIN. 26 SEC. E A DISTANCE OF 1522.92 FEET TO A POINT; SAID POINT BEING N 73 DEG. 42 MIN. 56 SEC. E A DISTANCE OF 989.82 FEET FROM P. R. M. 12-83-A44.

THENCE S 29 DEG. 22 MIN. 31 SEC. W A DISTANCE OF 819.21 FEET TO A POINT; SAID POINT BEING S 02 DEG. 17 MIN. 56 SEC. W A DISTANCE OF 405.16 FEET FROM P. R. M. 12-83-A44A.

THENCE S 27 DEG. 32 MIN. 41 SEC. E A DISTANCE OF 353.40 FEET TO A POINT; THENCE S 27 DEG. 38 MIN. 44 SEC. E A DISTANCE OF 1125.88 FEET TO A POINT; SAID POINT BEING S 41 DEG. 32 MIN. 01 SEC. W A DISTANCE OF 779.57 FEET FROM P. R. M. 12-83-A45.

THENCE S 28 DEG. 52 MIN. 08 SEC. E A DISTANCE OF 782.21 FEET TO A POINT; SAID POINT BEING S 34 DEG. 53 MIN. 26 SEC. E A DISTANCE OF 296.17 FEET FROM P. R. M. 12-83-A46.

THENCE S 28 DEG. 54 MIN. 04 SEC. E A DISTANCE OF 1065.68 FEET TO A POINT; THENCE S 28 DEG. 53 MIN. 10 SEC. E A DISTANCE OF 997.34 FEET TO A POINT; THENCE S 32 DEG. 47 MIN. 20 SEC. E A DISTANCE OF 1166.39 FEET TO A POINT; SAID POINT BEING S 44 DEG. 32 MIN. 55 SEC. E A DISTANCE OF 432.18 FEET FROM P. R. M. 12-83-A47.

THENCE S 24 DEG. 27 MIN. 13 SEC. E A DISTANCE OF 924.33 FEET TO A POINT; THENCE S 24 DEG. 57 MIN. 48 SEC. E A DISTANCE OF 1207.73 FEET TO A POINT; SAID POINT BEING N 51 DEG. 03 MIN. 21 SEC. E A DISTANCE OF 194.24 FEET FROM P. R. M. 12-83-A48.

THENCE S 23 DEG. 04 MIN. 26 SEC. E A DISTANCE OF 857.71 FEET TO A POINT; THENCE S 18 DEG. 32 MIN. 48 SEC. E A DISTANCE OF 1166.12 FEET TO A POINT; THENCE S 18 DEG. 22 MIN. 27 SEC. E A DISTANCE OF 920.19 FEET TO A POINT; THENCE S 18 DEG. 49 MIN. 00 SEC. E A DISTANCE OF 1159.50 FEET TO A POINT; SAID POINT BEING N 14 DEG. 56 MIN. 55 SEC. W A DISTANCE OF 453.57 FEET FROM P. R. M. 12-83-A49.

THENCE S 22 DEG. 26 MIN. 21 SEC. E A DISTANCE OF 439.02 FEET TO A POINT; THENCE S 64 DEG. 56 MIN. 31 SEC. E A DISTANCE OF 1086.43 FEET TO A POINT; THENCE S 12 DEG. 39 MIN. 51 SEC. E TO THE POINT OF INTERSECTION WITH THE LEE-COLLIER COUNTY LINE; SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR LEE COUNTY.

62B-26.008 Description of the Manatee County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Manatee County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Manatee County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History—New 9-28-77, Formerly 16B-26.08, Amended 8-26-87, Formerly 16B-26.008.

**METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE MANATEE COUNTY, FLORIDA**

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE GULF OF MEXICO FROM THE NORTHEAST END OF ANNA MARIA KEY SOUTHEASTERLY TO THE SOUTHEAST END OF ANNA MARIA KEY. THENCE RECOMMENCING AT THE NORTHWEST END OF LONGBOAT KEY EXTENDING SOUTHEASTERLY TO ITS TERMINUS AT THE MANATEE-SARASOTA COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF “PERMANENT REFERENCE MONUMENTS” (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS “13-85-A01 THROUGH 13-85-A21”, “13-84-B01, LONGBOAT, THROUGH 13-84-B13”, AND “17-84-A01”. FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.) OR BY THE U.S. CORPS OF ENGINEERS (U.S.C.E.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE WEST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM, WHICH IS BASED ON NATIONAL GEODETIC SURVEY 1974 ADJUSTMENT OF STATIONS PALM 3 1924 AND MARIA 1934. STATIONS EGMONT KEY LIGHTHOUSE AND ROCKS 2 1935 ARE ON NATIONAL GEODETIC SURVEY (N.G.S.) 1979 ADJUSTMENT. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY UTILIZING THE GRID BEARING ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.) BETWEEN EGMONT KEY LIGHTHOUSE AND PALM 3 1924. ALSO POLARIS OBSERVATIONS WERE MADE AT 13-84-B01 AND 17-84-A01. ALL SAID BEARINGS IN THIS DESCRIPTION ARE GRID BEARINGS.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL

LINE FOR ANNA MARIA KEY MANATEE COUNTY, FLORIDA

COMMENCE AT P. R. M. 13-85-A01, THENCE N 58 DEG. 00 MIN. 45 SEC. W A DISTANCE OF 821.84 FEET TO THE POINT OF BEGINNING; THENCE S 87 DEG. 24 MIN. 58 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF PASSAGE KEY INLET AT THE NORTHEAST END OF ANNA MARIA KEY; SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR MANATEE COUNTY. THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING.

THENCE N 87 DEG. 24 MIN. 58 SEC. W A DISTANCE OF 253.28 FEET TO A POINT; SAID POINT BEING S 51 DEG. 49 MIN. 41 SEC. E A DISTANCE OF 209.95 FEET FROM P. R. M. 13-85-A02.

THENCE S 34 DEG. 29 MIN. 56 SEC. W A DISTANCE OF 390.82 FEET TO A POINT; SAID POINT BEING N 04 DEG. 08 MIN. 51 SEC. W A DISTANCE OF 452.07 FEET FROM P. R. M. 13-85-A03.

THENCE S 18 DEG. 00 MIN. 24 SEC. E A DISTANCE OF 1001.15 FEET TO A POINT; THENCE S 27 DEG. 55 MIN. 34 SEC. E A DISTANCE OF 830.18 FEET TO A POINT; SAID POINT BEING N 82 DEG. 42 MIN. 50 SEC. E A DISTANCE OF 172.73 FEET FROM P. R. M. 13-85-A04.

THENCE S 35 DEG. 40 MIN. 28 SEC. E A DISTANCE OF 842.85 FEET TO A POINT; SAID POINT BEING S 23 DEG. 02 MIN. 42 SEC. E A DISTANCE OF 216.12 FEET FROM P. R. M. 13-85-A05.

THENCE S 34 DEG. 05 MIN. 04 SEC. E A DISTANCE OF 1227.68 FEET TO A POINT; SAID POINT BEING S 27 DEG. 46 MIN. 05 SEC. E A DISTANCE OF 995.72 FEET FROM P. R. M. 13-85-A06.

THENCE S 33 DEG. 53 MIN. 26 SEC. E A DISTANCE OF 887.82 FEET TO A POINT; SAID POINT BEING S 89 DEG. 35 MIN. 06 SEC. W A DISTANCE OF 1253.72 FEET FROM P. R. M. 13-85-A07.

THENCE S 46 DEG. 23 MIN. 02 SEC. E A DISTANCE OF 1091.92 FEET TO A POINT; SAID POINT BEING S 30 DEG. 19 MIN. 44 SEC. W A DISTANCE OF 337.32 FEET FROM P. R. M. 13-85-A08.

THENCE S 46 DEG. 20 MIN. 39 SEC. E A DISTANCE OF 904.46 FEET TO A POINT; THENCE S 44 DEG. 32 MIN. 54 SEC. E A DISTANCE OF 1097.07 FEET TO A POINT; SAID POINT BEING S 67 DEG. 35 MIN. 17 SEC. W A DISTANCE OF 729.35 FEET FROM P. R. M. 13-85-A09.

THENCE S 42 DEG. 15 MIN. 46 SEC. E A DISTANCE OF 1073.48 FEET TO A POINT; SAID POINT BEING N 67 DEG. 03 MIN. 40 SEC. W A DISTANCE OF 418.06 FEET FROM P. R. M. 13-85-A10.

THENCE S 41 DEG. 11 MIN. 04 SEC. E A DISTANCE OF 1047.24 FEET TO A POINT; THENCE S 37 DEG. 44 MIN. 22 SEC. E A DISTANCE OF 986.12 FEET TO A POINT; THENCE S 34 DEG. 57 MIN. 45 SEC. E A DISTANCE OF 1343.46 FEET TO A POINT; SAID POINT BEING N 52 DEG. 03 MIN. 08 SEC. W A DISTANCE OF 394.02 FEET FROM P. R. M. 13-85-A11.

THENCE S 34 DEG. 43 MIN. 23 SEC. E A DISTANCE OF 846.99 FEET TO A POINT; SAID POINT BEING N 59 DEG. 43 MIN. 00 SEC. E A DISTANCE OF 71.64 FEET FROM P. R. M. 13-85-A12.

THENCE S 34 DEG. 28 MIN. 48 SEC. E A DISTANCE OF 932.16 FEET TO A POINT; SAID POINT BEING S 01 DEG. 12 MIN. 43 SEC. E A DISTANCE OF 649.90 FEET FROM P. R. M. 13-85-A13.

THENCE S 32 DEG. 07 MIN. 03 SEC. E A DISTANCE OF 947.64 FEET TO A POINT; SAID POINT BEING S 35 DEG. 29 MIN. 34 SEC. E A DISTANCE OF 794.78 FEET FROM P. R. M. 13-85-A14.

THENCE S 27 DEG. 41 MIN. 27 SEC. E A DISTANCE OF 1048.94 FEET TO A POINT; SAID POINT BEING S 16 DEG. 26 MIN. 30 SEC. W A DISTANCE OF 1679.19 FEET FROM P. R. M. 13-85-A15.

THENCE S 28 DEG. 04 MIN. 59 SEC. E A DISTANCE OF 943.48 FEET TO A POINT; SAID POINT BEING N 13 DEG. 59 MIN. 15 SEC. W A DISTANCE OF 348.15 FEET FROM P. R. M. 13-85-A16.

THENCE S 28 DEG. 01 MIN. 52 SEC. E A DISTANCE OF 1144.73 FEET TO A POINT; SAID POINT BEING S 02 DEG. 04 MIN. 34 SEC. W A DISTANCE OF 216.19 FEET FROM P. R. M. 13-85-A17.

THENCE S 23 DEG. 18 MIN. 04 SEC. E A DISTANCE OF 963.59 FEET TO A POINT; SAID POINT BEING S 34 DEG. 30 MIN. 07 SEC. W A DISTANCE OF 1360.69 FEET FROM P. R. M. 13-85-A18.

THENCE S 22 DEG. 40 MIN. 36 SEC. E A DISTANCE OF 958.20 FEET TO A POINT; SAID POINT BEING N 75 DEG. 38 MIN. 09 SEC. W A DISTANCE OF 463.29 FEET FROM P. R. M. 13-85-A19.

THENCE S 23 DEG. 29 MIN. 44 SEC. E A DISTANCE OF 1009.20 FEET TO A POINT; THENCE S 21 DEG. 30 MIN. 41 SEC. E A DISTANCE OF 968.27 FEET TO A POINT; SAID POINT BEING N 59 DEG. 05 MIN. 03 SEC. W A DISTANCE OF 186.50 FEET FROM P. R. M. 13-85-A20.

THENCE S 21 DEG. 46 MIN. 35 SEC. E A DISTANCE OF 1237.07 FEET TO A POINT; THENCE S 15 DEG. 22 MIN. 30 SEC. E A DISTANCE OF 802.40 FEET TO A POINT; SAID POINT BEING N 01 DEG. 54 MIN. 36 SEC. W A DISTANCE OF 600.03 FEET FROM P. R. M. 13-85-A21.

THENCE S 15 DEG. 07 MIN. 24 SEC. E A DISTANCE OF 993.77 FEET TO A POINT; SAID POINT BEING N 00 DEG. 52 MIN. 36 SEC. W A DISTANCE OF 353.05 FEET FROM N.G.S. MARIA 1934.

THENCE S 24 DEG. 03 MIN. 38 SEC. E A DISTANCE OF 1413.35 FEET TO A POINT; SAID POINT BEING S 21 DEG. 47 MIN. 09 SEC. E A DISTANCE OF 950.72 FEET FROM P. R. M. 13-84-B01.
THENCE S 22 DEG. 31 MIN. 12 SEC. E A DISTANCE OF 919.07 FEET TO A POINT; THENCE S 16 DEG. 32 MIN. 18 SEC. E A DISTANCE OF 1108.45 FEET TO A POINT; SAID POINT BEING N 19 DEG. 43 MIN. 42 SEC. E A DISTANCE OF 263.63 FEET FROM P. R. M. 13-84-B02.
THENCE S 15 DEG. 43 MIN. 46 SEC. E A DISTANCE OF 951.02 FEET TO A POINT; THENCE S 14 DEG. 50 MIN. 38 SEC. E A DISTANCE OF 954.57 FEET TO A POINT; THENCE S 16 DEG. 22 MIN. 58 SEC. E A DISTANCE OF 958.63 FEET TO A POINT; THENCE S 18 DEG. 54 MIN. 16 SEC. E A DISTANCE OF 1000.32 FEET TO A POINT; SAID POINT BEING N 16 DEG. 25 MIN. 23 SEC. E A DISTANCE OF 383.42 FEET FROM P. R. M. 13-84-B03.
THENCE S 25 DEG. 57 MIN. 38 SEC. E A DISTANCE OF 927.10 FEET TO A POINT; THENCE S 35 DEG. 33 MIN. 17 SEC. E A DISTANCE OF 1058.93 FEET TO A POINT; THENCE S 26 DEG. 57 MIN. 10 SEC. E A DISTANCE OF 914.78 FEET TO A POINT; SAID POINT BEING S 74 DEG. 59 MIN. 01 SEC. E A DISTANCE OF 316.39 FEET FROM P. R. M. 13-84-B04.
THENCE S 30 DEG. 09 MIN. 56 SEC. E A DISTANCE OF 926.95 FEET TO A POINT; THENCE S 25 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 909.86 FEET TO A POINT; THENCE S 17 DEG. 18 MIN. 21 SEC. E A DISTANCE OF 958.89 FEET TO A POINT; SAID POINT BEING N 74 DEG. 33 MIN. 24 SEC. E A DISTANCE OF 112.83 FEET FROM P. R. M. 13-84-B05.
THENCE S 17 DEG. 18 MIN. 23 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER OF THE NORTH SIDE OF LONGBOAT PASS, SAID POINT BEING THE SOUTHEASTERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR ANNA MARIA KEY, MANATEE COUNTY, FLORIDA.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE FOR LONGBOAT KEY MANATEE COUNTY, FLORIDA

COMMENCE AT LONGBOAT 1984 (U.S.C.E.) THENCE S 43 DEG. 00 MIN. 26 SEC. W A DISTANCE OF 1122.75 FEET TO THE POINT OF BEGINNING; THENCE N 27 DEG. 03 MIN. 15 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER OF THE SOUTH SIDE OF LONGBOAT PASS AT THE NORTHWEST END OF LONGBOAT KEY, SAID POINT BEING THE NORTHWESTERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR LONGBOAT KEY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING.
THENCE S 27 DEG. 03 MIN. 15 SEC. W A DISTANCE OF 122.62 FEET TO A POINT; THENCE S 06 DEG. 51 MIN. 04 SEC. E A DISTANCE OF 280.35 FEET TO A POINT; SAID POINT BEING S 77 DEG. 53 MIN. 25 SEC. W A DISTANCE OF 1194.68 FEET FROM P. R. M. 13-84-B06.
THENCE S 26 DEG. 12 MIN. 29 SEC. E A DISTANCE OF 1157.07 FEET TO A POINT; THENCE S 54 DEG. 14 MIN. 33 SEC. E A DISTANCE OF 932.87 FEET TO A POINT; SAID POINT BEING S 39 DEG. 07 MIN. 20 SEC. E A DISTANCE OF 59.33 FEET FROM P. R. M. 13-84-B07.
THENCE S 47 DEG. 10 MIN. 21 SEC. E A DISTANCE OF 1186.58 FEET TO A POINT; THENCE S 40 DEG. 55 MIN. 28 SEC. E A DISTANCE OF 862.99 FEET TO A POINT; SAID POINT BEING S 63 DEG. 04 MIN. 20 SEC. E A DISTANCE OF 458.94 FEET FROM P. R. M. 13-84-B08.
THENCE S 45 DEG. 42 MIN. 40 SEC. E A DISTANCE OF 1036.47 FEET TO A POINT; SAID POINT BEING N 46 DEG. 50 MIN. 46 SEC. E A DISTANCE OF 61.72 FEET FROM P. R. M. 13-84-B09.
THENCE S 60 DEG. 21 MIN. 42 SEC. E A DISTANCE OF 363.40 FEET TO A POINT; THENCE S 49 DEG. 44 MIN. 53 SEC. E A DISTANCE OF 1003.73 FEET TO A POINT; SAID POINT BEING N 73 DEG. 04 MIN. 24 SEC. W A DISTANCE OF 335.58 FEET FROM P. R. M. 13-84-B10.
THENCE S 58 DEG. 03 MIN. 14 SEC. E A DISTANCE OF 985.21 FEET TO A POINT; THENCE S 54 DEG. 52 MIN. 17 SEC. E A DISTANCE OF 926.99 FEET TO A POINT; THENCE S 46 DEG. 28 MIN. 26 SEC. E A DISTANCE OF 1185.85 FEET TO A POINT; SAID POINT BEING S 16 DEG. 35 MIN. 23 SEC. W A DISTANCE OF 66.27 FEET FROM P. R. M. 13-84-B11.
THENCE S 38 DEG. 11 MIN. 35 SEC. E A DISTANCE OF 935.68 FEET TO A POINT; THENCE S 35 DEG. 57 MIN. 57 SEC. E A DISTANCE OF 775.94 FEET TO A POINT; THENCE S 41 DEG. 56 MIN. 06 SEC. E A DISTANCE OF 985.88 FEET TO A POINT; THENCE S 41 DEG. 35 MIN. 47 SEC. E A DISTANCE OF 980.48 FEET TO A POINT; SAID POINT BEING S 65 DEG. 50 MIN. 07 SEC. W A DISTANCE OF 128.78 FEET FROM P. R. M. 13-84-B12.
THENCE S 41 DEG. 26 MIN. 20 SEC. E A DISTANCE OF 918.77 FEET TO A POINT; THENCE S 37 DEG. 26 MIN. 20 SEC. E A DISTANCE OF 881.98 FEET TO A POINT; THENCE S 37 DEG. 40 MIN. 44 SEC. E A DISTANCE OF 1096.27 FEET TO A POINT; THENCE S 37 DEG. 21 MIN. 12 SEC. E A DISTANCE OF 987.82 FEET TO A POINT; SAID POINT BEING N 75 DEG. 33 MIN. 20 SEC. W A DISTANCE OF 502.62 FEET FROM P. R. M. 13-84-B13.
THENCE S 36 DEG. 04 MIN. 46 SEC. E A DISTANCE OF 1263.37 FEET TO A POINT; THENCE S 32 DEG. 53 MIN. 50 SEC. E A DISTANCE OF 962.20 FEET TO A POINT; THENCE S 32 DEG. 49 MIN. 10 SEC. E A DISTANCE OF 1073.78 FEET TO A POINT THENCE S 32 DEG. 20 MIN. 32 SEC. E A DISTANCE OF 962.12 FEET TO A POINT; SAID POINT BEING S 16 DEG. 40 MIN. 25 SEC. W A DISTANCE OF 129.90 FEET FROM P. R. M. 13-84-B14.
THENCE S 34 DEG. 53 MIN. 53 SEC. E A DISTANCE OF 1117.17 FEET TO A POINT; THENCE S 32 DEG. 59 MIN. 56 SEC. E A DISTANCE OF 929.76 FEET TO A POINT; SAID POINT BEING N 37 DEG. 50 MIN. 32 SEC. W A DISTANCE 695.36 FEET FROM P. R. M. 17-84-A01.

THENCE S 32 DEG. 59 MIN. 56 SEC. E TO THE POINT OF INTERSECTION WITH THE MANATEE AND SARASOTA COUNTY LINE, SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR MANATEE COUNTY.

62B-26.009 Description of the Sarasota County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Sarasota County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule amendment shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Sarasota County, Florida, together with each affected municipality.

(3) After this rule amendment becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 9-19-78, Formerly 16B-26.09, Amended 1-26-89, Formerly 16B-26.009.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE SARASOTA COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE GULF OF MEXICO FROM THE SARASOTA-MANATEE COUNTY LINE SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF NEW PASS. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF NEW PASS CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF BIG SARASOTA PASS. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF BIG SARASOTA PASS CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF VENICE INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF VENICE INLET CONTINUING SOUTHERLY TO ITS TERMINUS AT THE SARASOTA-CHARLOTTE COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "17-84-A01 THROUGH 17-84-A35", "ROCKS 2 1935", "17-84-B01 THROUGH 17-84-B17", "VENICE 1934", "17-84-C01 THROUGH 17-84-C13", "17-84-C13C AND 17-84-C13E", "17-84-C14 THROUGH 17-84-C21".

MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE WEST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON 1979 ADJUSTMENT OF NORTH AMERICAN 1927 DATUM. THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) 17-84-A01, 17-84-A21, 17-84-B02, 17-84-B10, 17-84-C04 AND 17-84-C13.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE FOR SARASOTA COUNTY, FLORIDA

COMMENCE AT P. R. M. 17-84-A01 THENCE N 53 DEG. 31 MIN. 13 SEC. W A DISTANCE OF 156.72 FEET TO THE POINT OF BEGINNING; THENCE N 32 DEG. 59 MIN. 56 SEC. W TO THE INTERSECTION WITH THE SARASOTA-MANATEE COUNTY LINE, SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR SARASOTA COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING. SAID POINT BEING N 53 DEG. 31 MIN. 13 SEC. W A DISTANCE OF 156.72 FEET FROM P. R. M. 17-84-A01.

THENCE S 31 DEG. 42 MIN. 26 SEC. E A DISTANCE OF 1004.88 FEET TO A POINT, SAID POINT BEING N 54 DEG. 16 MIN. 49 SEC. E A DISTANCE OF 214.49 FEET FROM P. R. M. 17-84-A02.

THENCE S 29 DEG. 14 MIN. 45 SEC. E A DISTANCE OF 968.83 FEET TO A POINT, THENCE S 26 DEG. 32 MIN. 28 SEC. E A DISTANCE OF 961.15 FEET TO A POINT, THENCE S 23 DEG. 15 MIN. 07 SEC. E A DISTANCE OF 1006.22 FEET TO A POINT, SAID POINT BEING S 48 DEG. 23 MIN. 36 SEC. E A DISTANCE OF 622.14 FEET FROM P. R. M. 17-84-A03.

THENCE S 31 DEG. 55 MIN. 10 SEC. E A DISTANCE OF 927.33 FEET TO A POINT, THENCE S 31 DEG. 46 MIN. 06 SEC. E A DISTANCE OF 1044.64 FEET TO A POINT, SAID POINT BEING S 40 DEG. 32 MIN. 01 SEC. E A DISTANCE OF 287.34 FEET FROM P. R. M. 17-84-A04.

THENCE S 31 DEG. 34 MIN. 12 SEC. E A DISTANCE OF 961.59 FEET TO A POINT, THENCE S 34 DEG. 39 MIN. 48 SEC. E A DISTANCE OF 989.63 FEET TO A POINT, THENCE S 34 DEG. 54 MIN. 38 SEC. E A DISTANCE OF 1006.02 FEET TO A POINT, THENCE S 34 DEG. 49 MIN. 16 SEC. E A DISTANCE OF 1039.79 FEET TO A POINT, SAID POINT BEING S 50 DEG. 01 MIN. 22 SEC. E A DISTANCE OF 369.57 FEET FROM P. R. M. 17-84-A05.

THENCE S 35 DEG. 43 MIN. 46 SEC. E A DISTANCE OF 1035.92 FEET TO A POINT, SAID POINT BEING S 85 DEG. 01 MIN. 00 SEC. W A DISTANCE OF 459.65 FEET FROM P. R. M. 17-84-A06.

THENCE S 35 DEG. 28 MIN. 14 SEC. E A DISTANCE OF 999.24 FEET TO A POINT, THENCE S 43 DEG. 51 MIN. 44 SEC. E A DISTANCE OF 995.59 FEET TO A POINT, THENCE S 40 DEG. 06 MIN. 41 SEC. E A DISTANCE OF 999.42 FEET TO A POINT, SAID POINT BEING S 01 DEG. 00 MIN. 50 SEC. W A DISTANCE OF 590.39 FEET FROM P. R. M. 17-84-A07.

THENCE S 39 DEG. 15 MIN. 00 SEC. E A DISTANCE OF 1002.23 FEET TO A POINT, THENCE S 39 DEG. 20 MIN. 16 SEC. E A DISTANCE OF 1253.17 FEET TO A POINT, THENCE S 48 DEG. 00 MIN. 21 SEC. E A DISTANCE OF 663.25 FEET TO A POINT, SAID POINT BEING S 66 DEG. 12 MIN. 00 SEC. W A DISTANCE OF 600.70 FEET FROM P. R. M. 17-84-A08.

THENCE S 47 DEG. 54 MIN. 19 SEC. E A DISTANCE OF 1011.12 FEET TO A POINT, THENCE S 44 DEG. 34 MIN. 38 SEC. E A DISTANCE OF 1012.92 FEET TO A POINT, THENCE S 36 DEG. 49 MIN. 05 SEC. E A DISTANCE OF 975.94 FEET TO A POINT, SAID POINT BEING S 74 DEG. 29 MIN. 17 SEC. W A DISTANCE OF 694.56 FEET FROM P. R. M. 17-84-A09.

THENCE S 41 DEG. 22 MIN. 26 SEC. E A DISTANCE OF 1005.53 FEET TO A POINT, THENCE S 41 DEG. 28 MIN. 23 SEC. E A DISTANCE OF 1041.14 FEET TO A POINT, THENCE S 38 DEG. 34 MIN. 53 SEC. E A DISTANCE OF 1102.63 FEET TO A POINT, SAID POINT BEING S 50 DEG. 46 MIN. 40 SEC. W A DISTANCE OF 747.36 FEET FROM P. R. M. 17-84-A10.

THENCE S 38 DEG. 29 MIN. 03 SEC. E A DISTANCE OF 875.58 FEET TO A POINT, THENCE S 44 DEG. 14 MIN. 33 SEC. E A DISTANCE OF 958.68 FEET TO A POINT, THENCE S 42 DEG. 00 MIN. 01 SEC. E A DISTANCE OF 977.90 FEET TO A POINT, SAID POINT BEING S 65 DEG. 33 MIN. 04 SEC. W A DISTANCE OF 2374.72 FEET FROM P. R. M. 17-84-A11.

THENCE S 41 DEG. 55 MIN. 59 SEC. E A DISTANCE OF 970.81 FEET TO A POINT, SAID POINT BEING S 57 DEG. 18 MIN. 59 SEC. W A DISTANCE OF 683.37 FEET FROM P. R. M. 17-84-A12.

THENCE S 61 DEG. 37 MIN. 30 SEC. E A DISTANCE OF 878.49 FEET TO A POINT, SAID POINT BEING N 55 DEG. 13 MIN. 07 SEC. W A DISTANCE OF 265.66 FEET FROM P. R. M. 17-84-A13.

THENCE S 61 DEG. 37 MIN. 30 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF NEW PASS, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 55 DEG. 13 MIN. 07 SEC. W A DISTANCE OF 265.66 FEET FROM P. R. M. 17-84-A13.

RECOMMENCE AT P. R. M. 17-84-A14, THENCE N 40 DEG. 43 MIN. 23 SEC. E A DISTANCE OF 528.66 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 03 DEG. 02 MIN. 37 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF NEW PASS, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 40 DEG. 43 MIN. 23 SEC. E A DISTANCE OF 528.66 FEET FROM P. R. M. 17-84-A14.

THENCE S 03 DEG. 02 MIN. 37 SEC. E A DISTANCE OF 658.36 FEET TO A POINT, SAID POINT BEING N 09 DEG. 04 MIN. 28 SEC. W A DISTANCE OF 260.85 FEET FROM P. R. M. 17-84-A15.

THENCE S 09 DEG. 35 MIN. 34 SEC. E A DISTANCE OF 842.76 FEET TO A POINT, THENCE S 20 DEG. 20 MIN. 49 SEC. E A DISTANCE OF 682.01 FEET TO A POINT, THENCE S 42 DEG. 49 MIN. 05 SEC. E A DISTANCE OF 1015.03 FEET TO A POINT, SAID POINT BEING S 46 DEG. 36 MIN. 13 SEC. W A DISTANCE OF 1284.20 FEET FROM P. R. M. 17-84-A16.

THENCE S 66 DEG. 35 MIN. 36 SEC. E A DISTANCE OF 296.94 FEET TO A POINT, THENCE S 30 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 760.00 FEET TO A POINT, SAID POINT BEING S 76 DEG. 42 MIN. 07 SEC. W A DISTANCE OF 1146.44 FEET FROM P. R. M. 17-84-A17.

THENCE S 30 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 967.25 FEET TO A POINT, SAID POINT BEING S 68 DEG. 13 MIN. 13 SEC. E A DISTANCE OF 548.61 FEET FROM P. R. M. 17-84-A18.

THENCE S 42 DEG. 03 MIN. 12 SEC. E A DISTANCE OF 945.87 FEET TO A POINT, SAID POINT BEING N 63 DEG. 27 MIN. 10 SEC. E A DISTANCE OF 281.44 FEET FROM P. R. M. 17-84-A19.

THENCE S 39 DEG. 55 MIN. 40 SEC. E A DISTANCE OF 947.74 FEET TO A POINT, THENCE S 32 DEG. 40 MIN. 49 SEC. E A DISTANCE OF 1043.36 FEET TO A POINT, SAID POINT BEING S 04 DEG. 19 MIN. 30 SEC. W A DISTANCE OF 248.04 FEET FROM P. R. M. 17-84-A20.

THENCE S 31 DEG. 58 MIN. 11 SEC. E A DISTANCE OF 1083.26 FEET TO A POINT, SAID POINT BEING N 75 DEG. 57 MIN. 17 SEC. W A DISTANCE OF 435.53 FEET FROM P. R. M. 17-84-A21.

THENCE S 23 DEG. 40 MIN. 28 SEC. E A DISTANCE OF 956.51 FEET TO A POINT, THENCE S 23 DEG. 54 MIN. 18 SEC. E A DISTANCE OF 936.87 FEET TO A POINT, SAID POINT BEING S 28 DEG. 32 MIN. 44 SEC. W A DISTANCE OF 109.57 FEET FROM P. R. M. 17-84-A22.

THENCE S 36 DEG. 53 MIN. 33 SEC. E A DISTANCE OF 945.31 FEET TO A POINT, THENCE S 54 DEG. 31 MIN. 16 SEC. E A DISTANCE OF 308.71 FEET TO A POINT, SAID POINT BEING N 72 DEG. 05 MIN. 06 SEC. W A DISTANCE OF 481.38 FEET FROM P. R. M. 17-84-A23.

THENCE S 54 DEG. 31 MIN. 15 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF BIG SARASOTA PASS, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 72 DEG. 05 MIN. 06 SEC. W A DISTANCE OF 481.38 FEET FROM P. R. M. 17-84-A23.

RECOMMENCE AT P. R. M. 17-84-A25, THENCE N 71 DEG. 13 MIN. 43 SEC. W A DISTANCE OF 1400.48 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 18 DEG. 03 MIN. 30 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF BIG SARASOTA PASS, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 71 DEG. 13 MIN. 43 SEC. W A DISTANCE OF 1400.48 FEET FROM P. R. M. 17-84-A25.
 THENCE S 18 DEG. 03 MIN. 30 SEC. E A DISTANCE OF 692.29 FEET TO A POINT, THENCE S 17 DEG. 50 MIN. 33 SEC. E A DISTANCE OF 767.53 FEET TO A POINT, THENCE S 47 DEG. 51 MIN. 21 SEC. E A DISTANCE OF 900.42 FEET TO A POINT, SAID POINT BEING N 30 DEG. 33 MIN. 47 SEC. W A DISTANCE OF 325.57 FEET FROM P. R. M. 17-84-A26.
 THENCE S 57 DEG. 12 MIN. 13 SEC. E A DISTANCE OF 915.72 FEET TO A POINT, THENCE S 57 DEG. 25 MIN. 28 SEC. E A DISTANCE OF 1097.68 FEET TO A POINT, SAID POINT BEING N 40 DEG. 56 MIN. 59 SEC. W A DISTANCE OF 328.14 FEET FROM P. R. M. 17-84-A27.
 THENCE S 57 DEG. 27 MIN. 01 SEC. E A DISTANCE OF 999.21 FEET TO A POINT, THENCE S 57 DEG. 36 MIN. 12 SEC. E A DISTANCE OF 986.24 FEET TO A POINT, SAID POINT BEING N 85 DEG. 18 MIN. 53 SEC. E A DISTANCE OF 438.58 FEET FROM P. R. M. 17-84-A28.
 THENCE S 74 DEG. 13 MIN. 11 SEC. E A DISTANCE OF 1150.83 FEET TO A POINT, SAID POINT BEING S 85 DEG. 53 MIN. 12 SEC. E A DISTANCE OF 591.45 FEET FROM P. R. M. 17-84-A29.
 THENCE S 56 DEG. 07 MIN. 49 SEC. E A DISTANCE OF 1085.32 FEET TO A POINT, SAID POINT BEING S 50 DEG. 20 MIN. 25 SEC. W A DISTANCE OF 902.27 FEET FROM P. R. M. 17-84-A30.
 THENCE S 46 DEG. 47 MIN. 53 SEC. E A DISTANCE OF 1034.30 FEET TO A POINT, SAID POINT BEING S 52 DEG. 03 MIN. 58 SEC. W A DISTANCE OF 1099.82 FEET FROM P. R. M. 17-84-A31.
 THENCE S 46 DEG. 47 MIN. 40 SEC. E A DISTANCE OF 1137.06 FEET TO A POINT, THENCE S 36 DEG. 58 MIN. 11 SEC. E A DISTANCE OF 1067.14 FEET TO A POINT, SAID POINT BEING S 42 DEG. 23 MIN. 22 SEC. W A DISTANCE OF 823.97 FEET FROM P. R. M. 17-84-A32.
 THENCE S 36 DEG. 51 MIN. 18 SEC. E A DISTANCE OF 949.82 FEET TO A POINT, THENCE S 29 DEG. 30 MIN. 17 SEC. E A DISTANCE OF 1067.43 FEET TO A POINT, SAID POINT BEING S 21 DEG. 41 MIN. 40 SEC. W A DISTANCE OF 787.61 FEET FROM P. R. M. 17-84-A33.
 THENCE S 29 DEG. 16 MIN. 31 SEC. E A DISTANCE OF 1004.26 FEET TO A POINT, SAID POINT BEING N 69 DEG. 34 MIN. 55 SEC. W A DISTANCE OF 405.68 FEET FROM P. R. M. 17-84-A34.
 THENCE S 25 DEG. 46 MIN. 23 SEC. E A DISTANCE OF 958.58 FEET TO A POINT, THENCE S 25 DEG. 37 MIN. 10 SEC. E A DISTANCE OF 584.77 FEET TO A POINT, THENCE S 06 DEG. 57 MIN. 32 SEC. W A DISTANCE OF 555.60 FEET TO A POINT, SAID POINT BEING N 84 DEG. 09 MIN. 09 SEC. W A DISTANCE OF 1273.46 FEET FROM P. R. M. 17-84-A35.
 THENCE S 06 DEG. 57 MIN. 32 SEC. W A DISTANCE OF 460.00 FEET TO A POINT, THENCE S 37 DEG. 37 MIN. 48 SEC. E A DISTANCE OF 599.00 FEET TO A POINT, SAID POINT BEING N 15 DEG. 56 MIN. 49 SEC. W A DISTANCE OF 736.28 FEET FROM P. R. M. ROCKS-2 1935.
 THENCE S 37 DEG. 06 MIN. 58 SEC. E A DISTANCE OF 776.19 FEET TO A POINT, SAID POINT BEING N 03 DEG. 15 MIN. 12 SEC. E A DISTANCE OF 54.87 FEET FROM P. R. M. 17-84-B01.
 THENCE S 52 DEG. 18 MIN. 17 SEC. E A DISTANCE OF 836.14 FEET TO A POINT, SAID POINT BEING S 82 DEG. 34 MIN. 44 SEC. E A DISTANCE OF 736.47 FEET FROM P. R. M. 17-84-B02.
 THENCE S 37 DEG. 14 MIN. 27 SEC. E A DISTANCE OF 1058.84 FEET TO A POINT, THENCE S 45 DEG. 05 MIN. 41 SEC. E A DISTANCE OF 1128.06 FEET TO A POINT, THENCE S 33 DEG. 18 MIN. 12 SEC. E A DISTANCE OF 1052.18 FEET TO A POINT, THENCE S 28 DEG. 02 MIN. 36 SEC. E A DISTANCE OF 1016.21 FEET TO A POINT, THENCE S 12 DEG. 43 MIN. 14 SEC. E A DISTANCE OF 1029.81 FEET TO A POINT, THENCE S 25 DEG. 17 MIN. 39 SEC. E A DISTANCE OF 975.91 FEET TO A POINT, THENCE S 37 DEG. 37 MIN. 58 SEC. E A DISTANCE OF 1079.68 FEET TO A POINT, SAID POINT BEING N 69 DEG. 12 MIN. 00 SEC. E A DISTANCE OF 396.12 FEET FROM P. R. M. 17-84-B03.
 THENCE S 23 DEG. 42 MIN. 46 SEC. E A DISTANCE OF 1005.75 FEET TO A POINT, THENCE S 14 DEG. 58 MIN. 04 SEC. E A DISTANCE OF 987.57 FEET TO A POINT, SAID POINT BEING S 45 DEG. 39 MIN. 07 SEC. W A DISTANCE OF 455.90 FEET FROM P. R. M. 17-84-B04.
 THENCE S 13 DEG. 46 MIN. 16 SEC. E A DISTANCE OF 1031.41 FEET TO A POINT, THENCE S 25 DEG. 37 MIN. 07 SEC. E A DISTANCE OF 1008.67 FEET TO A POINT, SAID POINT BEING N 48 DEG. 17 MIN. 29 SEC. W A DISTANCE OF 793.08 FEET FROM P. R. M. 17-84-B05.
 THENCE S 30 DEG. 27 MIN. 12 SEC. E A DISTANCE OF 1012.95 FEET TO A POINT, SAID POINT BEING N 52 DEG. 42 MIN. 23 SEC. W A DISTANCE OF 433.01 FEET FROM P. R. M. 17-84-B06.
 THENCE S 30 DEG. 27 MIN. 12 SEC. E A DISTANCE OF 700.00 FEET TO A POINT, THENCE S 39 DEG. 09 MIN. 11 SEC. E A DISTANCE OF 1437.56 FEET TO A POINT, THENCE S 21 DEG. 31 MIN. 34 SEC. E A DISTANCE OF 55.00 FEET TO A POINT, SAID POINT BEING N 75 DEG. 29 MIN. 52 SEC. E A DISTANCE OF 386.34 FEET FROM P. R. M. 17-84-B07.
 THENCE S 21 DEG. 31 MIN. 36 SEC. E A DISTANCE OF 1152.12 FEET TO A POINT, THENCE S 21 DEG. 36 MIN. 22 SEC. E A DISTANCE OF 997.22 FEET TO A POINT, THENCE S 21 DEG. 11 MIN. 50 SEC. E A DISTANCE OF 993.68 FEET TO A POINT, THENCE S 18 DEG. 50 MIN. 22 SEC. E A DISTANCE OF 999.91 FEET TO A POINT, SAID POINT BEING N 34 DEG. 13 MIN. 57 SEC. E A DISTANCE OF 487.97 FEET FROM P. R. M. 17-84-B08.

THENCE S 22 DEG. 34 MIN. 45 SEC. E A DISTANCE OF 935.09 FEET TO A POINT, THENCE S 22 DEG. 29 MIN. 17 SEC. E A DISTANCE OF 946.30 FEET TO A POINT, THENCE S 16 DEG. 28 MIN. 53 SEC. E A DISTANCE OF 1062.02 FEET TO A POINT, SAID POINT BEING N 29 DEG. 10 MIN. 15 SEC. E A DISTANCE OF 412.94 FEET FROM P. R. M. 17-84-B09.

THENCE S 17 DEG. 41 MIN. 05 SEC. E A DISTANCE OF 1030.53 FEET TO A POINT, THENCE S 17 DEG. 46 MIN. 09 SEC. E A DISTANCE OF 984.25 FEET TO A POINT, THENCE S 18 DEG. 34 MIN. 30 SEC. E A DISTANCE OF 1059.18 FEET TO A POINT, THENCE S 18 DEG. 28 MIN. 36 SEC. E A DISTANCE OF 1108.92 FEET TO A POINT, THENCE S 24 DEG. 21 MIN. 19 SEC. E A DISTANCE OF 1131.46 FEET TO A POINT, THENCE S 24 DEG. 07 MIN. 32 SEC. E A DISTANCE OF 956.90 FEET TO A POINT, SAID POINT BEING S 72 DEG. 13 MIN. 39 SEC. E A DISTANCE OF 387.49 FEET FROM P. R. M. 17-84-B10.

THENCE S 28 DEG. 29 MIN. 03 SEC. E A DISTANCE OF 1036.79 FEET TO A POINT, THENCE S 37 DEG. 56 MIN. 54 SEC. E A DISTANCE OF 1045.45 FEET TO A POINT, THENCE S 28 DEG. 00 MIN. 42 SEC. E A DISTANCE OF 1016.63 FEET TO A POINT, SAID POINT BEING S 67 DEG. 48 MIN. 15 SEC. E A DISTANCE OF 372.01 FEET FROM P. R. M. 17-84-B11.

THENCE S 27 DEG. 48 MIN. 50 SEC. E A DISTANCE OF 1088.76 FEET TO A POINT, THENCE S 29 DEG. 19 MIN. 56 SEC. E A DISTANCE OF 1123.23 FEET TO A POINT, THENCE S 29 DEG. 27 MIN. 31 SEC. E A DISTANCE OF 991.47 FEET TO A POINT, THENCE S 26 DEG. 37 MIN. 46 SEC. E A DISTANCE OF 995.34 FEET TO A POINT, THENCE S 26 DEG. 25 MIN. 50 SEC. E A DISTANCE OF 942.09 FEET TO A POINT, SAID POINT BEING N 06 DEG. 03 MIN. 50 SEC. W A DISTANCE OF 354.08 FEET FROM P. R. M. 17-84-B12.

THENCE S 28 DEG. 21 MIN. 25 SEC. E A DISTANCE OF 1040.08 FEET TO A POINT, SAID POINT BEING N 09 DEG. 01 MIN. 55 SEC. W A DISTANCE OF 473.01 FEET FROM P. R. M. 17-84-B13.

THENCE S 25 DEG. 15 MIN. 47 SEC. E A DISTANCE OF 983.14 FEET TO A POINT, THENCE S 24 DEG. 05 MIN. 57 SEC. E A DISTANCE OF 1029.70 FEET TO A POINT, THENCE S 24 DEG. 12 MIN. 38 SEC. E A DISTANCE OF 1019.34 FEET TO A POINT, THENCE S 23 DEG. 58 MIN. 02 SEC. E A DISTANCE OF 1042.23 FEET TO A POINT, THENCE S 20 DEG. 41 MIN. 23 SEC. E A DISTANCE OF 1063.35 FEET TO A POINT, THENCE S 00 DEG. 58 MIN. 05 SEC. E A DISTANCE OF 408.04 FEET TO A POINT, THENCE S 26 DEG. 39 MIN. 58 SEC. E A DISTANCE OF 629.64 FEET TO A POINT, SAID POINT BEING S 59 DEG. 30 MIN. 50 SEC. E A DISTANCE OF 217.27 FEET FROM P. R. M. 17-84-B14.

THENCE S 16 DEG. 20 MIN. 38 SEC. E A DISTANCE OF 1097.15 FEET TO A POINT, THENCE S 13 DEG. 45 MIN. 52 SEC. E A DISTANCE OF 977.64 FEET TO A POINT, THENCE S 13 DEG. 39 MIN. 43 SEC. E A DISTANCE OF 970.07 FEET TO A POINT, THENCE S 13 DEG. 31 MIN. 49 SEC. E A DISTANCE OF 1023.33 FEET TO A POINT, SAID POINT BEING N 74 DEG. 59 MIN. 58 SEC. E A DISTANCE OF 30.00 FEET FROM P. R. M. 17-84-B15.

THENCE S 15 DEG. 20 MIN. 02 SEC. E A DISTANCE OF 928.91 FEET TO A POINT, THENCE S 13 DEG. 30 MIN. 10 SEC. E A DISTANCE OF 890.19 FEET TO A POINT, THENCE S 13 DEG. 45 MIN. 05 SEC. E A DISTANCE OF 1159.68 FEET TO A POINT, SAID POINT BEING N 37 DEG. 19 MIN. 25 SEC. E A DISTANCE OF 1212.47 FEET FROM P. R. M. 17-84-B16.

THENCE S 13 DEG. 45 MIN. 05 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF VENICE INLET, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 37 DEG. 19 MIN. 25 SEC. E A DISTANCE OF 1212.47 FEET FROM P. R. M. 17-84-B16.

RECOMMENCE AT P. R. M. 17-84-B16, THENCE S 71 DEG. 44 MIN. 11 SEC. E A DISTANCE OF 1812.04 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 27 DEG. 44 MIN. 19 SEC. W TO THE POINT OF INTERSECTION WITH THE SOUTH SHORE OF VENICE INLET, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 71 DEG. 44 MIN. 11 SEC. E A DISTANCE OF 1812.04 FEET FROM P. R. M. 17-84-B16.

THENCE S 27 DEG. 44 MIN. 19 SEC. E A DISTANCE OF 1046.18 FEET TO A POINT, THENCE S 24 DEG. 47 MIN. 39 SEC. E A DISTANCE OF 930.19 FEET TO A POINT, THENCE S 02 DEG. 40 MIN. 50 SEC. E A DISTANCE OF 421.93 FEET TO A POINT, THENCE S 42 DEG. 29 MIN. 17 SEC. E A DISTANCE OF 760.05 FEET TO A POINT, SAID POINT BEING N 21 DEG. 06 MIN. 02 SEC. E A DISTANCE OF 759.68 FEET FROM P. R. M. 17-84-B17.

THENCE S 16 DEG. 18 MIN. 00 SEC. E A DISTANCE OF 948.70 FEET TO A POINT, SAID POINT BEING S 39 DEG. 26 MIN. 43 SEC. E A DISTANCE OF 214.84 FEET FROM P. R. M. VENICE 1934.

THENCE S 16 DEG. 13 MIN. 39 SEC. E A DISTANCE OF 1078.58 FEET TO A POINT, THENCE S 15 DEG. 25 MIN. 45 SEC. E A DISTANCE OF 961.08 FEET TO A POINT, SAID POINT BEING N 56 DEG. 03 MIN. 13 SEC. E A DISTANCE OF 494.59 FEET FROM P. R. M. 17-84-C01.

THENCE S 15 DEG. 19 MIN. 05 SEC. E A DISTANCE OF 883.45 FEET TO A POINT, THENCE S 15 DEG. 13 MIN. 54 SEC. E A DISTANCE OF 964.90 FEET TO A POINT, THENCE S 14 DEG. 58 MIN. 27 SEC. E A DISTANCE OF 960.09 FEET TO A POINT, SAID POINT BEING S 59 DEG. 20 MIN. 35 SEC. E A DISTANCE OF 785.36 FEET FROM P. R. M. 17-84-C02.

THENCE S 23 DEG. 25 MIN. 13 SEC. E A DISTANCE OF 944.16 FEET TO A POINT, THENCE S 18 DEG. 19 MIN. 51 SEC. E A DISTANCE OF 1006.39 FEET TO A POINT, THENCE S 17 DEG. 22 MIN. 19 SEC. E A DISTANCE OF 976.64 FEET TO A POINT, SAID POINT BEING N 89 DEG. 32 MIN. 27 SEC. E A DISTANCE OF 463.24 FEET FROM P. R. M. 17-84-C03.

THENCE S 17 DEG. 05 MIN. 19 SEC. E A DISTANCE OF 966.28 FEET TO A POINT, THENCE S 16 DEG. 59 MIN. 57 SEC. E A DISTANCE OF 1016.41 FEET TO A POINT, THENCE S 18 DEG. 54 MIN. 39 SEC. E A DISTANCE OF 994.07 FEET TO A POINT, SAID POINT BEING N 85 DEG. 48 MIN. 57 SEC. E A DISTANCE OF 455.56 FEET FROM P. R. M. 17-84-C04.

THENCE S 19 DEG. 07 MIN. 48 SEC. E A DISTANCE OF 973.27 FEET TO A POINT, THENCE S 19 DEG. 01 MIN. 27 SEC. E A DISTANCE OF 1021.43 FEET TO A POINT, THENCE S 21 DEG. 31 MIN. 45 SEC. E A DISTANCE OF 1017.17 FEET TO A POINT, THENCE S 21 DEG. 31 MIN. 45 SEC. E A DISTANCE OF 563.00 FEET TO A POINT, THENCE S 70 DEG. 12 MIN. 56 SEC. W A DISTANCE OF 331.76 FEET TO A POINT, THENCE S 30 DEG. 15 MIN. 47 SEC. E A DISTANCE OF 449.00 FEET TO A POINT, SAID POINT BEING N 12 DEG. 24 MIN. 18 SEC. W A DISTANCE OF 726.84 FEET FROM P. R. M. 17-84-C05.

THENCE S 30 DEG. 15 MIN. 47 SEC. E A DISTANCE OF 1014.57 FEET TO A POINT, THENCE S 27 DEG. 49 MIN. 52 SEC. E A DISTANCE OF 994.72 FEET TO A POINT, THENCE S 27 DEG. 52 MIN. 11 SEC. E A DISTANCE OF 1009.87 FEET TO A POINT, SAID POINT BEING S 88 DEG. 41 MIN. 28 SEC. E A DISTANCE OF 233.18 FEET FROM P. R. M. 17-84-C06.

THENCE S 27 DEG. 52 MIN. 11 SEC. E A DISTANCE OF 267.00 FEET TO A POINT, THENCE S 57 DEG. 16 MIN. 07 SEC. E A DISTANCE OF 329.17 FEET TO A POINT, THENCE S 27 DEG. 29 MIN. 35 SEC. E A DISTANCE OF 445.00 FEET TO A POINT, THENCE S 27 DEG. 29 MIN. 35 SEC. E A DISTANCE OF 1036.77 FEET TO A POINT, SAID POINT BEING S 77 DEG. 28 MIN. 03 SEC. E A DISTANCE OF 332.87 FEET FROM P. R. M. 17-84-C07.

THENCE S 27 DEG. 26 MIN. 50 SEC. E A DISTANCE OF 957.61 FEET TO A POINT, THENCE S 33 DEG. 06 MIN. 47 SEC. E A DISTANCE OF 986.75 FEET TO A POINT, SAID POINT BEING N 34 DEG. 16 MIN. 47 SEC. W A DISTANCE OF 233.01 FEET FROM P. R. M. 17-84-C08.

THENCE S 31 DEG. 52 MIN. 48 SEC. E A DISTANCE OF 267.32 FEET TO A POINT, THENCE S 45 DEG. 57 MIN. 35 SEC. W A DISTANCE OF 132.16 FEET TO A POINT, THENCE S 33 DEG. 23 MIN. 26 SEC. E A DISTANCE OF 715.31 FEET TO A POINT, SAID POINT BEING N 12 DEG. 56 MIN. 27 SEC. W A DISTANCE OF 315.22 FEET FROM P. R. M. 17-84-C09.

THENCE S 32 DEG. 07 MIN. 53 SEC. E A DISTANCE OF 256.56 FEET TO A POINT, THENCE N 71 DEG. 03 MIN. 40 SEC. E A DISTANCE OF 130.18 FEET TO A POINT, THENCE S 31 DEG. 35 MIN. 54 SEC. E A DISTANCE OF 723.08 FEET TO A POINT, THENCE S 31 DEG. 32 MIN. 29 SEC. E A DISTANCE OF 979.75 FEET TO A POINT, THENCE S 31 DEG. 32 MIN. 29 SEC. E A DISTANCE OF 440.00 FEET TO A POINT, THENCE S 52 DEG. 32 MIN. 51 SEC. W A DISTANCE OF 110.22 FEET TO A POINT, THENCE S 31 DEG. 53 MIN. 59 SEC. E A DISTANCE OF 550.00 FEET TO A POINT, SAID POINT BEING S 54 DEG. 52 MIN. 51 SEC. E A DISTANCE OF 193.81 FEET FROM P. R. M. 17-84-C10.

THENCE S 31 DEG. 53 MIN. 59 SEC. E A DISTANCE OF 1024.53 FEET TO A POINT, THENCE S 31 DEG. 41 MIN. 56 SEC. E A DISTANCE OF 996.68 FEET TO A POINT, THENCE S 31 DEG. 01 MIN. 55 SEC. E A DISTANCE OF 1013.01 FEET TO A POINT, SAID POINT BEING S 84 DEG. 01 MIN. 59 SEC. E A DISTANCE OF 170.86 FEET FROM P. R. M. 17-84-C11.

THENCE S 29 DEG. 44 MIN. 06 SEC. E A DISTANCE OF 999.77 FEET TO A POINT, THENCE S 29 DEG. 25 MIN. 03 SEC. E A DISTANCE OF 1037.92 FEET TO A POINT, THENCE S 31 DEG. 04 MIN. 54 SEC. E A DISTANCE OF 983.62 FEET TO A POINT, SAID POINT BEING S 79 DEG. 13 MIN. 27 SEC. E A DISTANCE OF 207.77 FEET FROM P. R. M. 17-84-C12.

THENCE S 30 DEG. 57 MIN. 09 SEC. E A DISTANCE OF 981.05 FEET TO A POINT, THENCE S 30 DEG. 32 MIN. 18 SEC. E A DISTANCE OF 1007.79 FEET TO A POINT, THENCE S 30 DEG. 43 MIN. 37 SEC. E A DISTANCE OF 1027.18 FEET TO A POINT, THENCE S 27 DEG. 21 MIN. 05 SEC. E A DISTANCE OF 1016.71 FEET TO A POINT, THENCE S 27 DEG. 08 MIN. 21 SEC. E A DISTANCE OF 1006.09 FEET TO A POINT, SAID POINT BEING N 62 DEG. 25 MIN. 47 SEC. E A DISTANCE OF 255.56 FEET FROM P. R. M. 17-84-C13.

THENCE S 24 DEG. 47 MIN. 18 SEC. E A DISTANCE OF 953.53 FEET TO A POINT, THENCE S 24 DEG. 31 MIN. 17 SEC. E A DISTANCE OF 1027.55 FEET TO A POINT, SAID POINT BEING N 28 DEG. 14 MIN. 16 SEC. W A DISTANCE OF 145.98 FEET FROM P. R. M. 17-84-C13C.

THENCE S 22 DEG. 10 MIN. 29 SEC. E A DISTANCE OF 906.53 FEET TO A POINT, THENCE S 22 DEG. 54 MIN. 05 SEC. E A DISTANCE OF 1025.09 FEET TO A POINT, THENCE S 22 DEG. 52 MIN. 14 SEC. E A DISTANCE OF 991.82 FEET TO A POINT, SAID POINT BEING S 31 DEG. 42 MIN. 30 SEC. W A DISTANCE OF 58.17 FEET FROM P. R. M. 17-84-C13E.

THENCE S 24 DEG. 10 MIN. 37 SEC. E A DISTANCE OF 978.27 FEET TO A POINT, THENCE S 25 DEG. 21 MIN. 44 SEC. E A DISTANCE OF 993.22 FEET TO A POINT, SAID POINT BEING N 29 DEG. 23 MIN. 31 SEC. W A DISTANCE OF 244.13 FEET FROM P. R. M. 17-84-C14.

THENCE S 25 DEG. 33 MIN. 34 SEC. E A DISTANCE OF 1002.81 FEET TO A POINT, THENCE S 25 DEG. 32 MIN. 09 SEC. E A DISTANCE OF 1001.00 FEET TO A POINT, SAID POINT BEING S 88 DEG. 47 MIN. 05 SEC. W A DISTANCE OF 178.62 FEET FROM P. R. M. 17-84-C15.

THENCE S 24 DEG. 34 MIN. 48 SEC. E A DISTANCE OF 997.98 FEET TO A POINT, THENCE S 24 DEG. 49 MIN. 35 SEC. E A DISTANCE OF 994.06 FEET TO A POINT, THENCE S 26 DEG. 21 MIN. 04 SEC. E A DISTANCE OF 1000.15 FEET TO A POINT, SAID POINT BEING N 23 DEG. 14 MIN. 52 SEC. W A DISTANCE OF 383.71 FEET FROM P. R. M. 17-84-C16.

THENCE S 26 DEG. 55 MIN. 00 SEC. E A DISTANCE OF 956.36 FEET TO A POINT, THENCE S 31 DEG. 30 MIN. 14 SEC. E A DISTANCE OF 1020.44 FEET TO A POINT, SAID POINT BEING N 13 DEG. 25 MIN. 29 SEC. W A DISTANCE OF 245.23 FEET FROM P. R. M. 17-84-C17.

THENCE S 31 DEG. 14 MIN. 14 SEC. E A DISTANCE OF 923.32 FEET TO A POINT, THENCE S 32 DEG. 20 MIN. 21 SEC. E A DISTANCE OF 1036.75 FEET TO A POINT, SAID POINT BEING S 34 DEG. 59 MIN. 11 SEC. E A DISTANCE OF 476.68 FEET FROM P. R. M. 17-84-C18.

THENCE S 32 DEG. 14 MIN. 37 SEC. E A DISTANCE OF 940.77 FEET TO A POINT, THENCE S 30 DEG. 08 MIN. 51 SEC. E A DISTANCE OF 973.18 FEET TO A POINT, THENCE S 29 DEG. 56 MIN. 04 SEC. E A DISTANCE OF 1016.33 FEET TO A POINT, THENCE S 32 DEG. 33 MIN. 11 SEC. E A DISTANCE OF 981.74 FEET TO A POINT, THENCE S 32 DEG. 06 MIN. 29 SEC. E A DISTANCE OF 991.77 FEET TO A POINT, SAID POINT BEING N 36 DEG. 13 MIN. 56 SEC. E A DISTANCE OF 128.95 FEET FROM P. R. M. 17-84-C19.

THENCE S 32 DEG. 40 MIN. 02 SEC. E A DISTANCE OF 978.84 FEET TO A POINT, THENCE S 31 DEG. 03 MIN. 43 SEC. E A DISTANCE OF 987.70 FEET TO A POINT, SAID POINT BEING S 89 DEG. 02 MIN. 09 SEC. E A DISTANCE OF 222.45 FEET FROM P. R. M. 17-84-C20.

THENCE S 30 DEG. 41 MIN. 52 SEC. E A DISTANCE OF 955.93 FEET TO A POINT, THENCE S 29 DEG. 18 MIN. 51 SEC. E A DISTANCE OF 946.12 FEET TO A POINT, THENCE S 29 DEG. 04 MIN. 11 SEC. E A DISTANCE OF 1038.14 FEET TO A POINT, SAID POINT BEING N 09 DEG. 01 MIN. 47 SEC. W A DISTANCE OF 761.79 FEET FROM P. R. M. 17-84-C21.

THENCE S 29 DEG. 04 MIN. 11 SEC. E TO THE POINT OF INTERSECTION WITH THE SARASOTA-CHARLOTTE COUNTY LINE, SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE.

62B-26.010 Description of the Palm Beach County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Palm Beach County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Palm Beach County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit under Section 161.053, Florida Statutes, and Chapter 62B-33, Florida Administrative Code, to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 1-10-79, Formerly 16B-26.10, 16B-26.010, Amended 8-22-97.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE PALM BEACH COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE ATLANTIC OCEAN FROM THE PALM BEACH-MARTIN COUNTY LINE SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF JUPITER INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF JUPITER INLET AND CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF NORTH LAKE WORTH INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF NORTH LAKE WORTH INLET AND CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF SOUTH LAKE WORTH INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF SOUTH LAKE WORTH INLET AND CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF BOCA RATON INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF BOCA RATON INLET AND CONTINUING SOUTHERLY TO ITS TERMINUS AT THE PALM BEACH-BROWARD COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "MART CO 124 1984", "S305 1970", "93 89 A03-A 1991", "HYDRO 21 PM BH 1990", "06 78 B03-2 1989", "06 78 C01 1978", "93 89 A05", "06 78 C03-A 1991", "93 89 A06-A 1991", "93 89 A06-B 1991", "93 89 A07", "06 78 C05-2 1989", "06 78 C06 1978", "93 89 A08", "93 89 A08-A 1991", "06 78 D02 1978", "06 78 D03-2 1989", "06 78 D03-A 1991", "06 78 D04 1978", "06 78 D05-2 1991", "06 78 D05A 1991", "06 78 D06 1978", "BREAKERS 1929", "93 89 A11", "06 78 E04A 1978", "R-111 PM BH 1989", "R-114 PM BH 1989", "93 89 A12", "06 78 E07", "06 78 E08 1978", "BRAY-A 1991", "93 89 A14-A 1991", "93 89 A16", "93 89 A17-2 1991", "HAULOVER 1929 NO3 1970", "HAULOVER-A 1991", "HAULOVER-B 1991", "93 89 A20", "06 78 G04 1978", "06 78 G05 1978", "06 78 G06 1978", "06 78 G06-B 1991", "06 78 G06-C 1991", "DELRAY-A", "06 78 H01 1978", "PM BH R-192 1974", "93 89 A21", "ROCK 3 1970", "93 89 A22-3", "93 89 A2A", "93 89 A26", "93 89 A27", "93 89 A28", "86 92 DA01".

FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.). SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE EAST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1983 DATUM ADJUSTMENT OF 1990.

THE BEARING BASE FOR THIS DESCRIPTION IS GRID NORTH, DETERMINED BY GLOBAL POSITIONING SYSTEM (G.P.S.) OBSERVATIONS MADE AT ALL PERMANENT REFERENCE MONUMENTS (P.R.M.).

COMMENCE AT P. R. M. MART CO 124 1984 THENCE S 24 DEG. 07 MIN. 50 SEC. E A DISTANCE OF 1019.33 FEET TO THE POINT OF BEGINNING; THENCE N 19 DEG. 12 MIN. 39 SEC. W TO THE POINT OF INTERSECTION WITH THE PALM BEACH-MARTIN COUNTY LINE, SAID LINE BEING THE NORTHERN TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR PALM BEACH COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING; SAID POINT BEING S 24 DEG. 07 MIN. 50 SEC. E A DISTANCE OF 1019.33 FEET FROM (P.R.M.) MART CO 124 1984.

THENCE S 16 DEG. 20 MIN. 17 SEC. E A DISTANCE OF 1083.40 FEET TO A POINT; THENCE S 18 DEG. 53 MIN. 35 SEC. E A DISTANCE OF 834.34 FEET TO A POINT; THENCE S 19 DEG. 41 MIN. 41 SEC. E A DISTANCE OF 382.98 FEET TO A POINT; THENCE S 11 DEG. 39 MIN. 08 SEC. E A DISTANCE OF 586.49 FEET TO A POINT; THENCE S 11 DEG. 47 MIN. 44 SEC. E A DISTANCE OF 942.98 FEET TO A POINT; THENCE S 19 DEG. 49 MIN. 20 SEC. E A DISTANCE OF 1157.42 FEET TO A POINT; THENCE S 19 DEG. 43 MIN. 42 SEC. E A DISTANCE OF 1350.69 FEET TO A POINT; THENCE S 19 DEG. 37 MIN. 52 SEC. E A DISTANCE OF 832.04 FEET TO A POINT; THENCE S 21 DEG. 42 MIN. 06 SEC. E A DISTANCE OF 832.65 FEET TO A POINT; SAID POINT BEING N 25 DEG. 40 MIN. 48 SEC. W A DISTANCE OF 1375.15 FEET FROM P. R. M. S305 1970.

THENCE S 21 DEG. 36 MIN. 35 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF JUPITER INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 25 DEG. 40 MIN. 48 SEC. W A DISTANCE OF 1375.15 FEET FROM P. R. M. S305 1970. RECOMMENCE AT P. R. M. S305 1970, THENCE S 37 DEG. 54 MIN. 48 SEC. W A DISTANCE OF 616.46 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 19 DEG. 17 MIN. 38 SEC. W TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF JUPITER INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 37 DEG. 54 MIN. 48 SEC. W A DISTANCE OF 616.46 FEET FROM P. R. M. S305 1970.

THENCE S 19 DEG. 12 MIN. 19 SEC. E A DISTANCE OF 899.51 FEET TO A POINT; THENCE S 18 DEG. 59 MIN. 40 SEC. E A DISTANCE OF 724.98 FEET TO A POINT; THENCE S 16 DEG. 27 MIN. 06 SEC. E A DISTANCE OF 856.65 FEET TO A POINT; THENCE S 12 DEG. 48 MIN. 13 SEC. E A DISTANCE OF 773.32 FEET TO A POINT; THENCE S 12 DEG. 29 MIN. 57 SEC. E A DISTANCE OF 937.45 FEET TO A POINT; SAID POINT BEING N 76 DEG. 39 MIN. 01 SEC. W A DISTANCE OF 129.28 FEET FROM P. R. M. 93 89 A03-A 1991.

THENCE S 06 DEG. 32 MIN. 31 SEC. E A DISTANCE OF 719.78 FEET TO A POINT; THENCE S 14 DEG. 12 MIN. 58 SEC. E A DISTANCE OF 622.07 FEET TO A POINT; THENCE S 14 DEG. 19 MIN. 31 SEC. E A DISTANCE OF 1207.50 FEET TO A POINT; THENCE S 16 DEG. 18 MIN. 09 SEC. E A DISTANCE OF 1300.39 FEET TO A POINT; SAID POINT BEING S 38 DEG. 31 MIN. 21 SEC. W A DISTANCE OF 307.20 FEET FROM P. R. M. HYDRO 21 PM BH 1990.

THENCE S 16 DEG. 48 MIN. 36 SEC. E A DISTANCE OF 1006.74 FEET TO A POINT; THENCE S 17 DEG. 56 MIN. 22 SEC. E A DISTANCE OF 1055.19 FEET TO A POINT; SAID POINT BEING N 17 DEG. 03 MIN. 10 SEC. W A DISTANCE OF 332.78 FEET FROM P. R. M. 06 78 B03-2 1989.

THENCE S 15 DEG. 21 MIN. 05 SEC. E A DISTANCE OF 1036.35 FEET TO A POINT; THENCE S 16 DEG. 39 MIN. 10 SEC. E A DISTANCE OF 1114.50 FEET TO A POINT; THENCE S 18 DEG. 06 MIN. 58 SEC. E A DISTANCE OF 970.88 FEET TO A POINT; SAID POINT BEING S 13 DEG. 09 MIN. 56 SEC. E A DISTANCE OF 133.45 FEET FROM P. R. M. 06 78 C01 1978. THENCE S 17 DEG. 49 MIN. 50 SEC. E A DISTANCE OF 979.66 FEET TO A POINT; THENCE S 16 DEG. 29 MIN. 35 SEC. E A DISTANCE OF 1122.15 FEET TO A POINT; THENCE S 15 DEG. 41 MIN. 52 SEC. E A DISTANCE OF 974.33 FEET TO A POINT; THENCE S 13 DEG. 33 MIN. 42 SEC. E A DISTANCE OF 1091.35 FEET TO A POINT; SAID POINT BEING S 78 DEG. 37 MIN. 10 SEC. E A DISTANCE OF 864.90 FEET FROM P. R. M. 93 89 A05.

THENCE S 15 DEG. 34 MIN. 00 SEC. E A DISTANCE OF 1034.67 FEET TO A POINT; THENCE S 14 DEG. 03 MIN. 50 SEC. E A DISTANCE OF 995.97 FEET TO A POINT; THENCE S 17 DEG. 01 MIN. 18 SEC. E A DISTANCE OF 1115.19 FEET TO A POINT; THENCE S 17 DEG. 54 MIN. 09 SEC. E A DISTANCE OF 976.81 FEET TO A POINT; THENCE S 17 DEG. 39 MIN. 34 SEC. E A DISTANCE OF 1135.72 FEET TO A POINT; SAID POINT BEING N 10 DEG. 34 MIN. 31 SEC. W A DISTANCE OF 319.00 FEET FROM P. R. M. 06 78 C03-A 1991.

THENCE S 18 DEG. 05 MIN. 00 SEC. E A DISTANCE OF 1010.32 FEET TO A POINT; THENCE S 17 DEG. 54 MIN. 14 SEC. E A DISTANCE OF 1291.68 FEET TO A POINT; SAID POINT BEING N 15 DEG. 10 MIN. 40 SEC. E A DISTANCE OF 876.78 FEET FROM P. R. M. 93 89 A06-A 1991.

THENCE S 16 DEG. 03 MIN. 49 SEC. E A DISTANCE OF 1069.86 FEET TO A POINT; THENCE S 15 DEG. 16 MIN. 07 SEC. E A DISTANCE OF 822.25 FEET TO A POINT; THENCE S 15 DEG. 31 MIN. 37 SEC. E A DISTANCE OF 1083.33 FEET TO A POINT; SAID POINT BEING N 63 DEG. 51 MIN. 21 SEC. E A DISTANCE OF 375.25 FEET FROM P. R. M. 93 89 A06-B 1991.

THENCE S 16 DEG. 00 MIN. 56 SEC. E A DISTANCE OF 683.96 FEET TO A POINT; SAID POINT BEING N 58 DEG. 13 MIN. 58 SEC. W A DISTANCE OF 327.91 FEET FROM P. R. M. 93 89 A07.

THENCE S 12 DEG. 24 MIN. 32 SEC. E A DISTANCE OF 944.96 FEET TO A POINT; THENCE S 14 DEG. 28 MIN. 15 SEC. E A DISTANCE OF 993.07 FEET TO A POINT; THENCE S 14 DEG. 14 MIN. 34 SEC. E A DISTANCE OF 890.27 FEET TO A POINT; SAID POINT BEING N 44 DEG. 33 MIN. 04 SEC. W A DISTANCE OF 488.13 FEET FROM P. R. M. 06 78 C05-2 1989.

THENCE S 11 DEG. 13 MIN. 09 SEC. E A DISTANCE OF 871.62 FEET TO A POINT; THENCE S 08 DEG. 16 MIN. 43 SEC. E A DISTANCE OF 977.66 FEET TO A POINT; THENCE S 03 DEG. 40 MIN. 40 SEC. E A DISTANCE OF 629.35 FEET TO A POINT; THENCE S 12 DEG. 43 MIN. 59 SEC. E A DISTANCE OF 688.96 FEET TO A POINT; THENCE S 11 DEG. 57 MIN. 04 SEC. E A DISTANCE OF 1357.82 FEET TO A POINT; THENCE S 13 DEG. 46 MIN. 42 SEC. E A DISTANCE OF 1204.88 FEET TO A POINT; THENCE S 13 DEG. 19 MIN. 05 SEC. E A DISTANCE OF 1021.60 FEET TO A POINT; SAID POINT BEING S 57 DEG. 55 MIN. 43 SEC. W A DISTANCE OF 130.77 FEET FROM P. R. M. 06 78 C06 1978.

THENCE S 13 DEG. 59 MIN. 48 SEC. E A DISTANCE OF 934.32 FEET TO A POINT; THENCE S 15 DEG. 35 MIN. 41 SEC. E A DISTANCE OF 887.58 FEET TO A POINT; THENCE S 17 DEG. 33 MIN. 21 SEC. E A DISTANCE OF 928.62 FEET TO A POINT; THENCE S 12 DEG. 47 MIN. 46 SEC. E A DISTANCE OF 777.03 FEET TO A POINT; THENCE S 07 DEG. 51 MIN. 16 SEC. E A DISTANCE OF 985.46 FEET TO A POINT; THENCE S 13 DEG. 15 MIN. 05 SEC. E A DISTANCE OF 861.23 FEET TO A POINT; THENCE S 10 DEG. 20 MIN. 32 SEC. E A DISTANCE OF 802.24 FEET TO A POINT; THENCE S 05 DEG. 11 MIN. 13 SEC. W A DISTANCE OF 282.89 FEET TO A POINT; THENCE S 08 DEG. 01 MIN. 42 SEC. E A DISTANCE OF 640.33 FEET TO A POINT; THENCE S 17 DEG. 22 MIN. 09 SEC. E A DISTANCE OF 956.42 FEET TO A POINT; THENCE S 17 DEG. 11 MIN. 55 SEC. E A DISTANCE OF 1035.94 FEET TO A POINT; THENCE S 17 DEG. 26 MIN. 10 SEC. E A DISTANCE OF 1005.63 FEET TO A POINT; THENCE S 14 DEG. 07 MIN. 27 SEC. E A DISTANCE OF 318.28 FEET TO A POINT; THENCE S 13 DEG. 44 MIN. 59 SEC. E A DISTANCE OF 1142.65 FEET TO A POINT; THENCE S 11 DEG. 49 MIN. 23 SEC. E A DISTANCE OF 1161.10 FEET TO A POINT; THENCE S 11 DEG. 22 MIN. 23 SEC. E A DISTANCE OF 1069.02 FEET TO A POINT; THENCE S 11 DEG. 06 MIN. 08 SEC. E A DISTANCE OF 1055.61 FEET TO A POINT; SAID POINT BEING S 52 DEG. 37 MIN. 38 SEC. E A DISTANCE OF 403.28 FEET FROM P. R. M. 93 89 A08.

THENCE S 11 DEG. 28 MIN. 47 SEC. E A DISTANCE OF 1095.26 FEET TO A POINT; THENCE S 10 DEG. 56 MIN. 22 SEC. E A DISTANCE OF 373.22 FEET TO A POINT; THENCE S 10 DEG. 55 MIN. 05 SEC. W A DISTANCE OF 722.99 FEET TO A POINT; THENCE S 03 DEG. 32 MIN. 17 SEC. W A DISTANCE OF 879.32 FEET TO A POINT; SAID POINT BEING S 78 DEG. 15 MIN. 45 SEC. E A DISTANCE OF 549.20 FEET FROM P. R. M. 93 89 A08-A 1991.

THENCE S 02 DEG. 31 MIN. 51 SEC. W A DISTANCE OF 1160.76 FEET TO A POINT; THENCE S 00 DEG. 55 MIN. 08 SEC. W A DISTANCE OF 815.35 FEET TO A POINT; THENCE S 01 DEG. 30 MIN. 31 SEC. E A DISTANCE OF 1208.16 FEET TO A POINT; SAID POINT BEING S 47 DEG. 36 MIN. 38 SEC. E A DISTANCE OF 860.60 FEET FROM P. R. M. 06 78 D02 1978.

THENCE S 03 DEG. 55 MIN. 13 SEC. E A DISTANCE OF 894.90 FEET TO A POINT; THENCE S 04 DEG. 06 MIN. 39 SEC. E A DISTANCE OF 1093.00 FEET TO A POINT; THENCE S 01 DEG. 41 MIN. 53 SEC. E A DISTANCE OF 970.01 FEET TO A POINT; SAID POINT BEING N 15 DEG. 45 MIN. 40 SEC. E A DISTANCE OF 829.65 FEET FROM P. R. M. 06 78 D03-2 1989.

THENCE S 00 DEG. 00 MIN. 13 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF NORTH LAKE WORTH INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 15 DEG. 45 MIN. 40 SEC. E A DISTANCE OF 829.65 FEET FROM P. R. M. 06 78 D03-2 1989.

RECOMMENCE AT P. R. M. 06 78 D03-A 1991, THENCE S 21 DEG. 30 MIN. 17 SEC. E A DISTANCE OF 1227.24 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 06 DEG. 39 MIN. 17 SEC. E TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF NORTH LAKE WORTH INLET; THENCE RETURN ALONG WITH SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 21 DEG. 30 MIN. 17 SEC. E A DISTANCE OF 1227.24 FEET FROM P. R. M. 06 78 D03-A 1991.

THENCE S 06 DEG. 39 MIN. 17 SEC. W A DISTANCE OF 607.01 FEET TO A POINT; THENCE S 06 DEG. 15 MIN. 08 SEC. E A DISTANCE OF 615.37 FEET TO A POINT; SAID POINT BEING S 55 DEG. 38 MIN. 25 SEC. W A DISTANCE OF 74.12 FEET FROM P. R. M. 06 78 D04 1978.

THENCE S 02 DEG. 18 MIN. 12 SEC. E A DISTANCE OF 1093.59 FEET TO A POINT; THENCE S 05 DEG. 59 MIN. 14 SEC. E A DISTANCE OF 994.62 FEET TO A POINT; THENCE S 05 DEG. 50 MIN. 23 SEC. E A DISTANCE OF 1131.94 FEET TO A POINT; THENCE S 05 DEG. 31 MIN. 02 SEC. E A DISTANCE OF 1369.08 FEET TO A POINT; SAID POINT BEING S 09 DEG. 05 MIN. 20 SEC. W A DISTANCE OF 523.82 FEET FROM P. R. M. 06 78 D05-2 1991.

THENCE S 04 DEG. 58 MIN. 27 SEC. E A DISTANCE OF 1304.21 FEET TO A POINT; THENCE S 04 DEG. 44 MIN. 13 SEC. E A DISTANCE OF 1225.21 FEET TO A POINT; SAID POINT BEING S 52 DEG. 38 MIN. 32 SEC. W A DISTANCE OF 277.40 FEET FROM P. R. M. 06 78 D05A 1991.

THENCE S 02 DEG. 02 MIN. 26 SEC. E A DISTANCE OF 992.43 FEET TO A POINT; THENCE S 04 DEG. 04 MIN. 05 SEC. E A DISTANCE OF 814.50 FEET TO A POINT; SAID POINT BEING S 30 DEG. 45 MIN. 33 SEC. W A DISTANCE OF 481.30 FEET FROM P. R. M. 06 78 D06 1978.

THENCE S 06 DEG. 23 MIN. 46 SEC. E A DISTANCE OF 1322.90 FEET TO A POINT; THENCE S 01 DEG. 03 MIN. 05 SEC. W A DISTANCE OF 960.97 FEET TO A POINT; THENCE S 00 DEG. 45 MIN. 14 SEC. W A DISTANCE OF 940.25 FEET TO A POINT; THENCE S 01 DEG. 40 MIN. 57 SEC. E A DISTANCE OF 1074.75 FEET TO A POINT; THENCE S 01 DEG. 47 MIN. 07 SEC. E A DISTANCE OF 1122.70 FEET TO A POINT; THENCE S 04 DEG. 07 MIN. 09 SEC. E A DISTANCE OF 1162.55 FEET TO A POINT; THENCE S 09 DEG. 16 MIN. 30 SEC. E A DISTANCE OF 1142.21 FEET TO A POINT; THENCE S 09 DEG. 23 MIN. 31 SEC. E A DISTANCE OF 1095.30 FEET TO A POINT; THENCE S 12 DEG. 43 MIN. 24 SEC. E A DISTANCE OF 216.02 FEET TO A POINT; THENCE S 00 DEG. 45 MIN. 42 SEC. E A DISTANCE OF 1372.31 FEET TO A POINT; SAID POINT BEING S 15 DEG. 31 MIN. 12 SEC. W A DISTANCE OF 953.88 FEET FROM P. R. M. BREAKERS 1929.

THENCE S 00 DEG. 45 MIN. 28 SEC. E A DISTANCE OF 804.71 FEET TO A POINT; THENCE S 00 DEG. 45 MIN. 31 SEC. E A DISTANCE OF 1302.15 FEET TO A POINT; THENCE S 00 DEG. 43 MIN. 22 SEC. E A DISTANCE OF 1205.28 FEET TO A POINT; SAID POINT BEING S 32 DEG. 16 MIN. 35 SEC. W A DISTANCE OF 458.78 FEET FROM P. R. M. 93 89 A11.

THENCE S 01 DEG. 17 MIN. 38 SEC. E A DISTANCE OF 1151.07 FEET TO A POINT; THENCE S 00 DEG. 24 MIN. 38 SEC. E A DISTANCE OF 992.42 FEET TO A POINT; THENCE S 02 DEG. 51 MIN. 32 SEC. W A DISTANCE OF 1169.88 FEET TO A POINT; THENCE S 06 DEG. 11 MIN. 44 SEC. W A DISTANCE OF 1128.55 FEET TO A POINT; THENCE S 07 DEG. 33 MIN. 06 SEC. W A DISTANCE OF 1075.62 FEET TO A POINT; SAID POINT BEING S 25 DEG. 07 MIN. 22 SEC. W A DISTANCE OF 735.25 FEET FROM P. R. M. 06 78 E04A 1978.

THENCE S 06 DEG. 51 MIN. 23 SEC. W A DISTANCE OF 1070.59 FEET TO A POINT; THENCE S 06 DEG. 52 MIN. 25 SEC. W A DISTANCE OF 1318.23 FEET TO A POINT; THENCE S 04 DEG. 24 MIN. 39 SEC. W A DISTANCE OF 1214.77 FEET TO A POINT; THENCE S 04 DEG. 43 MIN. 51 SEC. W A DISTANCE OF 1115.96 FEET TO A POINT; THENCE S 04 DEG. 57 MIN. 28 SEC. W A DISTANCE OF 831.59 FEET TO A POINT; THENCE S 03 DEG. 15 MIN. 12 SEC. W A DISTANCE OF 1214.39 FEET TO A POINT; THENCE S 02 DEG. 53 MIN. 14 SEC. W A DISTANCE OF 1320.29 FEET TO A POINT; THENCE S 02 DEG. 49 MIN. 03 SEC. W A DISTANCE OF 986.80 FEET TO A POINT; SAID POINT BEING S 89 DEG. 52 MIN. 05 SEC. W A DISTANCE OF 195.22 FEET FROM P. R. M. R-111 PM BH 1989.

THENCE S 01 DEG. 01 MIN. 33 SEC. W A DISTANCE OF 1122.57 FEET TO A POINT; THENCE S 00 DEG. 53 MIN. 10 SEC. W A DISTANCE OF 1040.76 FEET TO A POINT; THENCE S 01 DEG. 15 MIN. 03 SEC. W A DISTANCE OF 984.38 FEET TO A POINT; SAID POINT BEING S 89 DEG. 51 MIN. 18 SEC. W A DISTANCE OF 179.23 FEET FROM P. R. M. R-114 PM BH 1989.

THENCE S 01 DEG. 04 MIN. 39 SEC. W A DISTANCE OF 1151.06 FEET TO A POINT; THENCE S 01 DEG. 28 MIN. 39 SEC. W A DISTANCE OF 975.78 FEET TO A POINT; THENCE S 01 DEG. 59 MIN. 59 SEC. W A DISTANCE OF 1022.18 FEET TO A POINT; SAID POINT BEING S 19 DEG. 10 MIN. 26 SEC. W A DISTANCE OF 776.77 FEET FROM P. R. M. 93 89 A12. THENCE S 01 DEG. 04 MIN. 10 SEC. W A DISTANCE OF 731.81 FEET TO A POINT; THENCE S 00 DEG. 10 MIN. 23 SEC. E A DISTANCE OF 1176.57 FEET TO A POINT; THENCE S 00 DEG. 09 MIN. 02 SEC. E A DISTANCE OF 1122.07 FEET TO A POINT; THENCE S 03 DEG. 52 MIN. 54 SEC. E A DISTANCE OF 723.84 FEET TO A POINT; THENCE S 02 DEG. 46 MIN. 06 SEC. E A DISTANCE OF 943.06 FEET TO A POINT; SAID POINT BEING N 66 DEG. 49 MIN. 38 SEC. W A DISTANCE OF 170.69 FEET FROM P. R. M. 06 78 E07.

THENCE S 02 DEG. 30 MIN. 39 SEC. E A DISTANCE OF 1022.85 FEET TO A POINT; THENCE S 00 DEG. 26 MIN. 21 SEC. W A DISTANCE OF 895.19 FEET TO A POINT; THENCE S 02 DEG. 05 MIN. 03 SEC. E A DISTANCE OF 1490.44 FEET TO A POINT; THENCE S 01 DEG. 38 MIN. 08 SEC. E A DISTANCE OF 1055.55 FEET TO A POINT; THENCE S 01 DEG. 48 MIN. 26 SEC. E A DISTANCE OF 1065.40 FEET TO A POINT; SAID POINT BEING N 48 DEG. 07 MIN. 26 SEC. W A DISTANCE OF 209.35 FEET FROM P. R. M. 06 78 E08 1978.

THENCE S 01 DEG. 18 MIN. 46 SEC. E A DISTANCE OF 1030.91 FEET TO A POINT; THENCE S 02 DEG. 08 MIN. 23 SEC. E A DISTANCE OF 1212.24 FEET TO A POINT; THENCE S 00 DEG. 06 MIN. 15 SEC. E A DISTANCE OF 1326.16 FEET TO A POINT; THENCE S 00 DEG. 07 MIN. 55 SEC. W A DISTANCE OF 1294.76 FEET TO A POINT; THENCE S 00 DEG. 29 MIN. 36 SEC. W A DISTANCE OF 1148.04 FEET TO A POINT; SAID POINT BEING N 29 DEG. 03 MIN. 05 SEC. E A DISTANCE OF 712.16 FEET FROM P. R. M. BRAY-A 1991.

THENCE S 00 DEG. 20 MIN. 52 SEC. W A DISTANCE OF 1220.75 FEET TO A POINT; THENCE S 03 DEG. 37 MIN. 13 SEC. W A DISTANCE OF 1197.08 FEET TO A POINT; SAID POINT BEING S 53 DEG. 19 MIN. 04 SEC. E A DISTANCE OF 480.10 FEET FROM P. R. M. 93 89 A14-A 1991.

THENCE S 03 DEG. 19 MIN. 07 SEC. W A DISTANCE OF 1318.50 FEET TO A POINT; THENCE S 00 DEG. 34 MIN. 13 SEC. W A DISTANCE OF 966.22 FEET TO A POINT; SAID POINT BEING N 37 DEG. 38 MIN. 03 SEC. E A DISTANCE OF 290.44 FEET FROM P. R. M. 93 89 A16.

THENCE S 00 DEG. 44 MIN. 01 SEC. W A DISTANCE OF 986.22 FEET TO A POINT; THENCE S 03 DEG. 11 MIN. 58 SEC. W A DISTANCE OF 689.32 FEET TO A POINT; SAID POINT BEING S 35 DEG. 25 MIN. 05 SEC. E A DISTANCE OF 429.80 FEET FROM P. R. M. 93 89 A17-2 1991.

THENCE S 03 DEG. 58 MIN. 13 SEC. W A DISTANCE OF 1243.82 FEET TO A POINT; THENCE S 04 DEG. 12 MIN. 39 SEC. W A DISTANCE OF 1052.52 FEET TO A POINT; THENCE S 04 DEG. 22 MIN. 35 SEC. W A DISTANCE OF 1045.80 FEET TO A POINT; THENCE S 04 DEG. 55 MIN. 21 SEC. W A DISTANCE OF 1037.87 FEET TO A POINT; THENCE S 04 DEG. 59 MIN. 47 SEC. W A DISTANCE OF 1010.07 FEET TO A POINT; THENCE S 12 DEG. 13 MIN. 10 SEC. W A DISTANCE OF

954.81 FEET TO A POINT; THENCE S 12 DEG. 21 MIN. 15 SEC. W A DISTANCE OF 1129.05 FEET TO A POINT; THENCE S 08 DEG. 43 MIN. 37 SEC. W A DISTANCE OF 1093.06 FEET TO A POINT; THENCE S 09 DEG. 04 MIN. 16 SEC. W A DISTANCE OF 1010.59 FEET TO A POINT; THENCE S 06 DEG. 53 MIN. 04 SEC. W A DISTANCE OF 1138.16 FEET TO A POINT; THENCE S 03 DEG. 21 MIN. 01 SEC. W A DISTANCE OF 962.06 FEET TO A POINT; THENCE S 03 DEG. 14 MIN. 38 SEC. W A DISTANCE OF 661.21 FEET TO A POINT; THENCE S 03 DEG. 38 MIN. 15 SEC. W A DISTANCE OF 1092.43 FEET TO A POINT; SAID POINT BEING N 37 DEG. 25 MIN. 13 SEC. W A DISTANCE OF 459.21 FEET FROM P. R. M. HAULOVER 1929 NO3 1970.

THENCE S 03 DEG. 45 MIN. 44 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF SOUTH LAKE WORTH INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 37 DEG. 25 MIN. 13 SEC. W A DISTANCE OF 459.21 FEET FROM P. R. M. HAULOVER 1929 NO3 1970.

RECOMMENCE AT P. R. M. HAULOVER 1929 NO3 1970, THENCE S 54 DEG. 00 MIN. 37 SEC. W A DISTANCE OF 773.85 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 12 DEG. 02 MIN. 58 SEC. W TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF SOUTH LAKE WORTH INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 54 DEG. 00 MIN. 37 SEC. W A DISTANCE OF 773.85 FEET FROM P. R. M. HAULOVER 1929 NO3 1970.

THENCE S 12 DEG. 08 MIN. 13 SEC. W A DISTANCE OF 1329.73 FEET TO A POINT; THENCE S 15 DEG. 38 MIN. 04 SEC. W A DISTANCE OF 1028.62 FEET TO A POINT; SAID POINT BEING N 25 DEG. 54 MIN. 52 SEC. E A DISTANCE OF 933.14 FEET FROM P. R. M. HAULOVER-A 1991.

THENCE S 11 DEG. 31 MIN. 57 SEC. W A DISTANCE OF 1045.52 FEET TO A POINT; THENCE S 09 DEG. 19 MIN. 37 SEC. W A DISTANCE OF 1341.84 FEET TO A POINT; SAID POINT BEING S 32 DEG. 05 MIN. 25 SEC. E A DISTANCE OF 202.03 FEET FROM P. R. M. HAULOVER-B 1991.

THENCE S 10 DEG. 41 MIN. 43 SEC. W A DISTANCE OF 1007.17 FEET TO A POINT; THENCE S 06 DEG. 33 MIN. 58 SEC. W A DISTANCE OF 706.54 FEET TO A POINT; THENCE S 06 DEG. 14 MIN. 00 SEC. W A DISTANCE OF 695.74 FEET TO A POINT; THENCE S 06 DEG. 22 MIN. 12 SEC. W A DISTANCE OF 1192.56 FEET TO A POINT; THENCE S 07 DEG. 16 MIN. 19 SEC. W A DISTANCE OF 863.39 FEET TO A POINT; THENCE S 07 DEG. 07 MIN. 01 SEC. W A DISTANCE OF 1151.69 FEET TO A POINT; THENCE S 13 DEG. 13 MIN. 35 SEC. W A DISTANCE OF 1094.61 FEET TO A POINT; THENCE S 09 DEG. 30 MIN. 41 SEC. W A DISTANCE OF 1128.22 FEET TO A POINT; THENCE S 08 DEG. 39 MIN. 59 SEC. W A DISTANCE OF 998.79 FEET TO A POINT; SAID POINT BEING N 88 DEG. 20 MIN. 16 SEC. W A DISTANCE OF 248.03 FEET FROM P. R. M. 93 89 A20.

THENCE S 07 DEG. 51 MIN. 06 SEC. W A DISTANCE OF 1172.27 FEET TO A POINT; THENCE S 07 DEG. 54 MIN. 08 SEC. W A DISTANCE OF 917.91 FEET TO A POINT; THENCE S 06 DEG. 51 MIN. 52 SEC. W A DISTANCE OF 1421.67 FEET TO A POINT; SAID POINT BEING S 42 DEG. 51 MIN. 36 SEC. W A DISTANCE OF 471.84 FEET FROM P. R. M. 06 78 G04 1978.

THENCE S 08 DEG. 42 MIN. 05 SEC. W A DISTANCE OF 1056.85 FEET TO A POINT; THENCE S 03 DEG. 19 MIN. 57 SEC. W A DISTANCE OF 1072.39 FEET TO A POINT; THENCE S 06 DEG. 33 MIN. 52 SEC. W A DISTANCE OF 1093.35 FEET TO A POINT; SAID POINT BEING N 69 DEG. 20 MIN. 22 SEC. W A DISTANCE OF 189.14 FEET FROM P. R. M. 06 78 G05 1978.

THENCE S 06 DEG. 39 MIN. 05 SEC. W A DISTANCE OF 1128.57 FEET TO A POINT; THENCE S 07 DEG. 41 MIN. 41 SEC. W A DISTANCE OF 1096.24 FEET TO A POINT; THENCE S 07 DEG. 21 MIN. 56 SEC. W A DISTANCE OF 1016.41 FEET TO A POINT; THENCE S 07 DEG. 38 MIN. 51 SEC. W A DISTANCE OF 1327.83 FEET TO A POINT; SAID POINT BEING S 24 DEG. 30 MIN. 06 SEC. W A DISTANCE OF 518.97 FEET FROM P. R. M. 06 78 G06 1978.

THENCE S 09 DEG. 04 MIN. 36 SEC. W A DISTANCE OF 935.79 FEET TO A POINT; THENCE S 07 DEG. 46 MIN. 04 SEC. W A DISTANCE OF 1246.33 FEET TO A POINT; THENCE S 05 DEG. 41 MIN. 06 SEC. W A DISTANCE OF 998.57 FEET TO A POINT; SAID POINT BEING S 16 DEG. 06 MIN. 36 SEC. W A DISTANCE OF 396.77 FEET FROM P. R. M. 06 78 G06-B 1991.

THENCE S 08 DEG. 08 MIN. 38 SEC. W A DISTANCE OF 1141.24 FEET TO A POINT; THENCE S 08 DEG. 55 MIN. 21 SEC. W A DISTANCE OF 1193.28 FEET TO A POINT; SAID POINT BEING S 32 DEG. 02 MIN. 51 SEC. W A DISTANCE OF 36.40 FEET FROM P. R. M. 06 78 G06-C 1991.

THENCE S 07 DEG. 38 MIN. 49 SEC. W A DISTANCE OF 1068.89 FEET TO A POINT; THENCE S 06 DEG. 00 MIN. 50 SEC. W A DISTANCE OF 1113.02 FEET TO A POINT; THENCE S 05 DEG. 43 MIN. 50 SEC. W A DISTANCE OF 1009.69 FEET TO A POINT; SAID POINT BEING S 16 DEG. 26 MIN. 50 SEC. W A DISTANCE OF 505.57 FEET FROM P. R. M. DELRAY-A.

THENCE S 06 DEG. 41 MIN. 04 SEC. W A DISTANCE OF 1143.24 FEET TO A POINT; THENCE S 06 DEG. 40 MIN. 29 SEC. W A DISTANCE OF 1161.09 FEET TO A POINT; THENCE S 06 DEG. 55 MIN. 15 SEC. W A DISTANCE OF 880.44 FEET TO A POINT; SAID POINT BEING S 31 DEG. 08 MIN. 07 SEC. W A DISTANCE OF 420.97 FEET FROM P. R. M. 06 78 H01 1978.

THENCE S 06 DEG. 32 MIN. 18 SEC. W A DISTANCE OF 928.50 FEET TO A POINT; THENCE S 06 DEG. 29 MIN. 39 SEC. W A DISTANCE OF 1412.37 FEET TO A POINT; THENCE S 05 DEG. 47 MIN. 02 SEC. W A DISTANCE OF 1018.38 FEET TO A POINT; THENCE S 05 DEG. 52 MIN. 22 SEC. W A DISTANCE OF 889.39 FEET TO A POINT; THENCE S 06 DEG. 00 MIN. 27 SEC. W A DISTANCE OF 1161.75 FEET TO A POINT; THENCE S 06 DEG. 28 MIN. 09 SEC. W A DISTANCE OF 1208.24 FEET TO A POINT; SAID POINT BEING N 85 DEG. 10 MIN. 51 SEC. W A DISTANCE OF 137.29 FEET FROM P. R. M. PM BH R-192 1974.

THENCE S 05 DEG. 32 MIN. 56 SEC. W A DISTANCE OF 1211.78 FEET TO A POINT; THENCE S 03 DEG. 56 MIN. 56 SEC. W A DISTANCE OF 806.53 FEET TO A POINT; THENCE S 04 DEG. 00 MIN. 24 SEC. W A DISTANCE OF 640.68 FEET TO A POINT; THENCE S 03 DEG. 56 MIN. 01 SEC. W A DISTANCE OF 1341.16 FEET TO A POINT; THENCE S 03 DEG. 54 MIN. 43 SEC. W A DISTANCE OF 850.09 FEET TO A POINT; SAID POINT BEING S 43 DEG. 20 MIN. 44 SEC. W A DISTANCE OF 291.79 FEET FROM P. R. M. 93 89 A21.

THENCE S 04 DEG. 15 MIN. 49 SEC. W A DISTANCE OF 1108.36 FEET TO A POINT; THENCE S 03 DEG. 20 MIN. 39 SEC. W A DISTANCE OF 1087.89 FEET TO A POINT; THENCE S 04 DEG. 16 MIN. 13 SEC. W A DISTANCE OF 857.77 FEET TO A POINT; THENCE S 05 DEG. 37 MIN. 58 SEC. W A DISTANCE OF 1103.46 FEET TO A POINT; THENCE S 04 DEG. 38 MIN. 46 SEC. W A DISTANCE OF 1157.37 FEET TO A POINT; SAID POINT BEING N 32 DEG. 17 MIN. 57 SEC. W A DISTANCE OF 384.11 FEET FROM P. R. M. ROCK 3 1970.

THENCE S 04 DEG. 51 MIN. 44 SEC. W A DISTANCE OF 1111.41 FEET TO A POINT; THENCE S 04 DEG. 51 MIN. 44 SEC. W A DISTANCE OF 1025.01 FEET TO A POINT; THENCE S 30 DEG. 33 MIN. 11 SEC. W A DISTANCE OF 362.10 FEET TO A POINT; THENCE S 04 DEG. 33 MIN. 28 SEC. W A DISTANCE OF 809.35 FEET TO A POINT; THENCE S 01 DEG. 57 MIN. 41 SEC. W A DISTANCE OF 1111.44 FEET TO A POINT; THENCE S 02 DEG. 02 MIN. 15 SEC. W A DISTANCE OF 873.57 FEET TO A POINT; THENCE S 02 DEG. 13 MIN. 14 SEC. W A DISTANCE OF 1411.00 FEET TO A POINT; SAID POINT BEING S 19 DEG. 59 MIN. 34 SEC. W A DISTANCE OF 431.45 FEET FROM P. R. M. 93 89 A22-3.

THENCE S 02 DEG. 07 MIN. 42 SEC. W A DISTANCE OF 1181.02 FEET TO A POINT; THENCE S 04 DEG. 06 MIN. 51 SEC. W A DISTANCE OF 962.50 FEET TO A POINT; THENCE S 03 DEG. 52 MIN. 40 SEC. W A DISTANCE OF 896.98 FEET TO A POINT; THENCE S 03 DEG. 51 MIN. 41 SEC. W A DISTANCE OF 1045.90 FEET TO A POINT; THENCE S 03 DEG. 30 MIN. 11 SEC. W A DISTANCE OF 1247.57 FEET TO A POINT; THENCE S 03 DEG. 47 MIN. 02 SEC. W A DISTANCE OF 1046.64 FEET TO A POINT; THENCE S 10 DEG. 54 MIN. 20 SEC. W A DISTANCE OF 940.67 FEET TO A POINT; SAID POINT BEING N 89 DEG. 06 MIN. 45 SEC. E A DISTANCE OF 288.76 FEET FROM P. R. M. 93 89 A24.

THENCE S 10 DEG. 52 MIN. 51 SEC. W A DISTANCE OF 290.08 FEET TO A POINT; THENCE S 00 DEG. 27 MIN. 32 SEC. W A DISTANCE OF 658.65 FEET TO A POINT; THENCE S 02 DEG. 16 MIN. 47 SEC. W A DISTANCE OF 973.53 FEET TO A POINT; THENCE S 02 DEG. 22 MIN. 13 SEC. W A DISTANCE OF 1589.08 FEET TO A POINT; THENCE S 03 DEG. 52 MIN. 02 SEC. W A DISTANCE OF 1028.97 FEET TO A POINT; THENCE S 05 DEG. 12 MIN. 59 SEC. W A DISTANCE OF 1366.36 FEET TO A POINT; THENCE S 04 DEG. 24 MIN. 42 SEC. W A DISTANCE OF 722.12 FEET TO A POINT; THENCE S 04 DEG. 31 MIN. 46 SEC. W A DISTANCE OF 1029.90 FEET TO A POINT; SAID POINT BEING N 86 DEG. 27 MIN. 46 SEC. E A DISTANCE OF 468.65 FEET FROM P. R. M. 93 89 A26.

THENCE S 04 DEG. 31 MIN. 46 SEC. W A DISTANCE OF 768.00 FEET TO A POINT; THENCE S 11 DEG. 02 MIN. 41 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF BOCA RATON INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 86 DEG. 27 MIN. 46 SEC. E A DISTANCE OF 468.65 FEET FROM P. R. M. 93 89 A26.

RECOMMENCE AT P. R. M. 93 89 A27, THENCE N 89 DEG. 05 MIN. 14 SEC. W A DISTANCE OF 187.87 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 06 DEG. 35 MIN. 54 SEC. W TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF BOCA RATON INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 89 DEG. 05 MIN. 14 SEC. W A DISTANCE OF 187.87 FEET FROM P. R. M. 93 89 A27.

THENCE S 06 DEG. 38 MIN. 04 SEC. W A DISTANCE OF 1375.45 FEET TO A POINT; SAID POINT BEING S 53 DEG. 04 MIN. 24 SEC. W A DISTANCE OF 329.86 FEET FROM P. R. M. 93 89 A28.

THENCE S 10 DEG. 22 MIN. 04 SEC. W A DISTANCE OF 1050.72 FEET TO A POINT; THENCE S 10 DEG. 36 MIN. 06 SEC. W A DISTANCE OF 865.89 FEET TO A POINT; THENCE S 05 DEG. 59 MIN. 35 SEC. W A DISTANCE OF 1032.22 FEET TO A POINT; SAID POINT BEING N 01 DEG. 12 MIN. 08 SEC. E A DISTANCE OF 2616.16 FEET FROM P. R. M. 86 92 DA01.

THENCE S 06 DEG. 02 MIN. 46 SEC. W TO THE POINT OF INTERSECTION WITH THE PALM BEACH-BROWARD COUNTY LINE AND THE POINT OF TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR PALM BEACH COUNTY, FLORIDA.

62B-26.011 Description of the Pinellas County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Pinellas County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Pinellas County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit under Section 161.053, Florida Statutes, and Chapter 62B-33, Florida Administrative Code, to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 161.053, 370.021 FS. Law Implemented 161.053, 370.021(1) FS. History--New 1-10-79, Formerly 16B-26.11, 16B-26.011, Amended 12-31-01.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION
CONTROL LINE PINELLAS COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE GULF OF MEXICO FROM MEAN HIGH WATER LINE AT THE NORTHERN END OF HONEYMOON ISLAND SOUTHERLY TO THE MEAN HIGH WATER LINE AT THE SOUTHERN END OF HONEYMOON ISLAND. THENCE RECOMMENCING AT THE MEAN HIGH WATER LINE AT THE NORTHERN END OF CALADESI ISLAND SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF DUNEDIN PASS. THENCE RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF DUNEDIN PASS SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF LITTLE PASS. THENCE RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF LITTLE PASS SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF JOHNS PASS. THENCE RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF JOHNS PASS SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF BLIND PASS. THENCE RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF BLIND PASS SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF PASS-A-GRILLE CHANNEL. THENCE RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF BUNCES PASS ON MULLET KEY SOUTHERLY AND EASTERLY TO ITS TERMINUS AT THE MEAN HIGH WATER LINE OF TAMPA BAY.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "15-90-DA01 THRU 15-90-DA03", "R001 PNLS 1990", "R022 PNLS 1974", "R032 PNLS 1974", "15-99-DA08A", "15-90-DA08", "R036 PNLS 1974", "15-99-DA07", "15-90-DA09", "15-99-DA10A", "15-99-DA11A", "NOS 6724 N", "15-77-B09A", "15-77-B09", "15-90-DA12", "15-90-DA12A", "R050 PNLS 1974", "15-99-DA13A", "15-99-DA13B", "15-90-DA14", "15-99-DA15A THRU 15-99-DA15D", "15-90-DA16", "15-90-DA17", "15-90-DA17A", "NARROW-D", "15-90-DA17B", "NARROW 1973", "NARROW-F", "15-99-DA17D", "15-99-DA17E", "15-90-DA18", "15-90-DA19", "15-90-DA19A", "REDINGTON-B THRU REDINGTON-D", "15-90-DA20", "15-99-DA21B", "15-77-B08", "15-90-DA22 THRU 15-90-DA25", "RAINEY 1973", "MADERIA", "15-90-DA25A THRU 15-90-DA25C", "15-90-DA26", "15-90-DA27", "15-90-DA27A", "RAINEY-J", "RAINEY-K", "PBE 144 68", "BLIND-D", "15-90-DA27B", "15-90-DA27D", "15-90-DA28", "15-90-DA29", "COE BLIND PASS", "PBE 133", "BLIND-P", "15-77-B04", "NOAA-D", "15-99-DA31", "NOAA 1973", "15-99-DA31A", "15-99-DA32", "NOAA-A", "NOS 6430 J 1988", "R170 PNLS 1974", "R172 PNLS 1990", "T174 PNLS 1977", "T177 PNLS 1977", "15-90-DA30", "DESOTO 1973", "15-90-B01-2", "DESOTO-B".

FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE WEST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1983 DATUM ADJUSTMENT OF 1990.

THE BEARING BASE FOR THIS DESCRIPTION IS GRID NORTH, DETERMINED BY GLOBAL POSITIONING SYSTEM (G.P.S.) OBSERVATIONS MADE AT ALL PERMANENT REFERENCE MONUMENTS (P.R.M.).

COMMENCE AT P.R.M. R001 PNLS 1990; THENCE S 34 DEG. 00 MIN. 00 SEC. E A DISTANCE OF 595.00 FEET TO THE POINT OF BEGINNING; THENCE N 16 DEG. 55 MIN. 07 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF SAINT JOSEPH SOUND, SAID POINT BEING THE NORTHERN TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR PINELLAS COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING; SAID POINT BEING S 34 DEG. 00 MIN. 00 SEC. E A DISTANCE OF 595.00 FEET FROM (P.R.M.) R001 PNLS 1990.

THENCE S 16 DEG. 55 MIN. 07 SEC. W A DISTANCE OF 370.11 FEET TO A POINT;
THENCE S 05 DEG. 40 MIN. 31 SEC. W A DISTANCE OF 661.90 FEET TO A POINT;
THENCE S 06 DEG. 12 MIN. 57 SEC. W A DISTANCE OF 945.06 FEET TO A POINT;
THENCE S 01 DEG. 31 MIN. 21 SEC. W A DISTANCE OF 1146.15 FEET TO A POINT;
THENCE S 03 DEG. 42 MIN. 56 SEC. E A DISTANCE OF 763.91 FEET TO A POINT;
THENCE S 00 DEG. 03 MIN. 53 SEC. E A DISTANCE OF 207.31 FEET TO A POINT;
THENCE S 00 DEG. 37 MIN. 05 SEC. E A DISTANCE OF 1003.95 FEET TO A POINT;

SAID POINT BEING N 44 DEG. 45 MIN. 09 SEC. E A DISTANCE OF 1512.10 FEET FROM P.R.M. 15-90-DA-01.

THENCE S 27 DEG. 58 MIN. 45 SEC. E A DISTANCE OF 862.90 FEET TO A POINT; THENCE S 42 DEG. 09 MIN. 25 SEC. E A DISTANCE OF 1075.26 FEET TO A POINT; SAID POINT BEING N 73 DEG. 07 MIN. 36 SEC. E A DISTANCE OF 1429.70 FEET FROM P.R.M. 15-90-DA-02.

THENCE S 45 DEG. 42 MIN. 01 SEC. E A DISTANCE OF 1024.55 FEET TO A POINT; THENCE S 56 DEG. 30 MIN. 30 SEC. E A DISTANCE OF 1107.39 FEET TO A POINT; THENCE S 65 DEG. 18 MIN. 05 SEC. E A DISTANCE OF 663.85 FEET TO A POINT; SAID POINT BEING N 57 DEG. 18 MIN. 26 SEC. E A DISTANCE OF 1537.30 FEET FROM P.R.M. 15-90-DA-03.

THENCE S 65 DEG. 18 MIN. 09 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF HURRICANE PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 57 DEG. 18 MIN. 26 SEC. E A DISTANCE OF 1537.30 FEET FROM P.R.M. 15-90-DA03.

RECOMMENCE AT P.R.M. R022 PNLS 1974, THENCE N 37 DEG. 56 MIN. 38 SEC. E A DISTANCE OF 1031.43 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 09 DEG. 14 MIN. 01 SEC. E TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE WESTERN SHORE OF SAINT JOSEPH SOUND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 37 DEG. 56 MIN. 38 SEC. E A DISTANCE OF 1031.43 FEET FROM P.R.M. R022 PNLS 1974.

THENCE S 09 DEG. 06 MIN. 51 SEC. W A DISTANCE OF 954.86 FEET TO A POINT; THENCE S 33 DEG. 22 MIN. 48 SEC. W A DISTANCE OF 1092.11 FEET TO A POINT; THENCE S 19 DEG. 22 MIN. 56 SEC. W A DISTANCE OF 1021.21 FEET TO A POINT; THENCE S 27 DEG. 16 MIN. 23 SEC. E A DISTANCE OF 1588.30 FEET TO A POINT; THENCE S 13 DEG. 39 MIN. 47 SEC. W A DISTANCE OF 1009.83 FEET TO A POINT; THENCE S 22 DEG. 29 MIN. 50 SEC. W A DISTANCE OF 1005.17 FEET TO A POINT; THENCE S 22 DEG. 34 MIN. 25 SEC. W A DISTANCE OF 930.69 FEET TO A POINT; THENCE S 05 DEG. 06 MIN. 23 SEC. W A DISTANCE OF 940.49 FEET TO A POINT; THENCE S 03 DEG. 58 MIN. 35 SEC. W A DISTANCE OF 1017.58 FEET TO A POINT; SAID POINT BEING N 52 DEG. 31 MIN. 51 SEC. E A DISTANCE OF 1676.16 FEET FROM P.R.M. R032 PNLS 1974.

THENCE S 02 DEG. 38 MIN. 40 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF DUNEDIN PASS. THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 52 DEG. 31 MIN. 51 SEC. E A DISTANCE OF 1676.16 FEET FROM P.R.M. R032 PNLS 1974.

RECOMMENCE AT P.R.M. 15-99-DA-08A, THENCE S 40 DEG. 09 MIN. 26 SEC. W A DISTANCE OF 230.05 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 08 DEG. 36 MIN. 11 SEC. E A DISTANCE OF 548.17 FEET TO A POINT; THENCE N 48 DEG. 00 MIN. 00 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF DUNEDIN PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 40 DEG. 09 MIN. 26 SEC. W A DISTANCE OF 230.05 FEET FROM P.R.M. 15-99-DA-08A.

THENCE S 04 DEG. 45 MIN. 02 SEC. E A DISTANCE OF 362.24 FEET TO A POINT; THENCE S 07 DEG. 12 MIN. 57 SEC. E A DISTANCE OF 1019.07 FEET TO A POINT; SAID POINT BEING N 70 DEG. 39 MIN. 14 SEC. W A DISTANCE OF 557.46 FEET FROM P.R.M. 15-90-DA-08.

THENCE S 01 DEG. 08 MIN. 11 SEC. E A DISTANCE OF 1122.52 FEET TO A POINT; THENCE S 22 DEG. 35 MIN. 11 SEC. W A DISTANCE OF 445.90 FEET TO A POINT; THENCE S 14 DEG. 05 MIN. 54 SEC. W A DISTANCE OF 527.08 FEET TO A POINT; SAID POINT BEING N 82 DEG. 13 MIN. 07 SEC. W A DISTANCE OF 1390.65 FEET FROM P.R.M. 15-99-DA-07.

THENCE S 04 DEG. 27 MIN. 42 SEC. W A DISTANCE OF 1000.33 FEET TO A POINT; THENCE S 03 DEG. 17 MIN. 22 SEC. W A DISTANCE OF 658.59 FEET TO A POINT; THENCE S 00 DEG. 30 MIN. 04 SEC. E A DISTANCE OF 343.01 FEET TO A POINT;

THENCE S 03 DEG. 09 MIN. 02 SEC. E A DISTANCE OF 994.20 FEET TO A POINT; SAID POINT BEING S 04 DEG. 55 MIN. 53 SEC. E A DISTANCE OF 151.73 FEET FROM P.R.M. 15-90-DA-09.

THENCE S 02 DEG. 52 MIN. 59 SEC. E A DISTANCE OF 543.99 FEET TO A POINT;

THENCE S 01 DEG. 01 MIN. 04 SEC. E A DISTANCE OF 497.18 FEET TO A POINT;

THENCE S 01 DEG. 36 MIN. 06 SEC. E A DISTANCE OF 1115.34 FEET TO A POINT;

THENCE S 03 DEG. 00 MIN. 13 SEC. W A DISTANCE OF 667.92 FEET TO A POINT; SAID POINT BEING S 39 DEG. 12 MIN. 37 SEC. E A DISTANCE OF 336.65 FEET FROM P.R.M. 15-99-DA-10A.

THENCE S 09 DEG. 54 MIN. 34 SEC. W A DISTANCE OF 505.54 FEET TO A POINT;

THENCE S 07 DEG. 20 MIN. 11 SEC. W A DISTANCE OF 856.01 FEET TO A POINT;
 THENCE S 11 DEG. 31 MIN. 51 SEC. W A DISTANCE OF 988.96 FEET TO A POINT; SAID POINT BEING S 82 DEG. 03 MIN. 33 SEC. E A DISTANCE OF 169.16 FEET FROM P.R.M. 15-99-DA-11A.
 THENCE S 06 DEG. 46 MIN. 49 SEC. W A DISTANCE OF 2016.58 FEET TO A POINT; SAID POINT BEING S 04 DEG. 59 MIN. 09 SEC. W A DISTANCE OF 1217.58 FEET FROM P.R.M. 15-77-B09A.
 THENCE S 06 DEG. 53 MIN. 19 SEC. W A DISTANCE OF 607.91 FEET TO A POINT;
 THENCE S 76 DEG. 36 MIN. 25 SEC. W A DISTANCE OF 302.22 FEET TO A POINT; SAID POINT BEING N 67 DEG. 46 MIN. 49 SEC. W A DISTANCE OF 441.92 FEET FROM P.R.M. 15-77-B-09.
 THENCE S 22 DEG. 39 MIN. 10 SEC. E A DISTANCE OF 381.57 FEET TO A POINT;
 THENCE S 42 DEG. 45 MIN. 00 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF CLEARWATER PASS; THENCE RETURN ALONG THE SAME COURSES TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 67 DEG. 46 MIN. 49 SEC. W A DISTANCE OF 441.92 FEET FROM P.R.M. 15-77-B-09.
 RECOMMENCE AT P.R.M. 15-99-DA-13A, THENCE N 16 DEG. 34 MIN. 08 SEC. E A DISTANCE OF 868.55 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 13 DEG. 00 MIN. 00 SEC. E TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF CLEARWATER PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 16 DEG. 34 MIN. 08 SEC. E A DISTANCE OF 868.55 FEET FROM P.R.M. 15-99-DA-13A.
 THENCE S 49 DEG. 14 MIN. 18 SEC. W A DISTANCE OF 1040.11 FEET TO A POINT;
 THENCE S 60 DEG. 49 MIN. 54 SEC. W A DISTANCE OF 1351.12 FEET TO A POINT;
 THENCE S 20 DEG. 49 MIN. 30 SEC. W A DISTANCE OF 523.18 FEET TO A POINT; SAID POINT BEING N 79 DEG. 14 MIN. 29 SEC. W A DISTANCE OF 949.38 FEET FROM P.R.M. 15-99-DA-13B.
 THENCE S 21 DEG. 26 MIN. 17 SEC. W A DISTANCE OF 1201.10 FEET TO A POINT;
 THENCE S 36 DEG. 56 MIN. 07 SEC. W A DISTANCE OF 1224.80 FEET TO A POINT;
 THENCE S 28 DEG. 04 MIN. 21 SEC. W A DISTANCE OF 731.00 FEET TO A POINT;
 THENCE S 31 DEG. 07 MIN. 36 SEC. W A DISTANCE OF 421.72 FEET TO A POINT;
 THENCE S 24 DEG. 38 MIN. 10 SEC. W A DISTANCE OF 869.40 FEET TO A POINT;
 THENCE S 24 DEG. 25 MIN. 05 SEC. W A DISTANCE OF 993.65 FEET TO A POINT;
 THENCE S 24 DEG. 59 MIN. 05 SEC. W A DISTANCE OF 1027.08 FEET TO A POINT;
 THENCE S 21 DEG. 48 MIN. 35 SEC. W A DISTANCE OF 1273.13 FEET TO A POINT;
 THENCE S 16 DEG. 03 MIN. 34 SEC. W A DISTANCE OF 2524.52 FEET TO A POINT;
 THENCE S 13 DEG. 21 MIN. 39 SEC. W A DISTANCE OF 1022.68 FEET TO A POINT; SAID POINT BEING N 78 DEG. 08 MIN. 09 SEC. W A DISTANCE OF 249.32 FEET FROM P.R.M. 15-99-DA-15A.
 THENCE S 13 DEG. 19 MIN. 36 SEC. W A DISTANCE OF 1056.96 FEET TO A POINT;
 THENCE S 10 DEG. 47 MIN. 56 SEC. W A DISTANCE OF 999.90 FEET TO A POINT;
 THENCE S 10 DEG. 55 MIN. 31 SEC. W A DISTANCE OF 921.53 FEET TO A POINT; SAID POINT BEING S 88 DEG. 16 MIN. 34 SEC. W A DISTANCE OF 246.90 FEET FROM P.R.M. 15-99-DA-15B.
 THENCE S 12 DEG. 03 MIN. 17 SEC. W A DISTANCE OF 960.46 FEET TO A POINT; SAID POINT BEING N 05 DEG. 35 MIN. 22 SEC. W A DISTANCE OF 825.49 FEET FROM P.R.M. 15-99-DA-15C.
 THENCE S 12 DEG. 11 MIN. 35 SEC. W A DISTANCE OF 2023.54 FEET TO A POINT;
 THENCE S 11 DEG. 40 MIN. 36 SEC. W A DISTANCE OF 1411.53 FEET TO A POINT; SAID POINT BEING N 69 DEG. 55 MIN. 36 SEC. W A DISTANCE OF 286.89 FEET FROM P.R.M. 15-99-DA-15D.
 THENCE S 09 DEG. 14 MIN. 12 SEC. W A DISTANCE OF 710.21 FEET TO A POINT;
 THENCE S 08 DEG. 27 MIN. 38 SEC. W A DISTANCE OF 1061.91 FEET TO A POINT;
 THENCE S 08 DEG. 15 MIN. 27 SEC. W A DISTANCE OF 931.30 FEET TO A POINT; SAID POINT BEING S 57 DEG. 46 MIN. 50 SEC. W A DISTANCE OF 423.67 FEET FROM P.R.M. 15-90-DA-16.
 THENCE S 08 DEG. 42 MIN. 06 SEC. W A DISTANCE OF 931.94 FEET TO A POINT;
 THENCE S 08 DEG. 21 MIN. 39 SEC. W A DISTANCE OF 842.24 FEET TO A POINT; SAID POINT BEING S 84 DEG. 38 MIN. 44 SEC. W A DISTANCE OF 333.75 FEET FROM P.R.M. 15-90-DA-17.
 THENCE S 08 DEG. 04 MIN. 38 SEC. W A DISTANCE OF 1014.67 FEET TO A POINT;
 THENCE S 09 DEG. 32 MIN. 27 SEC. W A DISTANCE OF 992.17 FEET TO A POINT;
 THENCE S 08 DEG. 27 MIN. 57 SEC. W A DISTANCE OF 1015.52 FEET TO A POINT;
 SAID POINT BEING S 63 DEG. 08 MIN. 59 SEC. W A DISTANCE OF 324.33 FEET FROM P.R.M. 15-90-DA-17A.
 THENCE S 02 DEG. 36 MIN. 09 SEC. W A DISTANCE OF 946.98 FEET TO A POINT; SAID POINT BEING N 82 DEG. 56 MIN. 15 SEC. W A DISTANCE OF 220.24 FEET FROM P.R.M. NARROW-D.
 THENCE S 03 DEG. 19 MIN. 45 SEC. E A DISTANCE OF 1009.61 FEET TO A POINT; SAID POINT BEING S 68 DEG. 06 MIN. 54 SEC. W A DISTANCE OF 251.94 FEET FROM P.R.M. 15-90-DA-17B.
 THENCE S 00 DEG. 49 MIN. 38 SEC. E A DISTANCE OF 995.20 FEET TO A POINT;

THENCE S 01 DEG. 44 MIN. 50 SEC. E A DISTANCE OF 1049.49 FEET TO A POINT; SAID POINT BEING N 62 DEG. 40 MIN. 18 SEC. W A DISTANCE OF 266.59 FEET FROM P.R.M. NARROW.
 THENCE S 04 DEG. 20 MIN. 51 SEC. E A DISTANCE OF 1028.96 FEET TO A POINT;
 THENCE S 07 DEG. 16 MIN. 26 SEC. E A DISTANCE OF 1003.07 FEET TO A POINT;
 THENCE S 08 DEG. 09 MIN. 30 SEC. E A DISTANCE OF 1003.51 FEET TO A POINT;
 THENCE S 08 DEG. 33 MIN. 38 SEC. E A DISTANCE OF 1045.29 FEET TO A POINT;
 THENCE S 11 DEG. 01 MIN. 32 SEC. E A DISTANCE OF 1856.26 FEET TO A POINT; SAID POINT BEING S 52 DEG. 27 MIN. 37 SEC. W A DISTANCE OF 252.42 FEET FROM P.R.M. NARROW-F.
 THENCE S 14 DEG. 34 MIN. 49 SEC. E A DISTANCE OF 945.45 FEET TO A POINT;
 THENCE S 15 DEG. 02 MIN. 11 SEC. E A DISTANCE OF 1056.16 FEET TO A POINT;
 THENCE S 16 DEG. 55 MIN. 48 SEC. E A DISTANCE OF 999.31 FEET TO A POINT;
 THENCE S 20 DEG. 48 MIN. 33 SEC. E A DISTANCE OF 954.25 FEET TO A POINT;
 THENCE S 22 DEG. 18 MIN. 56 SEC. E A DISTANCE OF 579.39 FEET TO A POINT;
 THENCE S 23 DEG. 21 MIN. 07 SEC. E A DISTANCE OF 638.28 FEET TO A POINT; SAID POINT BEING N 54 DEG. 37 MIN. 31 SEC. W A DISTANCE OF 276.05 FEET FROM P.R.M. 15-99-DA-17D.
 THENCE S 25 DEG. 58 MIN. 36 SEC. E A DISTANCE OF 2917.78 FEET TO A POINT; SAID POINT BEING S 57 DEG. 21 MIN. 08 SEC. W A DISTANCE OF 320.15 FEET FROM P.R.M. 15-90-DA-18.
 THENCE S 30 DEG. 43 MIN. 26 SEC. E A DISTANCE OF 2293.99 FEET TO A POINT; SAID POINT BEING S 59 DEG. 06 MIN. 15 SEC. W A DISTANCE OF 371.50 FEET FROM P.R.M. 15-90-DA-19A.
 THENCE S 32 DEG. 04 MIN. 54 SEC. E A DISTANCE OF 1195.57 FEET TO A POINT; SAID POINT BEING N 62 DEG. 59 MIN. 52 SEC. W A DISTANCE OF 921.02 FEET FROM P.R.M. REDINGTON-C.
 THENCE S 26 DEG. 52 MIN. 58 SEC. E A DISTANCE OF 1371.18 FEET TO A POINT;
 THENCE S 23 DEG. 30 MIN. 54 SEC. E A DISTANCE OF 1117.83 FEET TO A POINT; SAID POINT BEING S 69 DEG. 17 MIN. 58 SEC. W A DISTANCE OF 380.98 FEET FROM P.R.M. REDINGTON-B.
 THENCE S 31 DEG. 08 MIN. 12 SEC. E A DISTANCE OF 796.79 FEET TO A POINT;
 THENCE S 34 DEG. 49 MIN. 29 SEC. E A DISTANCE OF 896.57 FEET TO A POINT; SAID POINT BEING N 89 DEG. 03 MIN. 45 SEC. W A DISTANCE OF 323.16 FEET FROM P.R.M. REDINGTON-D.
 THENCE S 37 DEG. 39 MIN. 57 SEC. E A DISTANCE OF 792.08 FEET TO A POINT;
 THENCE S 42 DEG. 36 MIN. 45 SEC. E A DISTANCE OF 1035.40 FEET TO A POINT; SAID POINT BEING N 55 DEG. 59 MIN. 59 SEC. W A DISTANCE OF 1174.56 FEET FROM P.R.M. 15-90-DA-19B.
 THENCE S 43 DEG. 45 MIN. 25 SEC. E A DISTANCE OF 2118.28 FEET TO A POINT; SAID POINT BEING N 74 DEG. 46 MIN. 20 SEC. W A DISTANCE OF 661.37 FEET FROM P.R.M. 15-90-DA-20.
 THENCE S 51 DEG. 54 MIN. 09 SEC. E A DISTANCE OF 2053.47 FEET TO A POINT;
 THENCE S 52 DEG. 27 MIN. 24 SEC. E A DISTANCE OF 1939.73 FEET TO A POINT;
 THENCE S 49 DEG. 10 MIN. 09 SEC. E A DISTANCE OF 1001.79 FEET TO A POINT; SAID POINT BEING S 26 DEG. 49 MIN. 28 SEC. W A DISTANCE OF 297.81 FEET FROM P.R.M. 15-99-DA-21B.
 THENCE S 47 DEG. 56 MIN. 17 SEC. E A DISTANCE OF 910.54 FEET TO A POINT;
 THENCE S 49 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 1003.52 FEET TO A POINT; SAID POINT BEING S 37 DEG. 58 MIN. 47 SEC. W A DISTANCE OF 259.77 FEET FROM P.R.M. 15-77-B-08.
 THENCE S 48 DEG. 48 MIN. 00 SEC. E A DISTANCE OF 1141.66 FEET TO A POINT;
 THENCE S 48 DEG. 43 MIN. 25 SEC. E A DISTANCE OF 1012.59 FEET TO A POINT; SAID POINT BEING S 04 DEG. 10 MIN. 26 SEC. E A DISTANCE OF 207.01 FEET FROM P.R.M. 15-90-DA-22.
 THENCE S 48 DEG. 38 MIN. 43 SEC. E A DISTANCE OF 989.83 FEET TO A POINT; SAID POINT BEING N 83 DEG. 14 MIN. 02 SEC. W A DISTANCE OF 343.50 FEET FROM P.R.M. 15-90-DA-23.
 THENCE S 48 DEG. 40 MIN. 58 SEC. E A DISTANCE OF 1354.08 FEET TO A POINT; SAID POINT BEING N 67 DEG. 49 MIN. 25 SEC. W A DISTANCE OF 588.04 FEET FROM P.R.M. 15-90-DA-23A.
 THENCE S 44 DEG. 07 MIN. 13 SEC. E A DISTANCE OF 736.89 FEET TO A POINT;
 THENCE S 43 DEG. 41 MIN. 19 SEC. E A DISTANCE OF 648.59 FEET TO A POINT;
 THENCE S 38 DEG. 39 MIN. 36 SEC. E A DISTANCE OF 448.22 FEET TO A POINT; SAID POINT BEING S 71 DEG. 50 MIN. 18 SEC. W A DISTANCE OF 309.87 FEET FROM P.R.M. 15-90-DA-24.
 THENCE S 36 DEG. 40 MIN. 40 SEC. E A DISTANCE OF 894.00 FEET TO A POINT;
 THENCE S 32 DEG. 15 MIN. 06 SEC. E A DISTANCE OF 1060.64 FEET TO A POINT; SAID POINT BEING S 34 DEG. 42 MIN. 03 SEC. W A DISTANCE OF 468.76 FEET FROM P.R.M. 15-90-DA-25.
 THENCE S 36 DEG. 31 MIN. 19 SEC. E A DISTANCE OF 494.01 FEET TO A POINT; SAID POINT BEING N 26 DEG. 19 MIN. 05 SEC. W A DISTANCE OF 1037.37 FEET FROM P.R.M. MADERIA.
 THENCE S 37 DEG. 00 MIN. 00 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF JOHNS PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 26 DEG. 19 MIN. 05 SEC. W A DISTANCE OF 1037.37 FEET FROM P.R.M. MADERIA.

RECOMMENCE AT P.R.M. MADERIA, THENCE N 78 DEG. 18 MIN. 44 SEC. W A DISTANCE OF 191.89 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 14 DEG. 38 MIN. 00 SEC. W TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF JOHNS PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 78 DEG. 18 MIN. 44 SEC. W A DISTANCE OF 191.88 FEET FROM P.R.M. MADERIA.
 THENCE S 00 DEG. 40 MIN. 55 SEC. W A DISTANCE OF 168.01 FEET TO A POINT;
 THENCE S 24 DEG. 08 MIN. 44 SEC. E A DISTANCE OF 1080.54 FEET TO A POINT; SAID POINT BEING S 89 DEG. 42 MIN. 47 SEC. W A DISTANCE OF 613.23 FEET FROM P.R.M. 15-90-DA-25A.
 THENCE S 24 DEG. 08 MIN. 18 SEC. E A DISTANCE OF 496.41 FEET TO A POINT; SAID POINT BEING N 85 DEG. 42 MIN. 57 SEC. W A DISTANCE OF 646.15 FEET FROM P.R.M. 15-90-DA-25B.
 THENCE S 32 DEG. 39 MIN. 19 SEC. E A DISTANCE OF 214.98 FEET TO A POINT;
 THENCE S 41 DEG. 16 MIN. 40 SEC. E A DISTANCE OF 294.07 FEET TO A POINT;
 THENCE S 51 DEG. 34 MIN. 19 SEC. E A DISTANCE OF 308.91 FEET TO A POINT;
 THENCE S 63 DEG. 55 MIN. 44 SEC. E A DISTANCE OF 259.39 FEET TO A POINT;
 THENCE S 73 DEG. 28 MIN. 56 SEC. E A DISTANCE OF 151.24 FEET TO A POINT;
 THENCE N 22 DEG. 16 MIN. 33 SEC. E A DISTANCE OF 179.39 FEET TO A POINT; SAID POINT BEING S 39 DEG. 25 MIN. 06 SEC. W A DISTANCE OF 391.53 FEET FROM P.R.M. 15-90-DA-25C.
 THENCE S 65 DEG. 14 MIN. 26 SEC. E A DISTANCE OF 255.49 FEET TO A POINT;
 THENCE S 55 DEG. 12 MIN. 21 SEC. E A DISTANCE OF 474.91 FEET TO A POINT; SAID POINT BEING S 76 DEG. 20 MIN. 38 SEC. W A DISTANCE OF 330.99 FEET FROM P.R.M. 15-90-DA-26.
 THENCE S 48 DEG. 18 MIN. 10 SEC. E A DISTANCE OF 1116.96 FEET TO A POINT; SAID POINT BEING N 89 DEG. 26 MIN. 46 SEC. W A DISTANCE OF 313.15 FEET FROM P.R.M. 15-90-DA-27.
 THENCE S 39 DEG. 44 MIN. 50 SEC. E A DISTANCE OF 502.03 FEET TO A POINT;
 THENCE S 40 DEG. 07 MIN. 33 SEC. E A DISTANCE OF 194.72 FEET TO A POINT;
 THENCE S 37 DEG. 33 MIN. 35 SEC. E A DISTANCE OF 194.39 FEET TO A POINT;
 THENCE S 32 DEG. 10 MIN. 43 SEC. E A DISTANCE OF 975.38 FEET TO A POINT; SAID POINT BEING S 07 DEG. 52 MIN. 49 SEC. W A DISTANCE OF 492.94 FEET FROM P.R.M. 15-90-DA-27A.
 THENCE S 25 DEG. 20 MIN. 21 SEC. E A DISTANCE OF 947.61 FEET TO A POINT;
 THENCE N 87 DEG. 20 MIN. 14 SEC. W A DISTANCE OF 43.05 FEET TO A POINT; SAID POINT BEING N 77 DEG. 55 MIN. 14 SEC. W A DISTANCE OF 173.46 FEET FROM P.R.M. RAINEY-J.
 THENCE S 23 DEG. 23 MIN. 38 SEC. E A DISTANCE OF 501.20 FEET TO A POINT;
 THENCE S 19 DEG. 41 MIN. 05 SEC. E A DISTANCE OF 623.43 FEET TO A POINT; SAID POINT BEING S 59 DEG. 59 MIN. 29 SEC. W A DISTANCE OF 195.50 FEET FROM P.R.M. RAINEY-K.
 THENCE S 14 DEG. 07 MIN. 33 SEC. E A DISTANCE OF 133.54 FEET TO A POINT;
 THENCE S 16 DEG. 23 MIN. 10 SEC. E A DISTANCE OF 497.72 FEET TO A POINT; SAID POINT BEING S 64 DEG. 43 MIN. 26 SEC. W A DISTANCE OF 133.42 FEET FROM P.R.M. PBE 144 68.
 THENCE S 12 DEG. 14 MIN. 33 SEC. E A DISTANCE OF 542.33 FEET TO A POINT; SAID POINT BEING N 28 DEG. 53 MIN. 02 SEC. W A DISTANCE OF 570.04 FEET FROM P.R.M. BLIND-D.
 THENCE S 17 DEG. 16 MIN. 36 SEC. E A DISTANCE OF 1075.16 FEET TO A POINT;
 THENCE S 14 DEG. 56 MIN. 53 SEC. E A DISTANCE OF 1134.75 FEET TO A POINT; SAID POINT BEING S 09 DEG. 04 MIN. 32 SEC. W A DISTANCE OF 403.63 FEET FROM P.R.M. 15-90-DA-27B.
 THENCE S 19 DEG. 50 MIN. 03 SEC. E A DISTANCE OF 1839.10 FEET TO A POINT; SAID POINT BEING S 03 DEG. 24 MIN. 54 SEC. W A DISTANCE OF 339.84 FEET FROM P.R.M. 15-90-DA-28.
 THENCE S 24 DEG. 43 MIN. 36 SEC. E A DISTANCE OF 1728.47 FEET TO A POINT; SAID POINT BEING S 20 DEG. 17 MIN. 24 SEC. W A DISTANCE OF 170.76 FEET FROM P.R.M. 15-90-DA-29.
 THENCE S 36 DEG. 14 MIN. 56 SEC. E A DISTANCE OF 948.64 FEET TO A POINT;
 THENCE S 42 DEG. 49 MIN. 13 SEC. E A DISTANCE OF 685.69 FEET TO A POINT; SAID POINT BEING N 30 DEG. 09 MIN. 42 SEC. W A DISTANCE OF 865.19 FEET FROM P.R.M. COE BLIND PASS.
 THENCE S 34 DEG. 46 MIN. 42 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF BLIND PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 30 DEG. 09 MIN. 42 SEC. W A DISTANCE OF 865.19 FEET FROM P.R.M. COE BLIND PASS.
 RECOMMENCE AT P.R.M. COE BLIND PASS, THENCE S 51 DEG. 23 MIN. 35 SEC. E A DISTANCE OF 605.70 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 43 DEG. 10 MIN. 23 SEC. W TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF BLIND PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 51 DEG. 23 MIN. 35 SEC. E A DISTANCE OF 605.70 FEET FROM P.R.M. COE BLIND PASS.
 THENCE S 43 DEG. 10 MIN. 23 SEC. E A DISTANCE OF 887.16 FEET TO A POINT;
 THENCE S 45 DEG. 23 MIN. 22 SEC. E A DISTANCE OF 1040.89 FEET TO A POINT;

THENCE S 45 DEG. 48 MIN. 25 SEC. E A DISTANCE OF 803.35 FEET TO A POINT; SAID POINT BEING S 56 DEG. 26 MIN. 59 SEC. W A DISTANCE OF 754.49 FEET FROM P.R.M. PBE 133.
 THENCE S 35 DEG. 16 MIN. 08 SEC. E A DISTANCE OF 966.38 FEET TO A POINT; SAID POINT BEING S 75 DEG. 19 MIN. 20 SEC. W A DISTANCE OF 762.85 FEET FROM P.R.M. BLIND-P.
 THENCE S 30 DEG. 41 MIN. 09 SEC. E A DISTANCE OF 1095.36 FEET TO A POINT; SAID POINT BEING N 59 DEG. 33 MIN. 03 SEC. W A DISTANCE OF 1028.50 FEET FROM P.R.M. 15-77-B-04.
 THENCE S 24 DEG. 45 MIN. 42 SEC. E A DISTANCE OF 2046.11 FEET TO A POINT; SAID POINT BEING S 66 DEG. 53 MIN. 50 SEC. W A DISTANCE OF 445.94 FEET FROM P.R.M. NOAA D.
 THENCE S 18 DEG. 36 MIN. 57 SEC. E A DISTANCE OF 1076.66 FEET TO A POINT;
 THENCE S 15 DEG. 58 MIN. 55 SEC. E A DISTANCE OF 1039.87 FEET TO A POINT;
 THENCE S 13 DEG. 38 MIN. 48 SEC. E A DISTANCE OF 1034.20 FEET TO A POINT; SAID POINT BEING N 41 DEG. 47 MIN. 33 SEC. W A DISTANCE OF 581.09 FEET FROM P.R.M. 15-99 DA-31.
 THENCE S 11 DEG. 55 MIN. 49 SEC. E A DISTANCE OF 996.52 FEET TO A POINT;
 THENCE S 07 DEG. 59 MIN. 08 SEC. E A DISTANCE OF 1007.77 FEET TO A POINT; SAID POINT BEING N 24 DEG. 55 MIN. 59 SEC. W A DISTANCE OF 370.64 FEET FROM P.R.M. NOAA.
 THENCE S 06 DEG. 01 MIN. 04 SEC. E A DISTANCE OF 1039.73 FEET TO A POINT; SAID POINT BEING S 86 DEG. 56 MIN. 24 SEC. W A DISTANCE OF 440.54 FEET FROM P.R.M. 15-99-DA-31A.
 THENCE S 03 DEG. 19 MIN. 04 SEC. E A DISTANCE OF 1036.74 FEET TO A POINT;
 THENCE S 01 DEG. 01 MIN. 42 SEC. E A DISTANCE OF 1003.16 FEET TO A POINT; SAID POINT BEING N 53 DEG. 50 MIN. 07 SEC. W A DISTANCE OF 503.73 FEET FROM P.R.M. 15-90-DA-32.
 THENCE S 00 DEG. 15 MIN. 20 SEC. E A DISTANCE OF 1020.52 FEET TO A POINT;
 THENCE S 03 DEG. 41 MIN. 06 SEC. W A DISTANCE OF 3789.33 FEET TO A POINT; SAID POINT BEING S 06 DEG. 42 MIN. 31 SEC. E A DISTANCE OF 578.47 FEET FROM P.R.M. NOAA-A.
 THENCE S 02 DEG. 00 MIN. 59 SEC. E A DISTANCE OF 1615.50 FEET TO A POINT; SAID POINT BEING S 03 DEG. 45 MIN. 06 SEC. E A DISTANCE OF 5.06 FEET FROM P.R.M. NOS 6430 J 1988.
 THENCE S 02 DEG. 00 MIN. 59 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTHERN SHORE OF PASS-A-GRILLE CHANNEL; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 03 DEG. 45 MIN.
 RECOMMENCE AT P.R.M. R170 PNLS 1974, THENCE N 68 DEG. 46 MIN. 13 SEC. E A DISTANCE OF 2327.41 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 11 DEG. 17 MIN. 25 SEC. E TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN SHORE OF BUNCES PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 68 DEG. 46 MIN. 13 SEC. E A DISTANCE OF 2327.41 FEET FROM P.R.M. R170 PNLS 1974.
 THENCE S 16 DEG. 08 MIN. 36 SEC. W A DISTANCE OF 1036.48 FEET TO A POINT;
 THENCE S 14 DEG. 26 MIN. 12 SEC. W A DISTANCE OF 619.62 FEET TO A POINT;
 THENCE S 70 DEG. 44 MIN. 02 SEC. W A DISTANCE OF 566.74 FEET TO A POINT;
 THENCE S 23 DEG. 22 MIN. 06 SEC. E A DISTANCE OF 739.95 FEET TO A POINT; SAID POINT BEING N 65 DEG. 00 MIN. 00 SEC. E A DISTANCE OF 410.00 FEET FROM P.R.M. R172 PNLS 1990.
 THENCE S 16 DEG. 33 MIN. 13 SEC. E A DISTANCE OF 608.99 FEET TO A POINT;
 THENCE S 03 DEG. 23 MIN. 06 SEC. E A DISTANCE OF 831.97 FEET TO A POINT;
 THENCE S 05 DEG. 51 MIN. 59 SEC. W A DISTANCE OF 1007.45 FEET TO A POINT; SAID POINT BEING N 85 DEG. 00 MIN. 00 SEC. E A DISTANCE OF 130.00 FEET FROM P.R.M. T174 PNLS 1977.
 THENCE S 06 DEG. 22 MIN. 44 SEC. W A DISTANCE OF 1068.28 FEET TO A POINT;
 THENCE S 01 DEG. 44 MIN. 54 SEC. W A DISTANCE OF 1013.78 FEET TO A POINT;
 THENCE S 01 DEG. 16 MIN. 36 SEC. E A DISTANCE OF 1027.75 FEET TO A POINT; SAID POINT BEING N 77 DEG. 13 MIN. 35 SEC. W A DISTANCE OF 23.74 FEET FROM P.R.M. T177 PNLS 1977.
 THENCE S 07 DEG. 24 MIN. 14 SEC. W A DISTANCE OF 993.28 FEET TO A POINT;
 THENCE S 42 DEG. 09 MIN. 08 SEC. E A DISTANCE OF 1037.55 FEET TO A POINT;
 THENCE S 78 DEG. 06 MIN. 46 SEC. E A DISTANCE OF 423.20 FEET TO A POINT;
 THENCE N 55 DEG. 36 MIN. 33 SEC. E A DISTANCE OF 811.86 FEET TO A POINT;
 THENCE N 60 DEG. 27 MIN. 43 SEC. E A DISTANCE OF 1077.90 FEET TO A POINT;
 THENCE N 61 DEG. 06 MIN. 45 SEC. E A DISTANCE OF 943.54 FEET TO A POINT;
 THENCE N 69 DEG. 34 MIN. 48 SEC. E A DISTANCE OF 1106.49 FEET TO A POINT;
 THENCE N 62 DEG. 48 MIN. 13 SEC. E A DISTANCE OF 942.77 FEET TO A POINT;
 THENCE N 62 DEG. 38 MIN. 22 SEC. E A DISTANCE OF 985.06 FEET TO A POINT; SAID POINT BEING S 80 DEG. 51 MIN. 05 SEC. W A DISTANCE OF 520.44 FEET FROM P.R.M. 15-90-DA-30.
 THENCE N 62 DEG. 07 MIN. 42 SEC. E A DISTANCE OF 1206.85 FEET TO A POINT; SAID POINT BEING N 34 DEG. 11 MIN. 57 SEC. E A DISTANCE OF 589.49 FEET FROM P.R.M. DESOTO 1973.
 THENCE N 62 DEG. 25 MIN. 10 SEC. E A DISTANCE OF 996.75 FEET TO A POINT;

THENCE N 66 DEG. 29 MIN. 17 SEC. E A DISTANCE OF 992.41 FEET TO A POINT;
THENCE N 60 DEG. 09 MIN. 37 SEC. E A DISTANCE OF 855.64 FEET TO A POINT; SAID POINT BEING N 71 DEG. 52 MIN. 35 SEC. W A DISTANCE OF 165.70 FEET FROM P.R.M. 15-90-B01-2.
THENCE N 53 DEG. 04 MIN. 23 SEC. E A DISTANCE OF 686.16 FEET TO A POINT;
THENCE N 29 DEG. 43 MIN. 08 SEC. E A DISTANCE OF 800.27 FEET TO A POINT;
THENCE N 23 DEG. 47 MIN. 42 SEC. E A DISTANCE OF 2362.79 FEET TO A POINT; SAID POINT BEING N 47 DEG. 13 MIN. 03 SEC. W A DISTANCE OF 198.20 FEET FROM P.R.M. DESOTO-B.
THENCE N 23 DEG. 47 MIN. 41 SEC. E; TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF TAMPA BAY, SAID POINT BEING THE SOUTHERN TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR PINELLAS COUNTY.

62B-26.012 Description of the Dade County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Dade County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect 20 days after filing with the Florida Department of State or on the date that it is duly recorded in the public records in the office of the Clerk of the Circuit Court, in and for Dade County, Florida, together with each affected municipality, whichever is later.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 2-9-82, Formerly 16B-26.12, 16B-26.012.

**METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE DADE COUNTY, FLORIDA**

Description of the Coastal Construction Control Line (CCCL) is established in compliance with Section 161.053 of the Florida Statutes. Said Control Line lying along the Atlantic Coast from the Dade and Broward County Line south to the Mean High Water Line of Biscayne Bay.

Said Coastal Construction Control Line is related to a series of "Permanent Reference Monuments" (P.R.M.) designated and hereinafter referred to as "87-78-A-01" through "87-78-A-20" for monuments established by the Department of Environmental Protection, State of Florida or referred to by station name for monuments established by the National Geodetic Survey (N.G.S.).

Commence at P. R. M. SPHERE (NGS) thence S 26 deg. 57 min. 54.1 sec. E (GN) a distance of 2028.93 feet to the point of beginning;

Thence N 2 deg. 06 min. 29.3 sec. E (GN) to the Dade and Broward County Line;

Thence return along same course to the point of beginning;

Thence S 2 deg. 06 min. 29.3 sec. W (GN) a distance of 1034.50 feet; Thence S 2 deg. 10 min. 24.1 sec. W (GN) a distance of 1104.45 feet to a point on the CCCL, said point being S 12 deg. 20 min. 49.7 sec. E (GN) a distance of 417.02 feet from P. R. M. 87-78-A-01 (DNR);

Thence S 1 deg. 49 min. 40.4 sec. W (GN) a distance of 1068.36 feet; Thence S 2 deg. 07 min. 44.0 sec. W (GN) a distance of 1077.45 feet; Thence S 1 deg. 22 min. 38.9 sec. W (GN) a distance of 1018.50 feet; Thence S 1 deg. 15 min. 47.9 sec. E (GN) a distance of 1199.00 feet; Thence S 1 deg. 55 min. 13.8 sec. W (GN) a distance of 910.92 feet to a point on the CCCL, said point being S 59 deg. 53 min. 10.8 sec. E (GN) a distance of 292.92 feet from P. R. M. 87-78-A-02 (DNR);

Thence S 4 deg. 10 min. 59.9 sec. W (GN) a distance of 789.33 feet; Thence S 1 deg. 36 min. 26.0 sec. W (GN) a distance of 1493.85 feet; Thence S 2 deg. 42 min. 58.9 sec. W (GN) a distance of 1061.11 feet to a point on the CCCL, said point being S 80 deg. 26. min. 35.8 sec. E (GN) a distance of 361.32 feet from P. R. M. 87-78-A-03 (DNR);

Thence S 2 deg. 26 min. 30.3 sec. W (GN) a distance of 1090.49 feet; Thence S 2 deg. 59 min. 24.5 sec. W (GN) a distance of 1021.92 feet; Thence S 6 deg. 04 min. 46.9 sec. W (GN) a distance of 1117.56 feet; Thence S 6 deg. 01 min. 31.0 sec. W (GN) a distance of 909.08 feet; Thence S 2 deg. 27 min. 28.0 sec. W (GN) a distance of 1106.59 feet to a point on the CCCL, said point being N 47 deg. 03 min. 56.5 sec. E (GN) a distance of 120.46 feet from P. R. M. NEWPORT (NGS);

Thence S 4 deg. 35 min. 09.4 sec. W (GN) a distance of 1141.72 feet; Thence S 2 deg. 16 min. 33.5 sec. W (GN) a distance of 1044.48 feet; Thence S 1 deg. 26 min. 38.1 sec. W (GN) a distance of 1114.38 feet; Thence S 1 deg. 26 min. 38.1 sec. W (GN) a distance of 309.00 feet; Thence N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 129.00 feet to a point on the CCCL, said point being N 87 deg. 46 min. 00.8 sec. E (GN) a distance of 45.43 feet from P. R. M. 87-78-A-04 (DNR);

Thence S 0 deg. 59 min. 13.2 sec. W (GN) a distance of 785.53 feet; Thence S 0 deg. 48 min. 03.3 sec. W (GN) a distance of 1002.14 feet; Thence S 1 deg. 21 min. 09.8 sec. W (GN) a distance of 989.45 feet; Thence S 0 deg. 09 min. 22.1 sec. W (GN) a distance of 983.41 feet to a point on the CCCL, said point being N 10 deg. 31 min. 17.6 sec. E (GN) a distance of 517.54 feet from P. R. M. 87-78-A-05 (DNR);

Thence S 0 deg. 06 min. 23.9 sec. E (GN) a distance of 1001.61 feet; Thence S 0 deg. 06 min. 23.9 sec. E (GN) a distance of 526.00 feet; Thence S 7 deg. 34 min. 23.1 sec. W (GN) a distance of 452.01 feet; Thence S 7 deg. 41 min. 00.6 sec. W (GN) a distance of 1077.58 feet to a point on the CCCL, said point being N 7 deg. 49 min. 01.0 sec. E (GN) a distance of 1345.06 feet from P. R. M. HARBOUR (NGS);

Thence S 7 deg. 41 min. 00.6 sec. W (GN) to the Mean High Water Line of Bakers Haulover Cut.

Recommence at P. R. M. HARBOUR (NGS) thence N 40 deg. 40 min. 35.7 sec. E (GN) a distance of 254.97 feet to a point on the CCCL;

Thence N 4 deg. 51 min. 00.3 sec. W (GN) to the Mean High Water Line of Bakers Haulover Cut; Thence return along the same course to said point on the CCCL;

Thence S 4 deg. 51 min. 00.3 sec. E (GN) a distance of 1024.56 feet; Thence S 4 deg. 40 min. 47.3 sec. E (GN) a distance of 1014.06 feet; Thence S 5 deg. 08 min. 23.1 sec. E (GN) a distance of 972.34 feet; Thence S 4 deg. 53 min. 26.13 sec. E (GN) a distance of 1155.01 feet to a point on the CCCL, said point being N 39 deg. 15 min. 05.1 sec. W (GN) a distance of 391.11 feet from P. R. M. 87-78-A-06 (DNR);

Thence S 2 deg. 54 min. 30.5 sec. E (GN) a distance of 1014.37 feet; Thence S 4 deg. 19 min. 20.9 sec. E (GN) a distance of 971.64 feet; Thence S 4 deg. 31 min. 00.3 sec. E (GN) a distance of 1012.78 feet; Thence S 5 deg. 50 min. 48.6 sec. E (GN) a distance of 1235.60 feet; Thence S 8 deg. 09 min. 21.7 sec. E (GN) a distance of 1142.94 feet to a point on the CCCL, said point being N 45 deg. 28 min. 02.0 sec. E (GN) a distance of 714.68 feet from P. R. M. 87-78-A-07 (DNR);

Thence S 2 deg. 38 min. 37.5 sec. E (GN) a distance of 1050.59 feet; Thence S 2 deg. 31 min. 45.2 sec. E (GN) a distance of 1094.90 feet; Thence S 2 deg. 15 min. 36.6 sec. E (GN) a distance of 1145.21 feet; Thence S 3 deg. 01 min. 03.9 sec. E (GN) a distance of 1110.10 feet to a point on the CCCL, said point being N 67 deg. 20 min. 10.7 sec. E (GN) a distance of 614.74 feet from P. R. M. 87-78-A-08 (DNR);

Thence S 3 deg. 31 min. 25.2 sec. E (GN) a distance of 1006.6 feet; Thence S 3 deg. 29 min. 36.8 sec. E (GN) a distance of 1133.44 feet to a point on the CCCL, said point being N 77 deg. 13 min. 59.8 sec. E (GN) a distance of 789.34 feet from P. R. M. 87-78-A-09 (DNR);

Thence S 3 deg. 09 min. 24.7 sec. E (GN) a distance of 1113.90 feet; Thence S 2 deg. 19 min. 09.3 sec. E (GN) a distance of 893.92 feet; Thence S 0 deg. 44 min. 28.8 sec. W (GN) a distance of 992.26 feet; Thence S 1 deg. 23 min. 52.4 sec. W (GN) a distance of 876.90 feet; Thence S 10 deg. 08 min. 22.3 sec. W (GN) a distance of 1033.31 feet; Thence S 0 deg. 01 min. 51.2 sec. E (GN) a distance of 2043.30 feet to a point on the CCCL, said point being S 38 deg. 23 min. 51.2 sec. E (GN) a distance of 472.55 feet from P. R. M. FIFTY (NGS);

Thence S 3 deg. 21 min. 02.9 sec. E (GN) a distance of 961.34 feet; Thence S 6 deg. 01 min. 12.1 sec. W (GN) a distance of 971.88 feet; Thence S 2 deg. 07 min. 15.5 sec. W (GN) a distance of 1151.88 feet; Thence S 5 deg. 04 min. 39.1 sec. W (GN) a distance of 1151.19 feet; Thence S 5 deg. 40 min. 06.1 sec. W (GN) a distance of 1224.10 feet to a point on the CCCL, said point being N 85 deg. 08 min. 54.4 sec. E (GN) a distance of 355.75 feet from P. R. M. 87-78-A-10 (DNR);

Thence S 1 deg. 47 min. 05.2 sec. W (GN) a distance of 1082.06 feet; Thence S 7 deg. 16 min. 17.5 sec. W (GN) a distance of 1097.22 feet; Thence S 9 deg. 51 min. 51.2 sec. W (GN) a distance of 1059.08 feet to a point on the CCCL, said point being S 50 deg. 00 min. 32.1 sec. E (GN) a distance of 581.56 feet from P. R. M. 87-78-A-11 (DNR);

Thence S 8 deg. 04 min. 13.0 sec. W (GN) a distance of 980.02 feet; Thence S 5 deg. 08 min. 13.7 sec. W (GN) a distance of 1016.32 feet; Thence S 18 deg. 29 min. 53.2 sec. W (GN) a distance of 909.56 feet; Thence S 19 deg. 44 min. 27.3 sec. W (GN) a distance of 953.94 feet; Thence S 20 deg. 42 min. 54.9 sec. W (GN) a distance of 903.94 feet; Thence S 20 deg. 23 min. 13.9 sec. W (GN) a distance of 993.61 feet to a point on the CCCL, said point being N 71 deg. 57 min. 48.8 sec. W (GN) a distance of 251.12 feet from P. R. M. 87-78-A-12 (DNR);

Thence S 15 deg. 15 min. 07.9 sec. W (GN) a distance of 783.47 feet; Thence S 10 deg. 22 min. 48.8 sec. W (GN) a distance of 1081.16 feet; Thence S 9 deg. 56 min. 33.5 sec. W (GN) a distance of 1174.84 feet; Thence S 9 deg. 45 min. 05.4 sec. W (GN) a distance of 938.90 feet; Thence S 9 deg. 43 min. 58.2 sec. W (GN) a distance 1017.41 feet; Thence S 9 deg. 41 min. 18.5 sec. W (GN) a distance of 1083.50 feet to a point on the CCCL, said point being S 61 deg. 25 min. 08.3 sec. W (GN) a distance of 441.68 feet from P. R. M. 87-78-A-13 (DNR);

Thence S 10 deg. 57 min. 25.9 sec. W (GN) a distance of 1168.23 feet; Thence S 10 deg. 57 min. 31.3 sec. W (GN) a distance of 1068.93 feet; Thence S 80 deg. 00 min. 00.0 sec. E (GN) a distance of 163.00 feet; Thence S 10 deg. 55 min. 43.3 sec. W (GN) a distance of 997.39 feet; Thence S 10 deg. 56 min. 34.0 sec. W (GN) a distance of 1106.35 feet; Thence S 10 deg. 23 min. 21.7 sec. W (GN) a distance of 1045.47 feet to a point on the CCCL, said point being N 39 deg. 19 min. 05.7 sec. E (GN) a distance of 219.85 feet from P. R. M. DINO RM # 1 (NGS);

Thence S 10 deg. 23 min. 21.7 sec. W (GN) to the Mean High Water Line of U. S. Government Cut.

Recommence at P. R. M. DINO RM # 1 (NGS) thence S 15 deg. 36 min. 48.8 sec. W (GN) a distance of 1125.70 feet to a point on the CCCL;

Thence N 38 deg. 07 min. 11.6 sec. E (GN) to the Mean High Water Line of U. S. Government Cut;

Thence return along the same course to said point on the CCCL;

Thence S 38 deg. 07 min. 11.6 sec. W (GN) a distance of 1000.16 feet; Thence S 24 deg. 40 min. 30.0 sec. W (GN) a distance of 1037.03 feet; Thence S 45 deg. 51 min. 37.1 sec. W (GN) a distance of 689.60 feet to a point on the CCCL, said point being N 19 deg. 34 min. 08.3 sec. E (GN) a distance of 2787.26 feet from P. R. M. 86-78-A-14 (DNR);

Thence S 45 deg. 51 min. 37.1 sec. W (GN) to the Mean High Water Line of Norris Cut.
 Recommence at P. R. M. 87-78-A-14 (DNR) thence S 78 Deg. 32 min. 28.1 sec. W (GN) a distance of 288.64 feet to a point on the CCCL;
 Thence N 4 deg. 48 min. 11.6 sec. E (GN) to the Mean High Water Line of Norris Cut;
 Thence return along the same course to said point on the CCCL;
 Thence S 4 deg. 48 min. 11.6 sec. W (GN) a distance of 965.28 feet; Thence S 22 deg. 41 min. 55.9 sec. W (GN) a distance of 810.52 feet to a point on the CCCL, said point being N 14 deg. 18 min. 48.1 sec. W (GN) a distance of 625.63 feet from P. R. M. 87-78-A-15 (DNR);
 Thence S 24 deg. 32 min. 54.7 sec. W (GN) a distance of 974.16 feet; Thence S 41 deg. 41 min. 32.0 sec. W (GN) a distance of 843.66 feet; Thence S 53 deg. 10 min. 15.5 sec. W (GN) a distance of 938.24 feet; Thence S 62 deg. 45 min. 58.1 sec. W (GN) a distance of 947.08 feet; Thence S 62 deg. 29 min. 19.8 sec. W (GN) a distance of 1019.97 feet; Thence S 54 deg. 59 min. 31.3 sec. W (GN) a distance of 1108.36 feet to a point on the CCCL, said point being N 82 deg. 56 min. 40.7 sec. W (GN) a distance of 517.71 feet from P. R. M. 87-78-A-16 (DNR);
 Thence S 62 deg. 43 min. 19.9 sec. W (GN) a distance of 1322.46 feet to a point on the CCCL, said point being N 58 deg. 23 min. 27.3 sec. W (GN) a distance of 3105.64 feet from P. R. M. 87-78-A-17 (DNR);
 Thence S 41 deg. 30 min. 00.0 sec. E (GN) to the Mean High Water Line of Bear Cut.
 Recommence at P. R. M. 87-78-A-17 (DNR) thence S 57 deg. 08 min. 00.7 sec. W (GN) a distance of 923.73 feet to a point on the CCCL;
 Thence N 41 deg. 15 min. 00.0 sec. W (GN) to the Mean High Water Line of Bear Cut;
 Thence return along same course to said point on the CCCL;
 Thence N 78 deg. 39 min. 48.1 sec. E (GN) a distance of 994.28 feet; Thence S 61 deg. 59 min. 04.1 sec. E (GN) a distance of 1538.46 feet; Thence S 7 deg. 15 min. 58.0 sec. E (GN) a distance of 1117.33 feet; Thence S 9 deg. 25 min. 12.4 sec. W (GN) a distance of 929.65 feet; Thence S 16 deg. 20 min. 30.4 sec. W (GN) a distance of 1040.06 feet; Thence S 26 deg. 15 min. 09.0 sec. W (GN) a distance of 1042.09 feet to a point on the CCCL, said point being S 66 deg. 24 min. 29.7 sec. E (GN) a distance of 2522.69 feet from P. R. M. KEY BISCAYNE NORTH BASE (NGS);
 Thence S 17 deg. 28 min. 10.4 sec. W (GN) a distance of 1090.31 feet to a point of the CCCL, said point being S 3 deg. 14 min. 54.1 sec. W (GN) a distance of 394.77 feet from P. R. M. 87-78-A-18 (DNR);
 Thence S 18 deg. 08 min. 27.6 sec. W (GN) a distance of 995.58 feet; Thence S 18 deg. 51 min. 29.6 sec. W (GN) a distance of 1005.86 feet; Thence S 24 deg. 14 min. 54.0 sec. W (GN) a distance of 1052.39 feet; Thence S 14 deg. 13 min. 13.5 sec. W (GN) a distance of 1009.16 feet; Thence S 13 deg. 47 min. 29.9 sec. W (GN) a distance of 1121.77 feet; Thence S 4 deg. 28 min. 05.6 sec. W (GN) a distance of 963.57 feet to a point on the CCCL, said point being S 86 deg. 54 min. 45.8 sec. W (GN) a distance of 311.17 feet from P. R. M. 87-78-A-19 (DNR);
 Thence S 0 deg. 40 min. 42.2 sec. W (GN) a distance of 970.47 feet; Thence S 1 deg. 26 min. 38.9 sec. E (GN) a distance of 994.81 feet; Thence S 3 deg. 29 min. 20.6 sec. E (GN) a distance of 986.77 feet; Thence S 10 deg. 18 min. 57.6 sec. E (GN) a distance of 957.82 feet; Thence S 13 deg. 28 min. 24.9 sec. E (GN) a distance of 1018.23 feet; Thence S 6 deg. 23 min. 53.9 sec. E (GN) a distance of 984.35 feet to a point on the CCCL, said point being S 72 deg. 15 min. 12.2 sec. W (GN) a distance of 269.58 feet from P. R. M. 87-78-A-20 (DNR);
 Thence S 7 deg. 13 min. 59.9 sec. E (GN) a distance of 1025.95 feet; Thence S 18 deg. 08 min. 23.8 sec. E (GN) a distance of 1136.40 feet; Thence S 1 deg. 33 min. 30.1 sec. E (GN) a distance of 977.88 feet; Thence S 32 deg. 22 min. 05.1 sec. W (GN) a distance of 1015.90 feet to a point on the CCCL, said point being N 20 deg. 17 min. 07.3 sec. E (GN) a distance of 1062.59 feet from P. R. M. CAPE (NGS);
 Thence S 32 deg. 22 min. 05.1 sec. W (GN) to the Mean High Water Line of Biscayne Bay and the point of terminus.

62B-26.013 Description of the Broward County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Broward County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect 20 days after filing with the Florida Department of State or on the date that it is duly recorded in the public records in the office of the Clerk of the Circuit Court, in and for Broward County, Florida, together with each affected municipality, whichever is later.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 11-17-81, Formerly 16B-26.13, 16B-26.013.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE BROWARD COUNTY, FLORIDA

Description of the Coastal Construction Control Line (CCCL) is established in compliance with Section 161.053 of the Florida Statutes. Said Control Line lying along the Atlantic coast from the Broward and Palm Beach County Line south to the Broward and Dade County Line.

Said Coastal Construction Control Line is related to a series of "Permanent Reference Monuments" (P.R.M.) designated and hereinafter referred to as "R-1" through "R-128" for monuments established by the Department of Environmental Protection, State of Florida or referred to by station name for monuments established by the National Geodetic Survey (NGS). In the case where an original monument or monuments established by the Department of Environmental Protection have been lost or destroyed and replaced at a later date with a new monument, there will be a "T" instead of an "R" designation.

Commence at P. R. M. N.G.S. Station Cloister, 1929;

Thence S 7 deg. 24 min. 47.0 sec. W (GN) a distance of 16352.62 feet to P. R. M. R-1;

Thence N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 70.00 feet to a point on the CCCL for the point of beginning;

Thence N 4 deg. 43 min. 46.9 sec. E (GN) to the Broward and Palm Beach County Line;

Thence return along same course to the point of beginning;

Thence S 4 deg. 43 min. 46.9 sec. W (Gn) a distance of 951.01 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 110.00 feet from P. R. M. R-2;

Thence S 4 deg. 29 min. 44.9 sec. W (GN) a distance of 1016.87 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 131.00 feet from P. R. M. R-3;

Thence S 3 deg. 50 min. 50.0 sec. W (GN) a distance of 1018.64 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 150.00 feet from P. R. M. R-4;

Thence S 1 deg. 48 min. 11.4 sec. W (GN) a distance of 899.51 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 159.00 feet from P. R. M. R-5;

Thence S 5 deg. 28 min. 24.2 sec. W (GN) a distance of 1044.65 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 96.00 feet from P. R. M. R-6;

Thence S 4 deg. 08 min. 38.5 sec. W (GN) a distance of 1063.86 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 110.00 feet from P. R. M. R-7;

Thence S 6 deg. 26 min. 55.3 sec. W (GN) a distance of 883.52 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 130.00 feet from P. R. M. R-8;

Thence S 8 deg. 14 min. 15.0 sec. W (GN) a distance of 1047.11 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 80.00 feet from P. R. M. R-9;

Thence S 4 deg. 47 min. 56.1 sec. W (GN) a distance of 1010.62 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 95.00 feet from P. R. M. R-10;

Thence S 3 deg. 28 min. 23.7 sec. W (GN) a distance of 1000.14 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 65.00 feet from P. R. M. R-11;

Thence S 4 deg. 22 min. 33.0 sec. W (GN) a distance of 992.59 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 150.00 feet from P. R. M. R-12;

Thence S 5 deg. 30 min. 56.2 sec. W (GN) a distance of 1005.70 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 150.00 feet from P. R. M. R-13;

Thence S 2 deg. 48 min. 33.9 sec. W (GN) a distance of 1015.65 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 150.00 feet from P. R. M. R-14;

Thence S 3 deg. 01 min. 53.1 sec. W (GN) a distance of 973.19 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-15;

Thence S 4 deg. 14 min. 15.5 sec. W (GN) a distance of 1013.49 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-16;

Thence S 4 deg. 29 min. 47.9 sec. W (GN) a distance of 980.20 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-17;

Thence S 2 deg. 17 min. 37.8 sec. W (GN) a distance of 1006.86 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-18;

Thence S 3 deg. 14 min. 48.7 sec. W (GN) a distance of 1015.76 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-19;

Thence S 2 deg. 05 min. 01.4 sec. W (GN) a distance of 1012.27 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 90.00 feet from P. R. M. R-20;

Thence S 2 deg. 36 min. 13.1 sec. W (GN) a distance of 985.48 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 70.00 feet from P. R. M. T-21;

Thence S 2 deg. 46 min. 03.5 sec. W (GN) a distance of 1378.88 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 45.00 feet from P. R. M. T-22;

Thence S 5 deg. 22 min. 50.6 sec. W (GN) a distance of 657.68 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 80.00 feet from P. R. M. R-23 and being N 1 deg. 04 min. 36.4 sec. E (GN) a distance of 561.27 feet from P. R. M. N.G.S Hillsboro Lighthouse Eccentric, 1934;

Thence S 5 deg. 52 min. 23.2 sec. W (GN) a distance of 594.97 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-24;

Thence S 70 deg. 00 min. 00.0 sec. W (GN) to the Mean High Water Line of Hillsboro Inlet.

Recommence at P. R. M. T-26, said P. R. M. T-26 being S 41 deg. 25 min. 29.1 sec. W (GN) a distance of 1506.83 feet from P. R. M. R-24;
 Thence N 70 deg. 00 min. 00.0 sec. W (GN) a distance of 290.00 to a point on the CCCL;
 Thence N 32 deg. 54 min. 53.1 sec. E (GN) to the Mean High Water Line of Hillsboro Inlet; Thence return along the same course to said point on the CCCL;
 Thence S 12 deg. 03 min. 53.7 sec. W (GN) a distance of 1022.33 feet to a point on the CCCL, said point being N 70 deg. 00 min. 00.0 sec. W (GN) a distance of 232.00 feet from P. R. M. R-27;
 Thence S 5 deg. 29 min. 59.8 sec. W (GN) a distance of 1104.69 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 90.00 feet from P. R. M. R-28;
 Thence S 12 deg. 51 min. 11.3 sec. W (GN) a distance of 841.01 feet to a point on the CCCL, said point being N 75 deg. 00 min. 00.0 sec. W (GN) a distance of 101.00 feet from P. R. M. R-29.
 Thence S 13 deg. 12 min. 16.0 sec. W (GN) a distance of 1016.54 feet to a point on the CCCL, said point being N 75 deg. 00 min. 00.0 sec. W (GN) a distance of 104.00 feet from P. R. M. R-30;
 Thence S 13 deg. 32 min. 54.1 sec. W (GN) a distance of 969.71 feet to a point on the CCCL, said point being N 75 deg. 00 min. 00.0 sec. W (GN) a distance of 94.00 feet from P. R. M. R-31;
 Thence S 11 deg. 55 min. 12.8 sec. W (GN) a distance of 1221.25 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 18.00 feet from P. R. M. R-32;
 Thence S 9 deg. 47 min. 05.8 sec. W (GN) a distance of 784.89 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 25.00 feet from P. R. M. T-33;
 Thence S 8 deg. 53 min. 20.5 sec. W (GN) a distance of 1048.28 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 22.00 feet from P. R. M. R-34;
 Thence S 8 deg. 56 min. 48.8 sec. W (GN) a distance of 1008.10 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-35 and being N 62 deg. 18 min. 38.1 sec. W (GN) a distance of 86.55 feet from P. R. M. N.G.S. Pompano, 1928;
 Thence S 2 deg. 39 min. 38.9 sec. W (GN) a distance of 1154.36 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 101.00 feet P. R. M. R-36;
 Thence S 3 deg. 01 min. 19.8 sec. W (GN) a distance of 889.63 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 97.00 feet from P. R. M. R-37;
 Thence S 0 deg. 48 min. 54.4 sec. W (GN) a distance of 941.06 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 110.00 feet from P. R. M. R-38;
 Thence S 4 deg. 18 min. 24.0 sec. W (GN) a distance of 943.91 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 129.00 feet from P. R. M. R-39;
 Thence S 8 deg. 59 min. 40.1 sec. W (GN) a distance of 1050.51 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 75.00 feet from P. R. M. R-40;
 Thence S 8 deg. 41 min. 43.7 sec. W (GN) a distance of 890.21 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 107.00 feet from P. R. M. R-41;
 Thence S 8 deg. 25 min. 56.3 sec. W (GN) a distance of 1015.81 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 105.00 feet from P. R. M. T-42;
 Thence S 10 deg. 42 min. 14.4 sec. W (GN) a distance of 1022.33 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 93.00 feet from P. R. M. R-43;
 Thence S 10 deg. 53 min. 00.9 sec. W (GN) a distance of 826.07 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 95.00 feet from P. R. M. R-44;
 Thence S 10 deg. 49 min. 01.2 sec. W (GN) a distance of 1174.75 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 75.00 feet from P. R. M. R-45;
 Thence S 7 deg. 04 min. 24.2 sec. W (GN) a distance of 903.45 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 161.00 feet from P. R. M. R-46;
 Thence S 9 deg. 00 min. 05.0 sec. W (GN) a distance of 677.55 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-47;
 Thence S 6 deg. 48 min. 43.2 sec. W (GN) a distance of 1269.62 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-48;
 Thence S 6 deg. 23 min. 28.8 sec. W (GN) a distance of 1143.98 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 128.00 feet from P. R. M. R-49;
 Thence S 3 deg. 45 min. 42.5 sec. W (GN) a distance of 1113.03 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 180.00 feet from P. R. M. R-50;
 Thence S 4 deg. 53 min. 48.8 sec. W (GN) a distance of 872.12 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 197.00 feet from P. R. M. R-51;
 Thence S 5 deg. 20 min. 59.8 sec. W (GN) a distance of 1071.89 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 122.00 feet from P. R. M. T-52;

Thence S 5 deg. 14 min. 49.2 sec. W (GN) a distance of 861.48 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 138.00 feet from P. R. M. R-53;
Thence S 5 Deg. 08 min. 30.9 sec. W (GN) a distance of 1071.01 feet to a point on the CCCL, said point being N 75 deg. 00 min. 00.0 sec. W (GN) a distance of 142.00 feet from P. R. M. R-54;
Thence S 7 deg. 48 min. 31.0 sec. W (GN) a distance of 1022.55 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 140.00 feet from P. R. M. R-55;
Thence S 9 deg. 33 min. 44.8 sec. W (GN) a distance of 958.26 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 122.00 feet from P. R. M. R-56;
Thence S 7 deg. 17 min. 02.7 sec. W (GN) a distance of 989.83 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 122.00 feet from P. R. M. R-57;
Thence S 5 deg. 31 min. 20.7 sec. W (GN) a distance of 1127.31 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 130.00 feet from P. R. M. R-58;
Thence S 5 deg. 48 min. 29.8 sec. W (GN) a distance of 876.27 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 145.00 feet from P. R. M. R-59;
Thence S 8 deg. 01 min. 49.3 sec. W (GN) a distance of 984.00 feet to a point on the CCCL, said point being N 75 deg. 00 min. 00.0 sec. W (GN) a distance of 161.00 feet from P. R. M. R-60;
Thence S 8 deg. 05 min. 52.3 sec. W (GN) a distance of 1020.01 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 115.00 feet from P. R. M. R-61;
Thence S 8 deg. 16 min. 52.6 sec. W (GN) a distance of 1036.17 feet to a point on the CCCL, said point being N 75 deg. 00 min. 00.0 sec. W (GN) a distance of 20.00 feet from P. R. M. R-62;
Thence S 8 deg. 19 min. 21.8 sec. W (GN) a distance of 786.93 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 119.00 feet from P. R. M. T-63;
Thence S 8 deg. 32 min. 47.6 sec. W (GN) a distance of 1221.54 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 150.00 feet from P. R. M. R-64;
Thence S 13 Deg. 25 Min. 04.6 sec. W (GN) a distance of 953.79 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 162.00 feet from P. R. M. T-65;
Thence S 3 deg. 08 min. 34.2 sec. W (GN) a distance of 996.16 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 87.00 feet from P. R. M. R-66;
Thence S 9 deg. 34 min. 05.7 sec. W (GN) a distance of 991.43 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 167.00 feet from P. R. M. R-67;
Thence S 9 deg. 14 min. 26.3 sec. W (GN) a distance of 1083.37 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 88.00 feet from P. R. M. T-68;
Thence S 5 deg. 12 min. 40.8 sec. W (GN) a distance of 982.41 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 90.00 feet from P. R. M. T-69;
Thence S 5 deg. 00 min. 10.9 sec. W (GN) a distance of 905.12 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 120.00 feet from P. R. M. R-70;
Thence S 2 deg. 56 min. 45.8 sec. W (GN) a distance of 1147.02 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 106.00 feet from P. R. M. R-71;
Thence S 2 deg. 34 min. 11.7 sec. W (GN) a distance of 914.17 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 152.00 feet from P. R. M. R-72;
Thence S 1 deg. 14 min. 53.0 sec. W (GN) a distance of 1149.02 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 145.00 feet from P. R. M. R-73;
Thence S 2 deg. 02 min. 45.9 sec. W (GN) a distance of 878.39 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 106.00 feet from P. R. M. R-74.
Thence S 7 deg. 34 min. 05.6 sec. W (GN) a distance of 1106.30 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 136.00 feet from P. R. M. R-75.
Thence S 6 deg. 07 min. 26.5 sec. W (GN) a distance of 970.51 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 168.00 feet from P. R. M. R-76;
Thence S 2 deg. 37 min. 58.3 sec. W (GN) a distance of 1183.22 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 165.00 feet from P. R. M. R-77;
Thence S 1 deg. 44 min. 06.4 sec. W (GN) a distance of 1026.88 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 129.00 feet from P. R. M. R-78;
Thence S 3 deg. 18 min. 00.9 sec. W (GN) a distance of 1073.83 feet to a point on the CCCL, said point being P. R. M. R-79;
Thence S 4 deg. 24 min. 44.2 sec. W (GN) a distance of 1095.20 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 128.00 feet from P. R. M. R-80;
Thence S 4 deg. 08 min. 40.4 sec. W (GN) a distance of 1096.23 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 118.00 feet from P. R. M. R-81;
Thence S 4 deg. 47 min. 42.8 sec. W (GN) a distance of 1056.98 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 165.00 feet from P. R. M. R-82;

Thence S 4 deg. 24 min. 21.2 sec. W (GN) a distance of 1022.16 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 133.00 feet from P. R. M. R-83;

Thence S 0 deg. 36 min. 18.3 sec. W (GN) a distance of 889.83 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 203.00 feet from P. R. M. R-84;

Thence S 6 deg. 45 min. 00.0 sec. W (GN) a distance to the Mean High Water Line of Port Everglades.

Recommence at P. R. M. R-86, said P. R. M. R-86 being S 23 deg. 33 min. 48.1 sec. W (GN) a distance of 1954.55 feet from P. R. M. R-84 and being S 5 deg. 25 min. 52.0 sec. W (GN) a distance of 164.00 feet from P. R. M. N.G.S. U. S. N. North Range; Thence N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 402.00 feet to a point on the CCCL;

Thence N 13 deg. 46 min. 36.3 sec. E (GN) to the Mean high Water Line of Port Everglades; thence return along the same course to said point on the CCCL;

Thence S 13 deg. 46 min. 36.3 sec. W (GN) a distance of 928.92 feet to a point on the CCCL, said point being N 75 deg. 00 min. 00.0 sec. W (GN) a distance of 248.00 feet from P. R. M. T-87;

Thence S 2 deg. 58 min. 12.9 sec. W (GN) a distance of 1007.33 feet to a point on the CCCL, said point being P. R. M. T-88;

Thence S 1 deg. 48 min. 21.9 sec. E (GN) a distance of 1043.06 feet to a point on the CCCL, said point being P. R. M. T-89;

Thence S 1 deg. 43 min. 06.7 sec. W (GN) a distance of 977.08 feet to a point on the CCCL, said point being P. R. M. T-90;

Thence S 1 deg. 31 min. 08.1 sec. W (GN) a distance of 1017.93 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 53.00 feet from P. R. M. T-91;

Thence S 5 deg. 38 min. 50.5 sec. W (GN) a distance of 1034.03 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 118.00 feet from P. R. M. R-92;

Thence S 5 deg. 28 min. 17.4 sec. W (GN) a distance of 1041.51 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 105.00 feet from P. R. M. R-93;

Thence S 7 deg. 38 min. 42.2 sec. W (GN) a distance of 968.47 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 153.00 feet from P. R. M. R-94;

Thence S 3 deg. 00 min. 53.8 sec. W (GN) a distance of 955.63 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 116.00 feet from P. R. M. R-95;

Thence S 4 deg. 03 min. 21.7 sec. W (GN) a distance of 986.95 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 160.00 feet from P. R. M. R-96;

Thence S 4 deg. 51 min. 27.5 sec. W (GN) a distance of 953.13 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 90.00 feet from P. R. M. T-97;

Thence S 0 deg. 22 min. 16.7 sec. E (GN) a distance of 1074.04 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 108.00 feet from P. R. M. T-98;

Thence S 3 deg. 51 min. 07.3 sec. W (GN) a distance of 931.75 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 218.00 feet from P. R. M. R-99;

Thence S 6 deg. 19 min. 32.2 sec. W (GN) a distance of 990.27 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 255.00 feet from P. R. M. R-100;

Thence S 4 deg. 33 min. 00.8 sec. W (GN) a distance of 1149.05 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 235.00 feet from P. R. M. T-101 and being S 13 deg. 21 min. 20.5 sec. W (GN) a distance of 485.85 feet from P. R. M. N.G.S. Dania 2,1934;

Thence S 6 deg. 00 min. 35.4 sec. W (GN) a distance of 1008.88 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 182.00 feet from P. R. M. T-102;

Thence S 6 deg. 22 min. 10.9 sec. W (GN) a distance of 1023.55 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 165.00 feet from P. R. M. R-103;

Thence S 2 deg. 41 min. 20.1 sec. W (GN) a distance of 1033.29 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 118.00 feet from P. R. M. R-104;

Thence S 3 deg. 55 min. 34.2 sec. W (GN) a distance of 992.13 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 102.00 feet from P. R. M. R-105;

Thence S 4 deg. 10 min. 57.7 sec. W (GN) a distance of 988.16 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 143.00 feet from P. R. M. R-106;

Thence S 4 deg. 02 min. 04.8 sec. W (GN) a distance of 968.48 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 131.00 feet from P. R. M. R-107;

Thence S 0 deg. 09 min. 21.9 sec. E (GN) a distance of 1036.69 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 95.00 feet from P. R. M. R-108;

Thence S 3 deg. 26 min. 22.5 sec. W (GN) a distance of 1040.87 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 93.00 feet from P. R. M. R-109;

Thence S 3 deg. 27 min. 48.7 sec. W (GN) a distance of 1068.63 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 93.00 feet from P. R. M. R-110;

Thence S 2 deg. 47 min. 57.4 sec. W (GN) a distance of 995.00 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 93.00 feet from P. R. M. T-111;

Thence S 2 deg. 39 min. 15.6 sec. W (GN) a distance of 1028.85 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 91.00 feet from P. R. M. T-112;
 Thence S 3 deg. 18 min. 26.3 sec. W (GN) a distance of 927.11 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 122.00 feet from P. R. M. R-113;
 Thence S 3 deg. 25 min. 29.5 sec. W (GN) a distance of 975.46 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 108.00 feet from P. R. M. T-114;
 Thence S 3 deg. 29 min. 20.7 sec. W (GN) a distance of 1057.77 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 51.00 feet from P. R. M. T-115;
 Thence S 2 deg. 57 min. 18.5 sec. W (GN) a distance of 1009.92 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 115.00 feet from P. R. M. R-116;
 Thence S 2 deg. 54 min. 14.8 sec. W (GN) a distance of 993.27 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 80.00 feet from P. R. M. R-117;
 Thence S 3 deg. 17 min. 26.2 sec. W (GN) a distance of 1081.97 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 52.00 feet from P. R. M. T-118;
 Thence S 2 deg. 43 min. 03.0 sec. W (GN) a distance of 1000.67 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 130.00 feet from P. R. M. R-119;
 Thence S 3 deg. 13 min. 28.6 sec. W (GN) a distance of 1103.21 feet to a point on the CCCL, said point being N 80 deg. 00 min. 00.0 sec. W (GN) a distance of 118.00 feet from P. R. M. R-120;
 Thence S 3 deg. 10 min. 02.0 sec. W (GN) a distance of 1098.69 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 145.00 feet from P. R. M. R-121;
 Thence S 3 deg. 34 min. 05.1 sec. W (GN) a distance of 1002.40 feet to a point on the CCCL, said point being N 86 deg. 00 min. 00.0 sec. W (GN) a distance of 145.00 feet from P. R. M. R-122;
 Thence S 4 deg. 28 min. 55.5 sec. W (GN) a distance of 1019.13 feet to a point on the CCCL, said point being N 86 deg. 00 min. 00.0 sec. W (GN) a distance of 145.00 feet from P. R. M. R-123;
 Thence S 9 deg. 00 min. 48.2 sec. W (GN) a distance of 1119.57 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 100.00 feet from P. R. M. R-124 and being S 7 deg. 22 min. 52.0 sec. W (GN) a distance of 232.84 feet from P. R. M. N.G.S. Halland, 1928;
 Thence S 5 deg. 36 min. 32.2 sec. W (GN) a distance of 1075.78 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 23.00 feet from P. R. M. R-125;
 Thence S 1 deg. 17 min. 00.9 sec. E (GN) a distance of 1001.83 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 132.00 feet from P. R. M. T-126;
 Thence S 2 deg. 21 min. 22.9 sec. W (GN) a distance of 1026.46 feet to a point on the CCCL, said point being N 90 deg. 00 min. 00.0 sec. W (GN) a distance of 94.00 feet from P. R. M. R-127;
 Thence S 3 deg. 10 min. 54.4 sec. W (GN) a distance of 923.85 feet to a point on the CCCL, said point being N 85 deg. 00 min. 00.0 sec. W (GN) a distance of 114.00 feet from P. R. M. R-128;
 Thence S 3 deg. 10 min. 54.4 sec. W (GN) to the Broward and Dade County line for the point of terminus.

62B-26.014 Description of the Franklin County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Franklin County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect 20 days after filing with the Florida Department of State or on the date that it is duly recorded in the public records in the office of the Clerk of the Circuit Court, in and for Franklin County, Florida, together with each affected municipality, whichever is later.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 4-30-84, Formerly 16B-26.14, 16B-26.014.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE FRANKLIN COUNTY, FLORIDA

Description of the coastal construction control line is established in compliance with Section 161.053, Florida Statutes, said control line lying along the Gulf of Mexico coast from the mean high water line of the southeasterly bank of West Pass, easterly to the mean high water line of the southerly bank of Ochlockonee Bay.

Said coastal construction control line is related to a series of "Permanent Reference Monuments" (P. R. M.) designated and hereinafter referred to as "49-80-A01 through 49-80-A17", "49-80-B01 through 49-80-B34", "49-80-C01 through 49-80-C16" and "49-80-D01 through 49-80-D21" for monuments established by the Department of Environmental Protection, State of Florida, or referenced to by station name for monuments established by the National Geodetic Survey (N. G. S.) or by the U.S. Corps of Engineers (U. S. C. E.).

METES AND BOUNDS DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL
LINE FOR SAINT GEORGE ISLAND, FRANKLIN COUNTY, FLORIDA

Commence at P. R. M. 49-80-A01 thence S 22 deg. 55 min. 04 sec. E (all bearings in this description are grid) a distance of 211.502 feet to the point of beginning; Thence N 33 deg. 12 min. 30 sec. W to the point of intersection with the mean high water line of the southeasterly bank of West Pass, said point being the northwesterly terminus of the coastal construction control line for Saint George Island; Thence return along the same course to the point of beginning.

Thence S 33 deg. 12 min. 30 sec. E a distance of 910.37 feet to a point; said point being S 58 deg. 48 min. 36 sec. E a distance of 204.716 feet from P. R. M. 49-80-A02.

Thence S 44 deg. 08 min. 15 sec. E a distance of 1012.98 feet to a point; Thence S 59 deg. 58 min. 48 sec. E a distance of 925.84 feet to a point; Thence S 61 deg. 26 min. 40 sec. E a distance of 1087.15 feet to a point; said point being N 05 deg. 04 min. 09 sec. E a distance of 131.461 feet from P. R. M. 49-80-A03.

Thence S 61 deg. 08 min. 20 sec. E a distance of 952.31 feet to a point; Thence S 55 deg. 55 min. 38 sec. E a distance of 1065.66 feet to a point; Thence S 57 deg. 08 min. 50 sec. E a distance of 1037.34 feet to a point; Thence S 53 deg. 17 min. 57 sec. E a distance of 934.80 feet to a point; Thence S 52 deg. 27 min. 15 sec. E a distance of 1038.09 feet to a point; said point being N 45 deg. 14 min. 22 sec. W a distance of 94.267 feet from P. R. M. 49-80-A04.

Thence S 51 deg. 29 min. 58 sec. E a distance of 1084.66 feet to a point; Thence S 48 deg. 34 min. 17 sec. E a distance of 982.77 feet to a point; Thence S 50 deg. 12 min. 15 sec. E a distance of 964.70 feet to a point; said point being N 47 deg. 51 min. 46 sec. E a distance of 117.926 feet from P. R. M. 49-80-A05.

Thence S 45 deg. 15 min. 21 sec. E a distance of 1105.32 feet to a point; Thence S 41 deg. 29 min. 24 sec. E a distance of 990.46 feet to a point; Thence S 42 deg. 56 min. 07 sec. E a distance of 1013.81 feet to a point; Thence S 39 deg. 43 min. 26 sec. E a distance of 975.59 feet to a point; said point being N 17 deg. 00 min. 17 sec. W a distance of 585.175 feet from P. R. M. 49-80-A06.

Thence S 42 deg. 44 min. 12 sec. E a distance of 1008.69 feet to a point; said point being S 01 deg. 08 min. 46 sec. E a distance of 435.873 feet from P. R. M. 49-80-A07.

Thence S 42 deg. 40 min. 54 sec. E a distance of 1025.86 feet to a point; said point being N 85 deg. 06 min. 15 sec. W a distance of 301.596 feet from P. R. M. 49-80-A08.

Thence S 42 deg. 58 min. 20 sec. E a distance of 1145.80 feet to a point; said point being N 54 deg. 30 min. 10 sec. W a distance of 131.314 feet from P. R. M. 12 sec. E a distance of 1063.34 feet to a point; said point 49-80-A09.

Thence S 29 deg. 29 min. 52 sec. E a distance of 682.32 feet to a point; Thence S 56 deg. 21 min. 16 sec. E a distance of 458.39 feet to a point; Thence N 76 deg. 56 min. 40 sec. E a distance of 978.57 feet to a point; Thence N 73 deg. 51 min. 31 sec. E a distance of 964.75 feet to a point; Thence N 74 deg. 24 min. 15 sec. E a distance of 987.24 feet to a point; said point being N 52 deg. 35 min. 35 sec. W a distance of 283.208 feet from P. R. M. 49-80-A10.

Thence N 73 deg. 27 min. 29 sec. E a distance of 1040.30 feet to a point; Thence N 73 deg. 27 min. 52 sec. E a distance of 1012.75 feet to a point; Thence N 73 deg. 27 min. 54 sec. E a distance of 1043.41 feet to a point; said point being N 80 deg. 41 min. 15 sec. W a distance of 377.450 feet from P. R. M. 49-80-A11.

Thence N 69 deg. 33 min. 27 sec. E a distance of 1001.60 feet to a point; Thence N 68 deg. 41 min. 19 sec. E a distance of 1025.00 feet to a point; Thence N 72 deg. 27 min. 02 sec. E a distance of 1024.12 feet to a point; said point being N 42 deg. 55 min. 28 sec. W a distance of 242.494 feet from P. R. M. 49-80-A12.

Thence N 72 deg. 27 min. 19 sec. E a distance of 998.59 feet to a point; Thence N 73 deg. 11 min. 57 sec. E a distance of 998.81 feet to a point; Thence N 71 deg. 27 min. 12 sec. E a distance of 1063.34 feet to a point; said point being N 36 deg. 57 min. 11 sec. W a distance of 215.613 feet from P. R. M. 49-80-A13.

Thence N 72 deg. 26 min. 08 sec. E a distance of 992.97 feet to a point; Thence N 70 deg. 29 min. 33 sec. E a distance of 982.29 feet to a point; Thence N 70 deg. 49 min. 05 sec. E a distance of 1071.50 feet to a point; Thence N 77 deg. 06 min. 24 sec. E a distance of 849.14 feet to a point; said point being N 10 deg. 13 min. 02 sec. W a distance of 301.811 feet from P. R. M. 49-80-A14. Thence N 69 deg. 17 min. 54 sec. E a distance of 1149.69 feet to a point; Thence N 70 deg. 10 min. 47 sec. E a distance of 957.63 feet to a point; Thence N 70 deg. 59 min. 43 sec. E a distance of 973.19 feet to a point; said point being N 24 deg. 04 min. 41 sec. W a distance of 142.355 feet from P. R. M. 49-80-A15.

Thence N 70 deg. 42 min. 34 sec. E a distance of 1096.24 feet to a point; Thence N 68 deg. 40 min. 00 sec. E a distance of 1008.98 feet to a point; Thence N 69 deg. 00 min. 58 sec. E a distance of 1009.50 feet to a point; Thence N 76 deg. 09 min. 16 sec. E a distance of 1008.42 feet to a point; Thence N 69 deg. 19 min. 14 sec. E a distance of 1021.63 feet to a point; said point being N 34 deg. 37 min. 57 sec. E a distance of 503.012 feet from P. R. M. 49-80-A16.

Thence N 68 deg. 51 min. 57 sec. E a distance of 1021.34 feet to a point; Thence N 66 deg. 52 min. 29 sec. E a distance of 1030.18 feet to a point; Thence N 65 deg. 49 min. 40 sec. E a distance of 994.33 feet to a point; Thence N 67 deg. 02 min. 22 sec. E a distance of 1029.80 feet to a point; Thence N 64 deg. 51 min. 33 sec. E a distance of 770.08 feet to a point; said point being N 08 deg. 19 min. 46 sec. E a distance of 343.256 feet from P. R. M. 49-80-A17.

Thence N 64 deg. 51 min. 33 sec. E to the point of intersection with the mean high water line of the southwesterly bank of Saint George Island Channel (Bob Sikes Pass); Thence return along the same course to a point on the coastal construction control line, said point being N 08 deg. 19 min. 46 sec. E a distance of 343.256 feet from P. R. M. 49-80-A17.

Recommence at P. R. M. 49-80-B01 thence N 43 deg. 23 min. 46 sec. W a distance of 179.718 feet to a point on the coastal construction control line; Thence S 61 deg. 50 min. 23 sec. W to the point of intersection with the mean high water line of the northeasterly bank of Saint George Island Channel (Bob Sikes Pass); Thence return along the same course to a point on the coastal construction control line, said point being N 43 deg. 23 min. 46 sec. W a distance of 179.718 feet from P. R. M. 49-80-B01.

Thence N 61 deg. 50 min. 23 sec. E a distance of 1076.98 feet to a point; Thence N 61 deg. 58 min. 39 sec. E a distance of 1095.43 feet to a point; Thence N 62 deg. 00 min. 23 sec. E a distance of 1113.25 feet to a point; said point being N 69 deg. 34 min. 16 sec. W a distance of 346.572 feet from P. R. M. 49-80-B02.

Thence N 64 deg. 07 min. 33 sec. E a distance of 1115.30 feet to a point; Thence N 62 deg. 54 min. 49 sec. E a distance of 1077.70 feet to a point; Thence N 61 deg. 20 min. 09 sec. E a distance of 1101.49 feet to a point; Thence N 58 deg. 55 min. 45 sec. E a distance of 1162.27 feet to a point; said point being N 45 deg. 49 min. 52 sec. W a distance of 246.608 feet from P. R. M. 49-80-B03.

Thence N 59 deg. 19 min. 00 sec. E a distance of 1061.62 feet to a point; Thence N 57 deg. 21 min. 57 sec. E a distance of 1061.00 feet to a point; Thence N 57 deg. 25 min. 08 sec. E a distance of 1151.75 feet to a point; Thence N 59 deg. 00 min. 29 sec. E a distance of 1045.79 feet to a point; said point being N 34 deg. 10 min. 25 sec. E a distance of 465.142 feet from P. R. M. 49-80-B04.

Thence N 59 deg. 45 min. 52 sec. E a distance of 1133.73 feet to a point; Thence N 58 deg. 32 min. 07 sec. E a distance of 1347.66 feet to a point; Thence N 57 deg. 38 min. 56 sec. E a distance of 850.51 feet to a point; Thence N 58 deg. 50 min. 32 sec. E a distance of 1138.77 feet to a point; said point being S 88 deg. 19 min. 40 sec. W a distance of 62.506 feet from P. R. M. 49-80-B05.

Thence N 59 deg. 12 min. 58 sec. E a distance of 1105.68 feet to a point; said point being N 34 deg. 10 min. 45 sec. W a distance of 110.274 feet from P. R. M. 49-80-B06.

Thence N 56 deg. 15 min. 46 sec. E a distance of 1042.11 feet to a point; Thence N 56 deg. 30 min. 33 sec. E a distance of 1149.32 feet to a point; Thence N 58 deg. 16 min. 03 sec. E a distance of 1120.49 feet to a point; said point being N 69 deg. 59 min. 23 sec. E a distance of 319.047 feet from P. R. M. 49-80-B07.

Thence N 58 deg. 16 min. 09 sec. E a distance of 984.68 feet to a point; Thence N 58 deg. 09 min. 50 sec. E a distance of 1237.11 feet to a point; said point being S 37 deg. 04 min. 08 sec. W a distance of 330.841 feet from P. R. M. 49-80-B08.

Thence N 59 deg. 23 min. 59 sec. E a distance of 935.82 feet to a point; Thence N 58 deg. 31 min. 06 sec. E a distance of 1132.15 feet to a point; said point being N 86 deg. 18 min. 38 sec. E a distance of 756.574 feet from P. R. M. 49-80-B09.

Thence N 59 deg. 03 min. 15 sec. E a distance of 1075.61 feet to a point; Thence N 59 deg. 30 min. 40 sec. E a distance of 992.77 feet to a point; said point being S 30 deg. 05 min. 25 sec. E a distance of 414.564 feet from P. R. M. 49-80-B10.

Thence N 62 deg. 06 min. 12 sec. E a distance of 992.31 feet to a point; Thence N 62 deg. 23 min. 42 sec. E a distance of 1138.06 feet to a point; said point being S 10 deg. 33 min. 36 sec. W a distance of 367.090 feet from P. R. M. 49-80-B11.

Thence N 63 deg. 51 min. 56 sec. E a distance of 1003.05 feet to a point; Thence N 63 deg. 35 min. 31 sec. E a distance of 1073.52 feet to a point; Thence N 63 deg. 11 min. 07 sec. E a distance of 1131.13 feet to a point; Thence N 63 deg. 42 min. 26 sec. E a distance of 1066.32 feet to a point; said point being S 60 deg. 51 min. 46 sec. E a distance of 369.122 feet from P. R. M. 49-80-B12.

Thence N 64 deg. 42 min. 53 sec. E a distance of 968.27 feet to a point; Thence N 65 deg. 22 min. 40 sec. E a distance of 1130.82 feet to a point; Thence N 67 deg. 33 min. 16 sec. E a distance of 1090.62 feet to a point; said point being S 31 deg. 16 min. 54 sec. E a distance of 224.083 feet from P. R. M. 49-80-B13.

Thence N 67 deg. 51 min. 17 sec. E a distance of 1022.63 feet to a point; Thence N 69 deg. 01 min. 38 sec. E a distance of 1040.68 feet to a point; Thence N 69 deg. 45 min. 51 sec. E a distance of 1067.95 feet to a point; said point being S 38 deg. 45 min. 35 sec. W a distance of 584.003 feet from P. R. M. 49-80-B14.

Thence N 70 deg. 46 min. 31 sec. E a distance of 1024.25 feet to a point; Thence N 71 deg. 13 min. 04 sec. E a distance of 1006.91 feet to a point; Thence N 72 deg. 07 min. 49 sec. E a distance of 1045.85 feet to a point; Thence N 72 deg. 28 min. 03 sec. E a distance of 978.28 feet to a point; said point being S 17 deg. 01 min. 10 sec. W a distance of 403.148 feet from P. R. M. 49-80-B15.

Thence N 72 deg. 23 min. 21 sec. E a distance of 1153.51 feet to a point; Thence N 74 deg. 00 min. 04 sec. E a distance of 1039.10 feet to a point; Thence N 76 deg. 56 min. 26 sec. E a distance of 1120.21 feet to a point; said point being S 42 deg. 07 min. 24 sec. E a distance of 382.147 feet from P. R. M. 49-80-B16.

Thence N 73 deg. 25 min. 08 sec. E a distance of 1052.41 feet to a point; Thence N 68 deg. 25 min. 37 sec. E a distance of 1127.80 feet to a point; said point being S 47 deg. 00 min. 43 sec. E a distance of 108.255 feet from P. R. M. 49-80-B17.

Thence N 70 deg. 22 min. 36 sec. E a distance of 1208.83 feet to a point; Thence N 70 deg. 25 min. 08 sec. E a distance of 1080.19 feet to a point; Thence N 69 deg. 31 min. 12 sec. E a distance of 1020.05 feet to a point; said point being S 39 deg. 50 min. 55 sec. W a distance of 534.349 feet from P. R. M. 49-80-B18.

Thence N 67 deg. 42 min. 49 sec. E a distance of 1077.07 feet to a point; Thence N 67 deg. 39 min. 03 sec. E a distance of 1013.20 feet to a point; Thence N 64 deg. 54 min. 22 sec. E a distance of 1032.67 feet to a point; Thence N 64 deg. 51 min. 26 sec. E a distance of 1010.62 feet to a point; said point being S 37 deg. 45 min. 58 sec. W a distance of 98.942 feet from P. R. M. 49-80-B19.

Thence N 63 deg. 31 min. 04 sec. E a distance of 1039.76 feet to a point; Thence N 59 deg. 24 min. 09 sec. E a distance of 917.16 feet to a point; Thence N 57 deg. 55 min. 30 sec. E a distance of 1187.21 feet to a point; Thence N 59 deg. 22 min. 13 sec. E a distance of 1012.83 feet to a point; said point being N 04 deg. 46 min. 03 sec. W a distance of 227.649 feet from P. R. M. 49-80-B20.

Thence N 60 deg. 09 min. 26 sec. E a distance of 1179.83 feet to a point; Thence N 60 deg. 43 min. 43 sec. E a distance of 1067.35 feet to a point; Thence N 60 deg. 48 min. 29 sec. E a distance of 1056.66 feet to a point; Thence N 59 deg. 35 min. 12 sec. E a distance of 1189.47 feet to a point; said point being S 88 deg. 46 min. 56 sec. W a distance of 463.297 feet from P. R. M. 49-80-B21.

Thence N 52 deg. 11 min. 12 sec. E a distance of 990.36 feet to a point; Thence N 51 deg. 15 min. 14 sec. E a distance of 1092.41 feet to a point; said point being S 84 deg. 56 min. 43 sec. W a distance of 429.310 feet from P. R. M. 49-80-B22.

Thence N 50 deg. 45 min. 36 sec. E a distance of 1007.51 feet to a point; Thence N 42 deg. 44 min. 26 sec. E a distance of 1071.64 feet to a point; Thence N 44 deg. 35 min. 07 sec. E a distance of 1051.51 feet to a point; said point being S 85 deg. 54 min. 23 sec. W a distance of 327.298 feet from P. R. M. 49-80-B23.

Thence N 44 deg. 31 min. 52 sec. E a distance of 1103.67 feet to a point; Thence N 44 deg. 40 min. 31 sec. E a distance of 1004.04 feet to a point; Thence N 44 deg. 25 min. 20 sec. E a distance of 1013.96 feet to a point; said point being N 09 deg. 55 min. 29 sec. W a distance of 394.860 feet from P. R. M. 49-80-B24.

Thence N 44 deg. 34 min. 17 sec. E a distance of 1100.81 feet to a point; Thence N 44 deg. 29 min. 58 sec. E a distance of 1026.50 feet to a point; said point being N 43 deg. 11 min. 06 sec. W a distance of 334.506 feet from P. R. M. 49-80-B25.

Thence N 46 deg. 06 min. 40 sec. E a distance of 1021.72 feet to a point; Thence N 46 deg. 18 min. 38 sec. E a distance of 1027.73 feet to a point; Thence N 46 deg. 32 min. 44 sec. E a distance of 1012.80 feet to a point; Thence N 46 deg. 26 min. 33 sec. E a distance of 1054.55 feet to a point; Thence N 46 deg. 11 min. 03 sec. E a distance of 1038.40 feet to a point; said point being N 23 deg. 10 min. 12 sec. E a distance of 609.897 feet from P. R. M. 49-80-B26.

Thence N 46 deg. 13 min. 47 sec. E a distance of 1037.03 feet to a point; Thence N 46 deg. 12 min. 26 sec. E a distance of 1234.04 feet to a point; Thence N 46 deg. 25 min. 40 sec. E a distance of 860.28 feet to a point; said point being N 04 deg. 46 min. 09 sec. E a distance of 531.017 feet from P. R. M. 49-80-B27.

Thence N 46 deg. 12 min. 21 sec. E a distance of 1060.30 feet to a point; Thence N 46 deg. 43 min. 13 sec. E a distance of 1011.36 feet to a point; said point being N 22 deg. 34 min. 09 sec. W a distance of 495.339 feet from P. R. M. 49-80-B28.

Thence N 46 deg. 22 min. 05 sec. E a distance of 998.81 feet to a point; Thence N 46 deg. 28 min. 06 sec. E a distance of 1037.55 feet to a point; said point being N 55 deg. 30 min. 57 sec. W a distance of 349.368 feet from P. R. M. 49-80-B29.

Thence N 42 deg. 50 min. 53 sec. E a distance of 1007.58 feet to a point; Thence N 41 deg. 58 min. 41 sec. E a distance of 997.87 feet to a point; Thence N 41 deg. 56 min. 31 sec. E a distance of 1014.97 feet to a point; said point being N 30 deg. 11 min. 08 sec. W a distance of 318.187 feet from P. R. M. 49-80-B30.

Thence N 42 deg. 20 min. 48 sec. E a distance of 1069.03 feet to a point; Thence N 42 deg. 18 min. 06 sec. E a distance of 1033.07 feet to a point; said point being N 11 deg. 42 min. 23 sec. E a distance of 445.460 feet from P. R. M. 49-80-B31.

Thence N 37 deg. 46 min. 41 sec. E a distance of 987.10 feet to a point; Thence N 38 deg. 57 min. 59 sec. E a distance of 1060.33 feet to a point; Thence N 45 deg. 21 min. 28 sec. E a distance of 1010.92 feet to a point; said point being N 08 deg. 36 min. 41 sec. E a distance of 534.836 feet from P. R. M. 49-80-B32.

Thence N 45 deg. 37 min. 31 sec. E a distance of 1018.99 feet to a point; Thence N 45 deg. 23 min. 12 sec. E a distance of 1031.24 feet to a point; said point being N 26 deg. 08 min. 33 sec. W a distance of 384.675 feet from P. R. M. 49-80-B33.

Thence N 43 deg. 10 min. 56 sec. E a distance of 970.37 feet to a point; Thence N 27 deg. 47 min. 54 sec. E a distance of 987.28 feet to a point; Thence N 13 deg. 38 min. 35 sec. W a distance of 805.32 feet to a point; Thence N 13 deg. 27 min. 37 sec. W a distance of 388.28 feet to a point; said point being S 66 deg. 56 min. 12 sec. W a distance of 309.414 feet from P. R. M. 49-80-B34.

Thence N 13 deg. 27 min. 37 sec. W to the point of intersection with the mean high water line of the south bank of Saint George Sound, said point being the northeasterly terminus of the coastal construction control line for Saint George Island.

METES AND BOUNDS DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL
LINE FOR DOG ISLAND, FRANKLIN COUNTY, FLORIDA

Commence at P. R. M. 49-80-C01 thence N 80 deg. 59 min. 30 sec. E (all bearings in this description are grid) a distance of 228.119 feet to the point of beginning; Thence N 32 deg. 11 min. 31 sec. E to the point of intersection with the mean high water line of the southeasterly bank of East Pass, said point being the northwesterly terminus of the coastal construction control line for Dog Island; Thence return along the same course to the point of beginning.

Thence S 00 deg. 09 min. 34 sec. W a distance of 493.36 feet to a point; Thence S 31 deg. 10 min. 25 sec. E a distance of 652.52 feet to a point; Thence S 62 deg. 03 min. 08 sec. E a distance of 1022.50 feet to a point; Thence S 74 deg. 16 min. 49 sec. E a distance of 475.84 feet to a point; said point being S 76 deg. 45 min. 55 sec. W a distance of 216.573 feet from P. R. M. 49-80-C02.

Thence N 84 deg. 20 min. 41 sec. E a distance of 1181.39 feet to a point; Thence N 80 deg. 04 min. 04 sec. E a distance of 924.03 feet to a point; Thence N 81 deg. 48 min. 01 sec. E a distance of 977.17 feet to a point; Thence N 76 deg. 44 min. 14 sec. E a distance of 980.15 feet to a point; said point being N 60 deg. 24 min. 05 sec. E a distance of 162.611 feet from P. R. M. 49-80-C03.

Thence N 75 deg. 08 min. 30 sec. E a distance of 982.11 feet to a point; Thence N 68 deg. 36 min. 32 sec. E a distance of 998.21 feet to a point; Thence N 62 deg. 07 min. 20 sec. E a distance of 984.21 feet to a point; said point being N 11 deg. 11 min. 56 sec. E a distance of 272.330 feet from P. R. M. 49-80-C04.

Thence N 72 deg. 52 min. 05 sec. E a distance of 1007.33 feet to a point; Thence N 74 deg. 17 min. 48 sec. E a distance of 996.24 feet to a point; Thence N 74 deg. 00 min. 38 sec. E a distance of 992.51 feet to a point; said point being N 09 deg. 39 min. 32 sec. E a distance of 355.230 feet from P. R. M. 49-80-C05.

Thence N 73 deg. 12 min. 04 sec. E a distance of 928.85 feet to a point; Thence N 82 deg. 50 min. 24 sec. E a distance of 1029.82 feet to a point; Thence N 73 deg. 45 min. 47 sec. E a distance of 935.94 feet to a point; Thence N 64 deg. 45 min. 52 sec. E a distance of 1010.16 feet to a point; said point being S 74 deg. 56 min. 25 sec. W a distance of 524.912 feet from P. R. M. 49-80-C06.

Thence N 64 deg. 32 min. 34 sec. E a distance of 947.92 feet to a point; Thence N 68 deg. 54 min. 12 sec. E a distance of 934.91 feet to a point; said point being N 55 deg. 59 min. 18 sec. W a distance of 226.050 feet from P. R. M. 49-80-C07.

Thence N 63 deg. 25 min. 13 sec. E a distance of 963.17 feet to a point; Thence N 64 deg. 01 min. 08 sec. E a distance of 1096.45 feet to a point; said point being S 80 deg. 04 min. 57 sec. W a distance of 455.520 feet from P. R. M. 49-80-C08.

Thence N 62 deg. 31 min. 02 sec. E a distance of 966.56 feet to a point; Thence N 62 deg. 16 min. 43 sec. E a distance of 944.81 feet to a point; said point being S 71 deg. 45 min. 42 sec. W a distance of 398.607 feet from P. R. M. 49-80-C09.

Thence N 64 deg. 17 min. 00 sec. E a distance of 973.68 feet to a point; Thence N 66 deg. 48 min. 38 sec. E a distance of 1034.31 feet to a point; said point being N 88 deg. 12 min. 22 sec. E a distance of 612.215 feet from P. R. M. 49-80-C10.

Thence N 68 deg. 34 min. 29 sec. E a distance of 983.51 feet to a point; Thence N 68 deg. 47 min. 51 sec. E a distance of 997.35 feet to a point; said point being S 36 deg. 51 min. 42 sec. E a distance of 262.550 feet from P. R. M. 49-80-C11.

Thence N 62 deg. 26 min. 22 sec. E a distance of 964.74 feet to a point; Thence N 62 deg. 29 min. 48 sec. E a distance of 950.91 feet to a point; Thence N 62 deg. 53 min. 28 sec. E a distance of 987.94 feet to a point; said point being S 80 deg. 23 min. 33 sec. E a distance of 410.145 feet from P. R. M. 49-80-C12.

Thence N 60 deg. 25 min. 25 sec. E a distance of 933.35 feet to a point; Thence N 62 deg. 36 min. 43 sec. E a distance of 1041.24 feet to a point; said point being N 40 deg. 37 min. 51 sec. W a distance of 210.443 feet from P. R. M. 49-80-C13.

Thence N 62 deg. 57 min. 37 sec. E a distance of 907.05 feet to a point; Thence N 35 deg. 08 min. 14 sec. E a distance of 786.52 feet to a point; Thence N 34 deg. 16 min. 24 sec. E a distance of 913.68 feet to a point; said point being N 01 deg. 11 min. 36 sec. W a distance of 578.394 feet from P. R. M. 49-80-C14.

Thence N 28 deg. 45 min. 59 sec. E a distance of 911.88 feet to a point; Thence N 21 deg. 02 min. 34 sec. E a distance of 953.79 feet to a point; Thence N 13 deg. 06 min. 57 sec. E a distance of 916.74 feet to a point; said point being N 02 deg. 39 min. 30 sec. W a distance of 424.237 feet from P. R. M. 49-80-C15.

Thence N 02 deg. 20 min. 29 sec. E a distance of 802.90 feet to a point; Thence N 03 deg. 25 min. 45 sec. W a distance of 1006.80 feet to a point; said point being N 39 deg. 57 min. 58 sec. W a distance of 333.462 feet from P. R. M. 49-80-C16.

Thence N 10 deg. 19 min. 00 sec. W a distance of 751.30 feet to a point; Thence N 10 deg. 15 min. 01 sec. W to the point of intersection with the mean high water line of the south bank of Saint George Sound, said point being the northeasterly terminus of the coastal construction control line for Dog Island.

METES AND BOUNDS DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE FOR ALLIGATOR POINT, FRANKLIN COUNTY, FLORIDA

Commence at P. R. M. 49-80-D01 thence N 61 deg. 11 min. 24 sec. W (all bearings in this description are grid) a distance of 321.812 feet to the point of beginning; Thence N 49 deg. 05 min. 26 sec. W a distance of 940.01 feet to a point; Thence N 63 deg. 14 min. 41 sec. W a distance of 1248.46 feet to a point.

Thence N 80 deg. 27 min. 52 sec. W a distance of 1349.73 feet to a point; Thence N 43 deg. 50 min. 58 sec. W to the point of intersection with the mean high water line of the south bank of Alligator Harbor, said point being the northwesterly terminus of the coastal construction control line for Alligator Point.

Recommence at P. R. M. 49-80-D01 thence N 61 deg. 11 min. 24 sec. W a distance of 321.812 feet to the point of beginning; Thence S 80 deg. 40 min. 20 sec. E a distance of 1069.25 feet to a point; Thence S 86 deg. 13 min. 10 sec. E a distance of 1085.25 feet to a point; said point being N 82 deg. 16 min. 42 sec. E a distance of 655.148 feet from P. R. M. 49-80-D02.

Thence S 86 deg. 30 min. 17 sec. E a distance of 945.20 feet to a point; Thence S 88 deg. 01 min. 31 sec. E a distance of 1001.27 feet to a point; Thence S 76 deg. 05 min. 33 sec. E a distance of 904.85 feet to a point; said point being S 75 deg. 43 min. 29 sec. E a distance of 505.923 feet from P. R. M. 49-80-D03.

Thence S 68 deg. 19 min. 42 sec. E a distance of 1062.99 feet to a point; said point being N 52 deg. 04 min. 02 sec. W a distance of 92.053 feet from P. R. M. 49-80-D04.

Thence S 76 deg. 04 min. 11 sec. E a distance of 938.34 feet to a point; said point being N 83 deg. 10 min. 49 sec. W a distance of 458.207 feet from P. R. M. 49-80-D05.

Thence S 65 deg. 39 min. 57 sec. E a distance of 1042.64 feet to a point; said point being N 68 deg. 17 min. 52 sec. W a distance of 90.524 feet from P. R. M. 49-80-D06.

Thence S 66 deg. 17 min. 44 sec. E a distance of 1011.15 feet to a point; Thence S 70 deg. 54 min. 36 sec. E a distance of 1050.31 feet to a point; Thence S 75 deg. 27 min. 43 sec. E a distance of 988.30 feet to a point; Thence S 70 deg. 40 min. 45 sec. E a distance of 917.64 feet to a point; Thence S 68 deg. 07 min. 43 sec. E a distance of 1137.07 feet to a point; said point being S 54 deg. 52 min. 35 sec. E a distance of 359.692 feet from P. R. M. 49-80-D07.

Thence S 68 deg. 10 min. 35 sec. E a distance of 829.35 feet to a point; said point being S 50 deg. 51 min. 21 sec. W a distance of 597.483 feet from P. R. M. 49-80-D08.

Thence N 88 deg. 06 min. 01 sec. E a distance of 1238.99 feet to a point; said point being N 74 deg. 05 min. 26 sec. W a distance of 776.203 feet from P. R. M. 49-80-D09.

Thence N 79 deg. 35 min. 13 sec. E a distance of 847.39 feet to a point; Thence N 73 deg. 31 min. 57 sec. E a distance of 1001.54 feet to a point; Thence N 71 deg. 46 min. 12 sec. E a distance of 920.22 feet to a point; Thence N 77 deg. 39 min. 04 sec. E a distance of 1015.70 feet to a point; said point being N 51 deg. 21 min. 34 sec. E a distance of 331.288 feet from P. R. M. 49-80-D10.

Thence N 79 deg. 12 min. 48 sec. E a distance of 975.31 feet to a point; Thence N 81 deg. 42 min. 56 sec. E a distance of 986.37 feet to a point; said point being S 79 deg. 10 min. 35 sec. W a distance of 430.572 feet from P. R. M. 49-80-D11.

Thence N 86 deg. 29 min. 54 sec. E a distance of 972.74 feet to a point; Thence S 83 deg. 38 min. 20 sec. E a distance of 1056.00 feet to a point; Thence N 81 deg. 58 min. 43 sec. E a distance of 912.16 feet to a point; said point being N 43 deg. 30 min. 32 sec. W a distance of 87.195 feet from P. R. M. 49-80-D12.

Thence N 67 deg. 09 min. 58 sec. E a distance of 990.52 feet to a point; said point being N 87 deg. 13 min. 38 sec. W a distance of 349.420 feet from P. R. M. 49-80-D13.

Thence N 45 deg. 06 min. 04 sec. E a distance of 924.03 feet to a point; said point being S 84 deg. 28 min. 57 sec. W a distance of 452.608 feet from P. R. M. 49-80-D14.

Thence N 33 deg. 23 min. 25 sec. E a distance of 962.26 feet to a point; said point being S 78 deg. 22 min. 36 sec. W a distance of 450.647 feet from P. R. M. 49-80-D15.

Thence N 21 deg. 51 min. 48 sec. E a distance of 904.73 feet to a point; Thence N 25 deg. 46 min. 04 sec. E a distance of 994.46 feet to a point; said point being N 67 deg. 15 min. 51 sec. W a distance of 257.619 feet from P. R. M. 49-80-D16.

Thence N 24 deg. 26 min. 30 sec. E a distance of 1237.27 feet to a point; Thence N 19 deg. 52 min. 29 sec. E a distance of 829.12 feet to a point; Thence N 17 deg. 26 min. 52 sec. E a distance of 1378.27 feet to a point; Thence N 08 deg. 49 min. 42 sec. E a distance of 1153.56 feet to a point; said point being N 83 deg. 03 min. 49 sec. W a distance of 228.021 feet from P. R. M. 49-80-D17.

Thence N 13 deg. 14 min. 43 sec. E a distance of 1192.63 feet to a point; Thence N 01 deg. 15 min. 41 sec. W a distance of 1332.97 feet to a point; Thence N 07 deg. 51 min. 35 sec. W a distance of 1029.16 feet to a point; said point being S 02 deg. 23 min. 07 sec. E a distance of 47.481 feet from P. R. M. 49-80-D18.

Thence N 11 deg. 23 min. 24 sec. W a distance of 974.38 feet to a point; Thence N 12 deg. 35 min. 14 sec. W a distance of 964.74 feet to a point; said point being S 59 deg. 13 min. 50 sec. E a distance of 46.133 feet from P. R. M. 49-80-D19.

Thence N 12 deg. 59 min. 05 sec. W a distance of 966.35 feet to a point; Thence N 12 deg. 34 min. 27 sec. W a distance of 1028.57 feet to a point; said point being S 17 deg. 35 min. 42 sec. E a distance of 508.458 feet from P. R. M. 49-80-D20.

Thence N 17 deg. 19 min. 27 sec. W a distance of 1064.08 feet to a point; Thence N 23 deg. 28 min. 40 sec. W a distance of 860.14 feet to a point; Thence N 41 deg. 30 min. 21 sec. W a distance of 642.84 feet to a point; said point being S 59 deg. 49 min. 22 sec. W a distance of 178.372 feet from P. R. M. 49-80-D21.

Thence N 41 deg. 30 min. 21 sec. W to the point of intersection with the mean high water line of the southerly bank of the Ochlockonee Bay, said point being the northeasterly terminus of the coastal construction control line for Alligator Point.

62B-26.015 Description of the Martin County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Martin County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect 20 days after filing with the Florida Department of State or on the date that it is duly recorded in the public records in the office of the Clerk of the Circuit Court, in and for Martin County, Florida, together with each affected municipality, whichever is later.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 7-9-85, Formerly 16B-26.15, 16B-26.015.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE MARTIN COUNTY, FLORIDA

Description of the coastal construction control line is established in compliance with Section 161.053, Florida Statutes, said control line lying along the Atlantic Coast from the St. Lucie County and Martin County Line southeasterly to the Martin County and Palm Beach County Line.

Said coastal construction control line is related to a series of "Permanent Reference Monuments" (P. R. M.) designated and hereinafter referred to as "Martin County Station 101 through Martin County Station 108", "National Geodetic Station Refuge 2 1934", "Martin County Station PI 115C and 115D", "89-84-A01 through 89-84-A07", "89-84-A04 and 89-84-A06 Azimuth Marks", "National Geodetic Station Royal 2 RM 4 1934" and "Martin County Stations 123 and 124" for monuments established by the Department of Environmental Protection, or referenced to by Station Name for monuments established by the National Geodetic Survey (N. G. S.).

Commence at P. R. M. Martin County Station 101 1976, thence N 64 deg. 43 min. 59 sec. E (all bearings in this description are grid) a distance of 241.37 feet to the point of beginning; Thence N 22 deg. 30 min. 39 sec. W to the point of intersection with Martin and St. Lucie County line; Said point being the northwesterly terminus of the coastal construction control line for Martin County; Thence S 22 deg. 30 min. 39 sec. E to the point of beginning.

Thence S 22 deg. 30 min. 39 sec. E a distance of 900.45 feet to a point; Thence S 22 deg. 38 min. 59 sec. E a distance of 899.73 feet to a point; Thence S 22 deg. 54 min. 30 sec. E a distance of 900.21 feet to a point; Thence S 23 deg. 28 min. 01 sec. E a distance of 884.95 feet to a point; Thence S 24 deg. 03 min. 17 sec. E a distance of 723.88 feet to a point; Thence S 25 deg. 52 min. 00 sec. E a distance of 280.00 feet to a point; Said point being N 51 deg. 29 min. 57 sec. E a distance of 193.36 feet from P. R. M. Martin County Station 102 1976.

Thence S 25 deg. 52 min. 00 sec. E a distance of 808.59 feet to a point; Thence S 25 deg. 24 min. 48 sec. E a distance of 898.49 feet to a point; Thence S 28 deg. 08 min. 36 sec. E a distance of 903.14 feet to a point; Thence S 26 deg. 31 min. 53 sec. E a distance of 896.43 feet to a point; Thence S 25 deg. 05 min. 12 sec. E a distance of 901.82 feet to a point; Thence S 26 deg. 30 min. 03 sec. E a distance of 901.35 feet to a point; Thence S 26 deg. 12 min. 16 sec. E a distance of 520.00 feet to a point; Said point being N 73 deg. 11 min. 21 sec. E a distance of 93.65 feet from P. R. M. Martin County Station 103 Reset 1984.

Thence S 26 deg. 12 min. 16 sec. E a distance of 378.89 feet to a point; Thence S 26 deg. 11 min. 52 sec. E a distance of 900.73 feet to a point; Thence S 26 deg. 20 min. 25 sec. E a distance of 900.04 feet to a point; Thence S 25 deg. 53 min. 39 sec. E a distance of 899.27 feet to a point; Thence S 28 deg. 11 min. 39 sec. E a distance of 841.40 feet to a point; Thence S 24 deg. 44 min. 47 sec. E a distance of 959.53 feet to a point; Thence S 26 deg. 05 min. 01 sec. E a distance of 891.44 feet to a point; Said point being N 58 deg. 30 min. 09 sec. E a distance of 195.54 feet from P. R. M. Martin County Station 104 1976.

Thence S 25 deg. 53 min. 42 sec. E a distance of 908.09 feet to a point; Thence S 27 deg. 24 min. 28 sec. E a distance of 901.81 feet to a point; Thence S 25 deg. 21 min. 02 sec. E a distance of 898.91 feet to a point; Thence S 28 deg. 15 min. 29 sec. E a distance of 891.16 feet to a point; Thence S 28 deg. 45 min. 21 sec. E a distance of 907.08 feet to a point; Thence S 28 deg. 04 min. 49 sec. E a distance of 898.41 feet to a point; Thence S 30 deg. 25 min. 11 sec. E a distance of 903.55 feet to a point; Said point being S 64 deg. 51 min. 12 sec. E a distance of 300.12 feet from P. R. M. Martin County Station 105 1976.

Thence S 31 deg. 00 min. 36 sec. E a distance of 905.72 feet to a point; Thence S 28 deg. 39 min. 48 sec. E a distance of 899.18 feet to a point; Thence S 28 deg. 39 min. 10 sec. E a distance of 898.70 feet to a point; Thence S 28 deg. 39 min. 10 sec. E a distance of 365.00 feet to a point; Said point being S 00 deg. 30 min. 15 sec. E a distance of 165.77 feet from P. R. M. N. G. S. Refuge 2 1934.

Thence S 19 deg. 08 min. 30 sec. E a distance of 536.72 feet to a point; Thence S 29 deg. 13 min. 43 sec. E a distance of 909.58 feet to a point; Thence S 19 deg. 30 min. 34 sec. E a distance of 897.97 feet to a point; Thence S 24 deg. 41 min. 12 sec. E a distance of 843.87 feet to a point; Thence S 22 deg. 52 min. 49 sec. E a distance of 1121.99 feet to a point; Thence S 21 deg. 03 min. 06 sec. W a distance of 343.56 feet to a point; Thence S 12 deg. 01 min. 37 sec. E a distance of 1050.00 feet to a point; Said point being N 87 deg. 25 min. 04 sec. E a distance of 1197.38 feet from P. R. M. Martin County Station 107 Reset 1984.

Thence S 12 deg. 01 min. 37 sec. E a distance of 269.75 feet to a point; Thence S 12 deg. 53 min. 10 sec. E a distance of 922.73 feet to a point; Thence S 22 deg. 22 min. 34 sec. E a distance of 1102.19 feet to a point; Thence S 21 deg. 00 min. 33 sec. E a distance of 745.11 feet to a point; Thence S 21 deg. 16 min. 29 sec. E a distance of 852.12 feet to a point; Thence S 21 deg. 25 min. 17 sec. E a distance of 900.39 feet to a point; Thence S 20 deg. 54 min. 13 sec. E a distance of 899.99 feet to a point; Said point being N 28 deg. 15 min. 22 sec. E a distance of 500.09 feet from P. R. M. Martin County Station 108 1976.

Thence S 20 deg. 54 min. 13 sec. E to the mean high water line on the northwesterly bank of St. Lucie Inlet; Thence N 20 deg. 54 min. 13 sec. W to the aforementioned point; Said point being N 28 deg. 15 min. 22 sec. E a distance of 500.09 feet from P. R. M. Martin County Station 108 1976.

Recommence at P. R. M. 89-84-A01, Thence S 57 deg. 09 min. 10 sec. W a distance of 233.10 feet to a point on the coastal construction control line; Thence N 30 deg. 23 min. 10 sec. W a distance of 435.00 feet to a point; Thence N 29 deg. 12 min. 34 sec. W a distance of 932.82 feet to a point; Thence N 28 deg. 33 min. 35 sec. W a distance of 986.69 feet to a point; Said point being the northwesterly terminus of the coastal construction control line along Jupiter Island in Martin County.

Thence S 28 deg. 33 min. 35 sec. E a distance of 986.69 feet to a point; Thence S 29 deg. 12 min. 34 sec. E a distance of 932.82 feet to a point; Thence S 30 deg. 23 min. 10 sec. E a distance of 435.00 feet to a point; Said point being S 57 deg. 09 min. 10 sec. W a distance of 233.10 feet from P. R. M. 89-84-A01.

Thence S 30 deg. 23 min. 10 sec. E a distance of 405.49 feet to a point; Thence S 29 deg. 15 min. 40 sec. E a distance of 913.36 feet to a point; Thence S 28 deg. 51 min. 07 sec. E a distance of 908.06 feet to a point; Thence S 28 deg. 21 min. 12 sec. E a distance of 911.59 feet to a point; Thence S 28 deg. 04 min. 23 sec. E a distance of 893.90 feet to a point; Thence S 27 deg. 31 min. 13 sec. E a distance of 906.30 feet to a point; Said point being S 73 deg. 02 min. 18 sec. E a distance of 63.45 feet from P. R. M. N. G. S. Royal 2 RM 4.

Thence S 26 deg. 04 min. 52 sec. E a distance of 902.80 feet to a point; Thence S 21 deg. 59 min. 43 sec. E a distance of 1140.67 feet to a point; Thence S 18 deg. 17 min. 43 sec. E a distance of 746.82 feet to a point; Thence S 15 deg. 07 min. 42 sec. E a distance of 1086.72 feet to a point; Said point being N 13 deg. 23 min. 17 sec. E a distance of 126.11 feet from P. R. M. 89-84-A02.

Thence S 22 deg. 08 min. 57 sec. E a distance of 643.65 feet to a point; Thence S 28 deg. 12 min. 12 sec. E a distance of 794.54 feet to a point; Thence S 27 deg. 17 min. 47 sec. E a distance of 1017.15 feet to a point; Thence S 25 deg. 33 min. 09 sec. E a distance of 963.70 feet to a point; Thence S 24 deg. 10 min. 19 sec. E a distance of 833.50 feet to a point; Thence S 24 deg. 22 min. 32 sec.

E a distance of 887.80 feet to a point; Thence S 22 deg. 09 min. 20 sec. E a distance of 900.37 feet to a point; Thence S 19 deg. 25 min. 58 sec. E a distance of 896.42 feet to a point; Thence S 20 deg. 32 min. 23 sec. E a distance of 135.00 feet to a point; Said point being N 58 deg. 54 min. 46 sec. E a distance of 159.39 feet from P. R. M. 89-84-A03.

Thence S 20 deg. 32 min. 23 sec. E a distance of 767.36 feet to a point; Thence S 19 deg. 22 min. 33 sec. E a distance of 870.46 feet to a point; Thence S 19 deg. 42 min. 48 sec. E a distance of 1095.81 feet to a point; Thence S 22 deg. 45 min. 06 sec. E a distance of 698.27 feet to a point; Thence S 22 deg. 31 min. 41 sec. E a distance of 338.06 feet to a point; Said point being N 11 deg. 18 min. 14 sec. E a distance of 156.17 feet from P. R. M. 89-84-A04.

Thence S 22 deg. 31 min. 41 sec. E a distance of 562.94 feet to a point; Thence S 23 deg. 18 min. 49 sec. E a distance of 1110.87 feet to a point; Thence S 22 deg. 50 min. 39 sec. E a distance of 828.68 feet to a point; Thence S 22 deg. 14 min. 50 sec. E a distance of 888.90 feet to a point; Thence S 19 deg. 53 min. 33 sec. E a distance of 868.38 feet to a point; Thence S 19 deg. 21 min. 04 sec. E a distance of 909.63 feet to a point; Thence S 18 deg. 28 min. 57 sec. E a distance of 909.67 feet to a point; Thence S 14 deg. 37 min. 58 sec. E a distance of 330.00 feet to a point; Said point being S 27 deg. 36 min. 19 sec. E a distance of 174.86 feet from P. R. M. 89-84-A05.

Thence S 14 deg. 37 min. 58 sec. E a distance of 576.05 feet to a point; Thence S 17 deg. 58 min. 15 sec. E a distance of 802.81 feet to a point; Thence S 17 deg. 37 min. 38 sec. E a distance of 938.06 feet to a point; Thence S 18 deg. 22 min. 34 sec. E a distance of 902.22 feet to a point; Thence S 16 deg. 22 min. 09 sec. E a distance of 881.63 feet to a point; Thence S 15 deg. 01 min. 40 sec. E a distance of 533.04 feet to a point; Said point being S 51 deg. 46 min. 34 sec. W a distance of 95.37 feet from P. R. M. 89-84-A06.

Thence S 15 deg. 01 min. 40 sec. E a distance of 313.13 feet to a point; Thence S 12 deg. 52 min. 21 sec. E a distance of 916.44 feet to a point; Thence S 14 deg. 01 min. 33 sec. E a distance of 894.45 feet to a point; Thence S 10 deg. 53 min. 42 sec. E a distance of 892.62 feet to a point; Thence S 10 deg. 42 min. 42 sec. E a distance of 898.10 feet to a point; Thence S 08 deg. 20 min. 34 sec. E a distance of 720.00 feet to a point; Said point being S 13 deg. 39 min. 17 sec. W a distance of 189.04 feet from P. R. M. 89-84-A07.

Thence S 08 deg. 20 min. 34 sec. E a distance of 169.18 feet to a point; Thence S 06 deg. 23 min. 01 sec. E a distance of 894.28 feet to a point; Thence S 07 deg. 17 min. 35 sec. E a distance of 892.72 feet to a point; Thence S 14 deg. 53 min. 05 sec. E a distance of 879.23 feet to a point; Thence S 19 deg. 52 min. 02 sec. E a distance of 897.45 feet to a point; Thence S 19 deg. 57 min. 25 sec. E a distance of 906.26 feet to a point; Thence S 21 deg. 57 min. 28 sec. E a distance of 892.59 feet to a point; Thence S 22 deg. 54 min. 55 sec. E a distance of 899.39 feet to a point; Said point being N 78 deg. 30 min. 25 sec. E a distance of 221.80 feet from P. R. M. Martin County Station 123 1976.

Thence S 20 deg. 13 min. 44 sec. E a distance of 918.87 feet to a point; Thence S 20 deg. 40 min. 01 sec. E a distance of 861.29 feet to a point; Thence S 11 deg. 27 min. 33 sec. E a distance of 896.15 feet to a point; Thence S 08 deg. 41 min. 50 sec. E a distance of 901.37 feet to a point; Thence S 08 deg. 41 min. 50 sec. E a distance of 200.00 feet to a point; Said point being N 32 deg. 22 min. 17 sec. E a distance of 126.86 feet from P. R. M. Martin County Station 124 1984.

Thence S 08 deg. 41 min. 50 sec. E to the point of intersection with the Martin and Palm Beach County Line; Said point being the southeasterly terminus of the coastal construction control line for Martin County; Thence N 08 deg. 41 min. 50 sec. W to the aforementioned point; Said point being N 32 deg. 22 min. 17 sec. E a distance of 126.86 feet from P. R. M. Martin County Station 124 1984.

62B-26.016 Description of the Gulf County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Gulf County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Gulf County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 2-25-86, Formerly 16B-26.016.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE GULF COUNTY, FLORIDA

Description of the coastal construction control line is established in compliance with Section 161.053, Florida Statutes, said control line lying along the Saint Joseph Bay and the Gulf of Mexico from the Bay County and Gulf County line, southerly and easterly to the Gulf County and Franklin County line.

Said coastal construction control line is related to a series of "Permanent Reference Monuments" (P. R. M.) designated and hereinafter referred to as "46-76-A03 through 46-76-A01" and "51-83-B01 through 51-83-B44" and National Geodetic Station Spit 1959 for monuments established by the Department of Environmental Protection, State of Florida, or referenced to by station name for monuments established by the National Geodetic Survey (N. G. S.).

Commence at P. R. M. 46-76-A03, Thence N 46 deg. 32 min. 52 sec. E (all bearings in this description are grid) a distance of 139.811 feet to the point of beginning; Thence N 42 deg. 20 min. 13 sec. W to the point of intersection with the Gulf and Bay County line; Said point being the northwesterly terminus of the coastal construction control line for Gulf County; Thence S 42 deg. 20 min. 13 sec. E to the point of beginning.

Thence S 42 deg. 20 min. 13 sec. E a distance of 1000.00 feet to a point; Thence S 42 deg. 20 min. 13 sec. E a distance of 1029.04 feet to a point; Thence S 41 deg. 23 min. 40 sec. E a distance of 1019.57 feet to a point; Said point being N 06 deg. 54 min. 14 sec. E a distance of 87.775 feet from P. R. M. 46-76-A02.

Thence S 41 deg. 30 min. 40 sec. E a distance of 1019.98 feet to a point; Thence S 40 deg. 22 min. 55 sec. E a distance of 1005.59 feet to a point; Thence S 38 deg. 30 min. 41 sec. E a distance of 986.45 feet to a point; Said point being N 39 deg. 37 min. 16 sec. E a distance of 117.530 feet from P. R. M. 46-76-A01.

Thence S 39 deg. 44 min. 37 sec. E a distance of 1080.80 feet to a point; Thence S 39 deg. 41 min. 04 sec. E a distance of 955.35 feet to a point; Thence S 41 deg. 07 min. 58 sec. E a distance of 998.09 feet to a point; Said point being N 81 deg. 11 min. 24 sec. E a distance of 110.590 feet from P. R. M. 51-83-B01.

Thence S 38 deg. 00 min. 32 sec. E a distance of 1003.24 feet to a point; Thence S 38 deg. 52 min. 45 sec. E a distance of 973.70 feet to a point; Thence S 36 deg. 40 min. 31 sec. E a distance of 999.93 feet to a point; Said point being N 05 deg. 25 min. 46 sec. W a distance of 243.334 feet from P. R. M. 51-83-B02.

Thence S 33 deg. 13 min. 59 sec. E a distance of 1009.74 feet to a point; Thence S 32 deg. 34 min. 02 sec. E a distance of 994.27 feet to a point; Thence S 31 deg. 05 min. 43 sec. E a distance of 1038.66 feet to a point; Thence S 27 deg. 34 min. 55 sec. E a distance of 1023.86 feet to a point; Said point being S 36 deg. 10 min. 44 sec. E a distance of 326.549 feet from P. R. M. 51-83-B03.

Thence S 27 deg. 44 min. 49 sec. E a distance of 990.95 feet to a point; Thence S 27 deg. 37 min. 32 sec. E a distance of 476.72 feet to a point; Thence S 88 deg. 28 min. 14 sec. E a distance of 138.30 feet to a point; Thence S 27 deg. 32 min. 07 sec. E a distance of 353.13 feet to a point; Thence S 15 deg. 35 min. 08 sec. W a distance of 165.91 feet to a point; Thence S 25 deg. 53 min. 56 sec. E a distance of 1027.71 feet to a point; Said point being S 26 deg. 38 min. 03 sec. E a distance of 341.424 feet from P. R. M. 51-83-B04.

Thence S 25 deg. 27 min. 48 sec. E a distance of 661.57 feet to a point; Thence S 89 deg. 53 min. 32 sec. E a distance of 165.00 feet to a point; Thence S 26 deg. 01 min. 08 sec. E a distance of 210.26 feet to a point; Thence S 24 deg. 39 min. 33 sec. E a distance of 237.33 feet to a point; Thence S 34 deg. 30 min. 47 sec. W a distance of 164.14 feet to a point; Thence S 26 deg. 11 min. 29 sec. E a distance of 732.68 feet to a point; Thence S 25 deg. 15 min. 31 sec. E a distance of 981.95 feet to a point; Said point being N 62 deg. 19 min. 29 sec. E a distance of 79.066 feet from P. R. M. 51-83-B05.

Thence S 24 deg. 25 min. 42 sec. E a distance of 994.06 feet to a point; Thence S 23 deg. 55 min. 48 sec. E a distance of 994.00 feet to a point; Thence S 17 deg. 26 min. 40 sec. E a distance of 998.95 feet to a point; Said point being N 55 deg. 00 min. 05 sec. E a distance of 117.563 feet from P. R. M. 51-83-B06.

Thence S 17 deg. 42 min. 09 sec. E a distance of 999.87 feet to a point; Thence S 19 deg. 16 min. 21 sec. E a distance of 986.09 feet to a point; Thence S 16 deg. 37 min. 43 sec. E a distance of 1011.34 feet to a point; Said point being N 54 deg. 40 min. 01 sec. E a distance of 155.870 feet from P. R. M. 51-83-B07.

Thence S 19 deg. 34 min. 30 sec. E a distance of 1008.72 feet to a point; Thence S 27 deg. 01 min. 20 sec. E a distance of 1004.90 feet to a point; Said point being N 30 deg. 24 min. 11 sec. E a distance of 247.895 feet from P. R. M. 51-83-B08.

Thence S 31 deg. 34 min. 08 sec. E a distance of 1036.29 feet to a point; Thence S 65 deg. 00 min. 00 sec. W to the point of intersection with the mean high water line of the northeasterly bank of St. Joseph Bay; Said point being the southwesterly terminus of the coastal construction control line along St. Joseph Bay; Thence N 65 deg. 00 min. 00 sec. E to the aforementioned point; Thence N 31 deg. 34 min. 08 sec. W a distance of 1036.29 feet to a point; Said point being N 30 deg. 24 min. 11 sec. E a distance of 247.895 feet from P. R. M. 51-83-B08.

Recommence at P. R. M. 51-83-B09, thence N 10 deg. 33 min. 09 sec. E a distance of 229.773 feet to a point on the coastal construction control line; Thence S 40 deg. 00 min. 00 sec. E to the point of intersection with the mean high water line of the southeasterly bank of Cape San Blas; Thence N 40 deg. 00 min. 00 sec. W to the aforementioned point; Said point being N 10 deg. 33 min. 09 sec. E a distance of 229.773 feet from P. R. M. 51-83-B09.

Thence S 54 deg. 40 min. 07 sec. W a distance of 1581.19 feet to a point; Thence S 52 deg. 12 min. 29 sec. W a distance of 907.32 feet to a point; Thence S 24 deg. 33 min. 28 sec. W a distance of 703.78 feet to a point;

Thence S 53 deg. 24 min. 20 sec. W a distance of 534.86 feet to a point; Thence S 53 deg. 13 min. 21 sec. W a distance of 984.78 feet to a point; Said point being S 32 deg. 57 min. 05 sec. E a distance of 487.089 feet from P. R. M. 51-83-B10.

Thence S 61 deg. 20 min. 20 sec. W a distance of 988.98 feet to a point; Thence S 35 deg. 27 min. 12 sec. W a distance of 1039.28 feet to a point; Thence S 33 deg. 16 min. 13 sec. W a distance of 1044.45 feet to a point; Said point being S 14 deg. 58 min. 51 sec. E a distance of 118.260 feet from P. R. M. 51-83-B11.

Thence S 27 deg. 00 min. 00 sec. W a distance of 889.31 feet to a point; Thence S 18 deg. 19 min. 46 sec. W a distance of 1089.51 feet to a point; Thence S 13 deg. 19 min. 33 sec. W a distance of 1058.17 feet to a point; Said point being N 32 deg. 18 min. 07 sec. E a distance of 514.098 feet from P. R. M. 51-83-B12.

Thence S 13 deg. 45 min. 54 sec. W a distance of 978.66 feet to a point; Thence S 11 deg. 16 min. 33 sec. W a distance of 1070.44 feet to a point; Thence S 11 deg. 43 min. 06 sec. W a distance of 986.56 feet to a point; Said point being S 52 deg. 35 min. 47 sec. E a distance of 231.080 feet from P. R. M. 51-83-B13.

Thence S 03 deg. 30 min. 50 sec. W a distance of 987.52 feet to a point; Thence S 08 deg. 49 min. 46 sec. W a distance of 1067.61 feet to a point; Thence S 09 deg. 00 min. 01 sec. W a distance of 1070.68 feet to a point; Said point being N 18 deg. 40 min. 40 sec. E a distance of 431.829 feet from P. R. M. 51-83-B14.

Thence S 02 deg. 44 min. 37 sec. W a distance of 940.08 feet to a point; Thence S 02 deg. 44 min. 13 sec. W a distance of 1026.17 feet to a point; Thence S 02 deg. 56 min. 29 sec. E a distance of 1021.14 feet to a point; Said point being N 34 Deg. 24 min. 25 sec. E a distance of 124.982 feet from P. R. M. 51-83-B15.

Thence S 02 deg. 52 min. 45 sec. E a distance of 1032.08 feet to a point; Thence S 06 deg. 27 min. 26 sec. E a distance of 1027.97 feet to a point; Thence S 04 deg. 08 min. 19 sec. E a distance of 993.70 feet to a point; Said point being N 44 deg. 49 min. 36 sec. E a distance of 168.450 feet from P. R. M. 51-83-B16.

Thence S 05 deg. 36 min. 04 sec. E a distance of 1053.64 feet to a point; Thence S 05 deg. 46 min. 00 sec. E a distance of 988.95 feet to a point; Thence S 06 deg. 26 min. 20 sec. E a distance of 1037.10 feet to a point; Thence S 08 deg. 14 min. 10 sec. E a distance of 1071.68 feet to a point; Said point being N 74 deg. 02 min. 25 sec. W a distance of 48.992 feet from P. R. M. 51-83-B17.

Thence S 07 deg. 36 min. 06 sec. E a distance of 956.42 feet to a point; Thence S 10 deg. 18 min. 09 sec. E a distance of 1029.74 feet to a point; Thence S 10 deg. 19 min. 12 sec. E a distance of 1056.50 feet to a point; Said point being N 21 deg. 14 min. 52 sec. W a distance of 249.197 feet from P. R. M. 51-83-B18.

Thence S 10 deg. 06 min. 50 sec. E a distance of 978.05 feet to a point; Thence S 09 deg. 53 min. 18 sec. E a distance of 1059.29 feet to a point; Thence S 10 deg. 46 min. 01 sec. E a distance of 1092.24 feet to a point; Thence S 16 deg. 09 min. 07 sec. E a distance of 1024.55 feet to a point; Thence S 16 deg. 28 min. 48 sec. E a distance of 1080.05 feet to a point; Thence S 01 deg. 22 min. 10 sec. W a distance of 1073.35 feet to a point; Said point being S 31 deg. 41 min. 56 sec. E a distance of 309.030 feet from P. R. M. 51-83-B19.

Thence S 07 deg. 37 min. 13 sec. E a distance of 1043.96 feet to a point; Thence S 13 deg. 08 min. 43 sec. E a distance of 1078.09 feet to a point; Thence S 13 deg. 18 min. 26 sec. E a distance of 1093.98 feet to a point; Thence S 13 deg. 17 min. 15 sec. E a distance of 1046.12 feet to a point; Said point being N 10 deg. 47 min. 12 sec. E a distance of 112.780 feet from P. R. M. 51-83-B20.

Thence S 11 deg. 57 min. 27 sec. E a distance of 1072.42 feet to a point; Thence S 15 deg. 18 min. 45 sec. E a distance of 1067.16 feet to a point; Thence S 14 deg. 52 min. 30 sec. E a distance of 1055.18 feet to a point; Said point being S 79 deg. 09 min. 51 sec. W a distance of 175.293 feet from P. R. M. 51-83-B21.

Thence S 14 deg. 42 min. 16 sec. E a distance of 1046.85 feet to a point; Thence S 14 deg. 20 min. 54 sec. E a distance of 1059.76 feet to a point; Said point being N 12 deg. 34 min. 43 sec. E a distance of 355.683 feet from P. R. M. 51-83-B22.

Thence S 15 deg. 52 min. 03 sec. E a distance of 1033.91 feet to a point; Thence S 14 deg. 50 min. 17 sec. E a distance of 1058.63 feet to a point; Thence S 12 deg. 26 min. 43 sec. E a distance of 600.00 feet to a point; Said point being N 75 deg. 25 min. 12 sec. E a distance of 108.640 feet from P. R. M. 51-83-B23.

Thence S 12 deg. 26 min. 43 sec. E a distance of 451.44 feet to a point; Thence S 11 deg. 55 min. 05 sec. E a distance of 1030.68 feet to a point; Thence S 16 deg. 38 min. 50 sec. E a distance of 1060.99 feet to a point; Thence S 16 deg. 59 min. 03 sec. E a distance of 1031.39 feet to a point; Thence S 21 deg. 44 min. 18 sec. E a distance of 796.37 feet to a point; Said point being S 12 deg. 09 min. 14 sec. W a distance of 83.249 feet from P. R. M. 51-83-B24.

Thence S 20 deg. 51 min. 47 sec. E a distance of 1196.85 feet to a point; Thence S 18 deg. 16 min. 13 sec. E a distance of 998.30 feet to a point; Thence S 18 deg. 43 min. 09 sec. E a distance of 700.00 feet to a point; Said point being N 86 deg. 53 min. 31 sec. W a distance of 411.033 feet from P. R. M. 51-83-B25.

Thence S 18 deg. 43 min. 09 sec. E a distance of 353.62 feet to a point; Thence S 18 deg. 16 min. 18 sec. E a distance of 1001.69 feet to a point; Thence S 21 deg. 34 min. 24 sec. E a distance of 1033.86 feet to a point; Thence S 22 deg. 10 min. 43 sec. E a distance of 1030.79 feet to a point; Thence S 19 deg. 51 min. 54 sec. E a distance of 1032.78 feet to a point; Said point being N 81 deg. 26 min. 05 sec. W a distance of 645.340 feet from P. R. M. 51-83-B26.

Thence S 19 deg. 49 min. 54 sec. E a distance of 1017.56 feet to a point; Thence S 19 deg. 46 min. 02 sec. E a distance of 1039.07 feet to a point; Thence S 21 deg. 54 min. 02 sec. E a distance of 988.65 feet to a point; Said point being S 67 deg. 57 min. 32 sec. W a distance of 783.574 feet from P. R. M. 51-83-B27.

Thence S 21 deg. 54 min. 20 sec. E a distance of 1025.84 feet to a point; Thence S 18 deg. 54 min. 27 sec. E a distance of 1056.14 feet to a point; Thence S 21 deg. 53 min. 15 sec. E a distance of 1037.57 feet to a point; Thence S 23 deg. 41 min. 01 sec. E a distance of 550.00 feet to a point; Said point being S 69 deg. 35 min. 29 sec. W a distance of 680.346 feet from P. R. M. 51-83-B28.

Thence S 23 deg. 41 min. 01 sec. E a distance of 442.19 feet to a point; Thence S 24 deg. 24 min. 03 sec. E a distance of 985.21 feet to a point; Thence S 28 deg. 08 min. 54 sec. E a distance of 1017.99 feet to a point; Thence S 23 deg. 30 min. 11 sec. E a distance of 968.44 feet to a point; Thence S 27 deg. 32 min. 17 sec. E a distance of 1014.99 feet to a point; Thence S 30 deg. 51 min. 43 sec. E a distance of 938.23 feet to a point; Said point being N 24 deg. 05 min. 13 sec. W a distance of 146.529 feet from P. R. M. 51-83-B29.

Thence S 32 deg. 00 min. 40 sec. E a distance of 1030.55 feet to a point; Thence S 34 deg. 52 min. 54 sec. E a distance of 1086.48 feet to a point; Said point being S 10 deg. 00 min. 39 sec. W a distance of 514.223 feet from P. R. M. 51-83-B30.

Thence S 36 deg. 10 min. 02 sec. E a distance of 1028.74 feet to a point; Thence S 30 deg. 42 min. 17 sec. E a distance of 1017.23 feet to a point; Said point being N 35 deg. 58 min. 00 sec. E a distance of 403.495 feet from P. R. M. 51-83-B31.

Thence S 32 deg. 29 min. 52 sec. E a distance of 1041.45 feet to a point; Thence S 32 deg. 26 min. 45 sec. E a distance of 1019.83 feet to a point; Thence S 34 deg. 27 min. 59 sec. E a distance of 1029.01 feet to a point; Thence S 34 deg. 08 min. 11 sec. E a distance of 999.37 feet to a point; Thence S 36 deg. 31 min. 28 sec. E a distance of 1037.42 feet to a point; Said point being N 40 deg. 29 min. 37 sec. W a distance of 382.444 feet from N. G. S. Station Spit 1959.

Thence S 36 deg. 39 min. 31 sec. E a distance of 1010.23 feet to a point; Thence N 47 deg. 27 min. 20 sec. E a distance of 1405.59 feet to a point; Thence N 24 deg. 29 min. 03 sec. E a distance of 1186.24 feet to a point; Said point being S 35 deg. 28 min. 39 sec. E a distance of 1317.421 feet from P. R. M. 51-83-B32.

Thence N 41 deg. 40 min. 55 sec. E a distance of 1167.28 feet to a point; Thence N 57 deg. 34 min. 12 sec. E a distance of 909.39 feet to a point; Thence N 59 deg. 17 min. 35 sec. E a distance of 1034.55 feet to a point; Said point being S 10 deg. 31 min. 17 sec. E a distance of 770.346 feet from P. R. M. 51-83-B33.

Thence N 59 deg. 08 min. 29 sec. E a distance of 1048.59 feet to a point; Thence N 67 deg. 01 min. 57 sec. E a distance of 998.67 feet to a point; Thence N 66 deg. 51 min. 52 sec. E a distance of 1037.79 feet to a point; Thence N 71 deg. 48 min. 29 sec. E a distance of 1125.08 feet to a point; Thence N 71 deg. 43 min. 08 sec. E a distance of 939.44 feet to a point; Thence N 74 deg. 20 min. 16 sec. E a distance of 996.91 feet to a point; Said point being S 43 deg. 23 min. 28 sec. E a distance of 985.465 feet from P. R. M. 51-83-B34.

Thence N 77 deg. 33 min. 59 sec. E a distance of 1098.23 feet to a point; Thence N 77 deg. 38 min. 36 sec. E a distance of 1068.61 feet to a point; Thence N 81 deg. 25 min. 43 sec. E a distance of 1010.50 feet to a point; Thence N 81 deg. 49 min. 56 sec. E a distance of 450.00 feet to a point; Said point being S 09 deg. 20 min. 59 sec. E a distance of 441.420 feet from P. R. M. 51-83-B35.

Thence N 81 deg. 49 min. 56 sec. E a distance of 617.51 feet to a point; Thence N 83 deg. 38 min. 16 sec. E a distance of 1017.16 feet to a point; Thence N 83 deg. 56 min. 24 sec. E a distance of 1028.54 feet to a point; Thence N 85 deg. 55 min. 43 sec. E a distance of 993.00 feet to a point; Said point being S 00 deg. 57 min. 58 sec. E a distance of 386.616 feet from P. R. M. 51-83-B36.

Thence N 84 deg. 57 min. 19 sec. E a distance of 1057.60 feet to a point; Thence East a distance of 986.00 feet to a point; Thence S 88 deg. 49 min. 08 sec. E a distance of 1018.72 feet to a point; Thence S 88 deg. 35 min. 52 sec. E a distance of 500.00 feet to a point; Said point being S 11 deg. 36 min. 22 sec. E a distance of 165.194 feet from P. R. M. 51-83-B37.

Thence S 88 deg. 35 min. 52 sec. E a distance of 460.29 feet to a point; Thence S 88 deg. 23 min. 13 sec. E a distance of 1047.92 feet to a point; Thence S 88 deg. 08 min. 15 sec. E a distance of 1061.55 feet to a point; Thence S 86 deg. 15 min. 15 sec. E a distance of 400.00 feet to a point; Said point being S 09 deg. 55 min. 09 sec. W a distance of 163.122 feet from P. R. M. 51-83-B38.

Thence S 86 deg. 15 min. 15 sec. E a distance of 549.03 feet to a point; Thence S 85 deg. 20 min. 44 sec. E a distance of 1105.88 feet to a point; Thence S 81 deg. 51 min. 34 sec. E a distance of 986.72 feet to a point; Thence S 82 deg. 39 min. 37 sec. E a distance of 1037.49 feet to a point; Said point being N 54 deg. 43 min. 03 sec. E a distance of 357.517 feet from P. R. M. 51-83-B39.

Thence S 80 deg. 44 min. 01 sec. E a distance of 912.91 feet to a point; Thence S 79 deg. 14 min. 53 sec. E a distance of 1108.43 feet to a point; Thence S 77 deg. 21 min. 46 sec. E a distance of 1038.73 feet to a point; Thence S 78 deg. 51 min. 57 sec. E a distance of 983.02 feet to a point; Said point being N 31 deg. 02 min. 51 sec. W a distance of 79.572 feet from P. R. M. 51-83-B40.

Thence S 76 deg. 18 min. 10 sec. E a distance of 1062.17 feet to a point; Thence S 74 deg. 13 min. 48 sec. E a distance of 1130.84 feet to a point; Thence S 73 deg. 38 min. 49 sec. E a distance of 1011.67 feet to a point; Said point being S 58 deg. 25 min. 55 sec. E a distance of 223.967 feet from P. R. M. 51-83-B41.

Thence S 70 deg. 15 min. 20 sec. E a distance of 1055.87 feet to a point; Thence S 86 deg. 17 min. 27 sec. E a distance of 994.43 feet to a point; Thence N 87 deg. 37 min. 53 sec. E a distance of 822.78 feet to a point; Said point being S 04 deg. 48 min. 33 sec. W a distance of 734.856 feet from P. R. M. 51-83-B42.

Thence N 82 deg. 51 min. 32 sec. E a distance of 1046.37 feet to a point; Thence N 86 deg. 14 min. 11 sec. E a distance of 797.71 feet to a point; Thence N 72 deg. 03 min. 18 sec. E a distance of 978.09 feet to a point; Thence N 52 deg. 02 min. 05 sec. E a distance of 919.23 feet to a point; Thence N 52 deg. 31 min. 45 sec. E a distance of 895.94 feet to a point; Said point being S 75 deg. 06 min. 38 sec. E a distance of 161.992 feet from P. R. M. 51-83-B43.

Thence N 52 deg. 38 min. 33 sec. E a distance of 781.55 feet to a point; Said point being N 06 deg. 03 min. 55 sec. E a distance of 341.735 feet from P. R. M. 51-83-B44.

Thence N 52 deg. 38 min. 33 sec. E to the point of intersection with the mean high water line of the southwesterly bank of Indian Pass; Said point being the northeasterly terminus of the coastal construction control line for Gulf County; Thence S 52 deg. 38 min. 33 sec. W to the aforementioned point; Said point being N 06 deg. 03 min. 55 sec. E a distance of 341.735 feet from P. R. M. 51-83-B44.

62B-26.017 Description of the Brevard County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Brevard County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Brevard County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History—New 12-4-86, Formerly 16B-26.017.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE BREVARD COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053, FLORIDA STATUTES, SAID CONTROL LINE LYING ALONG THE ATLANTIC COAST FROM THE MEAN HIGH WATER LINE OF THE SOUTHERN BANK OF PORT CANAVERAL INLET SOUTHERLY TO THE MEAN HIGH WATER LINE OF THE NORTHERN BANK OF SEBASTIAN INLET.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P. R. M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "70-80-A01 THROUGH 70-80-A18", "70-85-A19-2", "70-80-A20", "70-85-A21-2", "70-80-A22 THROUGH 70-80-A26", "70-80-A27 85", "70-80-A28", "70-80-A29 1985", "70-80-A30 THROUGH 70-80-A31", "70-80-A32 1985", "70-80-A33 THROUGH 70-80-A38", "70-85-A39-2", "70-80-A40 THROUGH 70-80-A42", "70-85-A43-2", "70-80-A44", "70-85-A45-2 THROUGH 70-85-A47-2", "70-80-A48 THROUGH 70-80-A63" AND "88-78-A01 THROUGH 88-78-A03", STATION JLR 532 1965 AND NATIONAL GEODETIC STATION TECH 1961, FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERENCED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY THE NATIONAL GEODETIC SURVEY (N. G. S.) OR BY PAN AMERICAN WORLD AIRWAYS (P. A. A.).

COMMENCE AT P. R. M. 70-80-A01 THENCE S 68 DEG. 11 MIN. 38 SEC. W (ALL BEARINGS IN THIS DESCRIPTION ARE GRID) A DISTANCE OF 226.639 FEET TO THE POINT OF BEGINNING; THENCE N 09 DEG. 52 MIN. 38 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN BANK OF PORT CANAVERAL INLET; SAID POINT BEING THE NORTHERN TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR BREVARD COUNTY; THENCE S 09 DEG. 52 MIN. 38 SEC. W TO THE POINT OF BEGINNING.

Thence S 09 deg. 52 min. 38 sec. W a distance of 851.12 feet to a point; Thence S 17 deg. 41 min. 13 sec. W a distance of 710.00 feet to a point; Said point being S 85 deg. 05 min. 22 sec. W a distance of 390.100 feet from P. R. M. 70-80-A02.

Thence S 17 deg. 41 min. 13 sec. W a distance of 404.17 feet to a point; Thence S 20 deg. 04 min. 35 sec. W a distance of 971.53 feet to a point; Thence S 17 deg. 40 min. 56 sec. W a distance of 963.00 feet to a point; Thence S 15 deg. 02 min. 19 sec. W a distance of 970.74 feet to a point; Thence S 14 deg. 30 min. 01 sec. W a distance of 943.04 feet to a point; Said point being S 45 deg. 21 min. 31 sec. W a distance of 417.775 feet from P. R. M. 70-80-A03.

Thence S 13 deg. 23 min. 54 sec. W a distance of 590.00 feet to a point; Said point being S 45 deg. 19 min. 26 sec. E a distance of 270.166 feet from P. R. M. 70-80-A04.

Thence S 13 deg. 23 min. 54 sec. W a distance of 314.11 feet to a point; Thence S 12 deg. 47 min. 14 sec. W a distance of 962.37 feet to a point; Thence S 14 deg. 27 min. 59 sec. W a distance of 936.69 feet to a point; Said point being N 57 deg. 26 min. 20 sec. E a distance of 503.330 feet from P. R. M. 70-80-A05.

Thence S 13 deg. 06 min. 01 sec. W a distance of 994.89 feet to a point; Thence S 13 deg. 04 min. 04 sec. W a distance of 968.58 feet to a point; Thence S 11 deg. 46 min. 06 sec. W a distance of 980.61 feet to a point; Thence S 11 deg. 38 min. 04 sec. W a distance of 934.71 feet to a point; Said point being S 88 deg. 08 min. 47 sec. E a distance of 415.978 feet from P. R. M. 70-80-A06.

Thence S 10 deg. 14 min. 35 sec. W a distance of 995.36 feet to a point; Thence S 09 deg. 49 min. 11 sec. W a distance of 1014.37 feet to a point; Said point being N 84 deg. 08 min. 12 sec. E a distance of 464.461 feet from P. R. M. 70-80-A07.

Thence S 10 deg. 48 min. 04 sec. W a distance of 949.83 feet to a point; Thence S 09 deg. 25 min. 21 sec. W a distance of 565.00 feet to a point; Said point being N 77 deg. 21 min. 45 sec. E a distance of 183.344 feet from P. R. M. 70-80-A08.

Thence S 09 deg. 25 min. 21 sec. W a distance of 262.67 feet to a point; Thence S 10 deg. 01 min. 05 sec. W a distance of 991.62 feet to a point; Thence S 08 deg. 17 min. 32 sec. W a distance of 974.18 feet to a point; Thence S 08 deg. 29 min. 33 sec. W a distance of 1039.40 feet to a point; Thence S 05 deg. 53 min. 33 sec. W a distance of 650.00 feet to a point; Said point being S 76 deg. 53 min. 55 sec. E a distance of 204.343 feet from P. R. M. 70-80-A09.

Thence S 05 deg. 53 min. 33 sec. W a distance of 160.76 feet to a point; Thence S 05 deg. 44 min. 35 sec. W a distance of 790.00 feet to a point; Said point being S 80 deg. 15 min. 16 sec. E a distance of 893.544 feet from P. R. M. 70-80-A10.

Thence S 05 deg. 44 min. 35 sec. W a distance of 144.72 feet to a point; Thence S 07 deg. 02 min. 55 sec. W a distance of 1036.84 feet to a point; Thence S 06 deg. 27 min. 24 sec. W a distance of 978.20 feet to a point; Thence S 04 deg. 37 min. 02 sec. W a distance of 1024.82 feet to a point; Thence S 06 deg. 40 min. 02 sec. W a distance of 200.00 feet to a point; Said point being S 83 deg. 02 min. 01 sec. E a distance of 896.249 feet from P. R. M. 70-80-A11.

Thence S 06 deg. 40 min. 02 sec. W a distance of 772.90 feet to a point; Thence S 03 deg. 51 min. 42 sec. W a distance of 958.36 feet to a point; Thence S 04 deg. 33 min. 18 sec. W a distance of 969.56 feet to a point; Thence S 04 deg. 13 min. 15 sec. W a distance of 1012.24 feet to a point; Thence S 02 deg. 18 min. 55 sec. W a distance of 977.80 feet to a point; Said point being S 73 deg. 18 min. 17 sec. E a distance of 836.626 feet from P. R. M. 70-80-A12.

Thence S 02 deg. 32 min. 27 sec. W a distance of 992.48 feet to a point; Thence S 02 deg. 34 min. 00 sec. W a distance of 971.47 feet to a point; Said point being N 43 deg. 20 min. 49 sec. E a distance of 113.998 feet from P. R. M. 70-80-A13.

Thence S 01 deg. 18 min. 56 sec. W a distance of 805.71 feet to a point; Thence S 01 deg. 22 min. 50 sec. W a distance of 924.54 feet to a point; Thence S 01 deg. 25 min. 18 sec. W a distance of 916.01 feet to a point; Said point being N 17 deg. 53 min. 49 sec. E a distance of 260.714 feet from P. R. M. 70-80-A14.

Thence S 00 deg. 05 min. 55 sec. E a distance of 870.50 feet to a point; Thence S 00 deg. 17 min. 34 sec. W a distance of 1076.01 feet to a point; Thence S 01 deg. 32 min. 14 sec. E a distance of 987.86 feet to a point; Thence S 01 deg. 15 min. 07 sec. E a distance of 961.23 feet to a point; Said point being S 56 deg. 43 min. 02 sec. E a distance of 27.235 feet from P. R. M. 70-80-A15.

Thence S 01 deg. 53 min. 39 sec. E a distance of 953.02 feet to a point; Thence S 02 deg. 33 min. 11 sec. E a distance of 998.99 feet to a point; Thence S 01 deg. 38 min. 53 sec. E a distance of 990.91 feet to a point; Thence S 00 deg. 44 min. 55 sec. E a distance of 958.96 feet to a point; Said point being N 09 deg. 23 min. 37 sec. E a distance of 59.277 feet from P. R. M. 70-80-A16.

Thence S 03 deg. 09 min. 25 sec. E a distance of 989.12 feet to a point; Thence S 01 deg. 50 min. 44 sec. E a distance of 962.50 feet to a point; Said point being N 03 deg. 37 min. 56 sec. E a distance of 470.221 feet from P. R. M. 70-80-A17.

Thence S 05 deg. 39 min. 23 sec. E a distance of 999.37 feet to a point; Thence S 04 deg. 08 min. 15 sec. E a distance of 942.46 feet to a point; Thence S 03 deg. 49 min. 21 sec. E a distance of 1033.41 feet to a point; Said point being S 04 deg. 27 min. 43 sec. E a distance of 239.514 feet from P. R. M. 70-80-A18.

Thence S 03 deg. 29 min. 59 sec. E a distance of 1148.53 feet to a point; Thence S 06 deg. 49 min. 20 sec. E a distance of 715.57 feet to a point; Thence S 03 deg. 02 min. 39 sec. E a distance of 960.36 feet to a point; Thence S 03 deg. 47 min. 59 sec. E a distance of 814.79 feet to a point; Said point being S 79 deg. 47 min. 01 sec. E a distance of 93.513 feet from P. R. M. 70-85-A19-2.

Thence S 05 deg. 15 min. 07 sec. E a distance of 994.17 feet to a point; Thence S 06 deg. 15 min. 15 sec. E a distance of 954.68 feet to a point; Thence S 05 deg. 06 min. 06 sec. E a distance of 1006.49 feet to a point; Thence S 05 deg. 09 min. 09 sec. E a distance of 845.58 feet to a point; Said point being N 85 deg. 41 min. 23 sec. W a distance of 129.448 feet from P. R. M. 70-80-A20.

Thence S 07 deg. 56 min. 46 sec. E a distance of 987.82 feet to a point; Thence S 07 deg. 41 min. 09 sec. E a distance of 975.77 feet to a point; Thence S 07 deg. 14 min. 15 sec. E a distance of 1012.06 feet to a point; Thence S 08 deg. 21 min. 27 sec. E a distance of 997.60 feet to a point; Said point being S 33 deg. 13 min. 15 sec. W a distance of 280.437 feet from P. R. M. 70-85-A21-2.

Thence S 08 deg. 17 min. 33 sec. E a distance of 998.44 feet to a point; Thence S 08 deg. 43 min. 10 sec. E a distance of 976.28 feet to a point; Thence S 08 deg. 57 min. 32 sec. E a distance of 982.49 feet to a point; Thence S 10 deg. 00 min. 02 sec. E a distance of 989.06 feet to a point; Said point being N 79 deg. 26 min. 22 sec. W a distance of 135.054 feet from P. R. M. 70-80-A22.

Thence S 07 deg. 29 min. 06 sec. E a distance of 995.95 feet to a point; Thence S 08 deg. 32 min. 20 sec. E a distance of 872.17 feet to a point; Thence S 07 deg. 47 min. 31 sec. E a distance of 958.85 feet to a point; Thence S 07 deg. 52 min. 54 sec. E a distance of 1010.04 feet to a point; Said point being S 10 deg. 44 min. 39 sec. E a distance of 381.954 feet from P. R. M. 70-80-A23.

Thence S 06 deg. 21 min. 38 sec. E a distance of 934.25 feet to a point; Said point being N 48 deg. 38 min. 06 sec. W a distance of 117.489 feet from N. G. S. Station Tech 1961.

Thence S 06 deg. 27 min. 28 sec. E a distance of 995.82 feet to a point; Thence S 08 deg. 19 min. 27 sec. E a distance of 894.99 feet to a point; Said point being N 17 deg. 29 min. 59 sec. W a distance of 349.403 feet from P. R. M. 70-80-A24.

Thence S 08 deg. 33 min. 49 sec. E a distance of 1020.31 feet to a point; Thence S 07 deg. 30 min. 57 sec. E a distance of 863.92 feet to a point; Thence S 07 deg. 26 min. 14 sec. E a distance of 1012.02 feet to a point; Said point being N 07 deg. 29 min. 47 sec. W a distance of 315.433 feet from P. R. M. 70-80-A25.

Thence S 06 deg. 55 min. 12 sec. E a distance of 1091.45 feet to a point; Thence S 07 deg. 26 min. 11 sec. E a distance of 764.93 feet to a point; Thence S 09 deg. 38 min. 46 sec. E a distance of 999.63 feet to a point; Thence S 07 deg. 44 min. 30 sec. E a distance of 1002.14 feet to a point; Said point being N 17 deg. 54 min. 36 sec. W a distance of 141.813 feet from P. R. M. 70-80-A26.

Thence S 08 deg. 48 min. 12 sec. E a distance of 1029.12 feet to a point; Thence S 10 deg. 12 min. 28 sec. E a distance of 871.80 feet to a point; Thence S 10 deg. 15 min. 09 sec. E a distance of 977.61 feet to a point; Thence S 10 deg. 38 min. 00 sec. E a distance of 974.44 feet to a point; Said point being S 11 deg. 46 min. 12 sec. E a distance of 147.486 feet from Station JLR 532 1965.

Thence S 11 deg. 40 min. 10 sec. E a distance of 994.27 feet to a point; Thence S 11 deg. 33 min. 18 sec. E a distance of 734.25 feet to a point; Said point being N 13 deg. 45 min. 06 sec. W a distance of 480.095 feet from P. R. M. 70-80-A27 1985.

Thence S 13 deg. 10 min. 28 sec. E a distance of 993.25 feet to a point; Thence S 13 deg. 26 min. 36 sec. E a distance of 871.54 feet to a point; Thence S 12 deg. 22 min. 14 sec. E a distance of 1125.52 feet to a point; Thence S 12 deg. 23 min. 59 sec. E a distance of 897.54 feet to a point; Said point being S 56 deg. 18 min. 51 sec. E a distance of 77.321 feet from P. R. M. 70-80-A28.

Thence S 11 deg. 35 min. 39 sec. E a distance of 623.46 feet to a point; Thence S 11 deg. 44 min. 58 sec. E a distance of 889.98 feet to a point; Thence S 14 deg. 02 min. 20 sec. E a distance of 882.74 feet to a point; Thence S 13 deg. 37 min. 11 sec. E a distance of 1012.77 feet to a point; Said point being S 05 deg. 48 min. 06 sec. E a distance of 356.366 feet from P. R. M. 70-80-A29 1985.

Thence S 12 deg. 37 min. 53 sec. E a distance of 996.40 feet to a point; Thence S 13 deg. 52 min. 54 sec. E a distance of 779.94 feet to a point; Thence S 12 deg. 53 Min. 19 sec. E a distance of 938.96 feet to a point; Thence S 11 deg. 50 min. 23 sec. E a distance of 927.73 feet to a point; Said point being S 19 deg. 56 min. 17 sec. E a distance of 297.170 feet from P. R. M. 70-80-A30.

Thence S 11 deg. 57 min. 44 sec. E a distance of 999.44 feet to a point; Thence S 14 deg. 38 min.. 33 sec. E a distance of 962.83 feet to a point; Thence S 12 deg. 57 min. 23 sec. E a distance of 994.47 feet to a point; Thence S 12 deg. 39 min. 15 sec. E a distance of 997.20 feet to a point; Thence S 13 deg. 16 min. 04 sec. E a distance of 977.58 feet to a point; Said point being N 09 deg. 17 min. 55 sec. E a distance of 135.306 feet from P. R. M. 70-80-A31.

Thence S 13 deg. 04 min. 03 sec. E a distance of 996.87 feet to a point; Thence S 12 deg. 54 min. 41 sec. E a distance of 901.80 feet to a point; Thence S 13 deg. 55 min. 02 sec. E a distance of 644.42 feet to a point; Said point being N 07 deg. 04 min. 58 sec. W a distance of 681.854 feet from P. R. M. 70-80-A32 1985.

Thence S 14 deg. 41 min. 41 sec. E a distance of 1328.49 feet to a point; Thence S 13 deg. 46 min. 41 sec. E a distance of 990.58 feet to a point; Thence S 13 deg. 21 min. 59 sec. E a distance of 881.88 feet to a point; Said point being N 01 deg. 40 min. 21 sec. E a distance of 626.343 feet from P. R. M. 70-80-A33.

Thence S 13 deg. 49 min. 08 sec. E a distance of 933.12 feet to a point; Thence S 13 deg. 24 min. 58 sec. E a distance of 1167.93 feet to a point; Thence S 15 deg. 13 min. 08 sec. E a distance of 829.87 feet to a point; Thence S 14 deg. 38 min. 28 sec. E a distance of 1000.14 feet to a point; Said point being S 78 deg. 41 min. 16 sec. E a distance of 167.918 feet from P. R. M. 70-80-A34.

Thence S 15 deg. 27 min. 16 sec. E a distance of 877.37 feet to a point; Thence S 15 deg. 00 min. 40 sec. E a distance of 931.59 feet to a point; Thence S 14 deg. 58 min. 03 sec. E a distance of 1144.22 feet to a point; Said point being S 29 deg. 58 min. 02 sec. E a distance of 544.335 feet from P. R. M. 70-80-A35.

Thence S 15 deg. 57 min. 03 sec. E a distance of 756.99 feet to a point; Thence S 15 deg. 24 min. 26 sec. E a distance of 910.12 feet to a point; Thence S 15 deg. 04 min. 08 sec. E a distance of 1013.27 feet to a point; Thence S 17 deg. 15 min. 35 sec. E a distance of 938.39 feet to a point; Said point being S 31 deg. 18 min. 38 sec. E a distance of 278.086 feet from P. R. M. 70-80-A36.

Thence S 16 deg. 01 min. 10 sec. E a distance of 923.20 feet to a point; Thence S 15 deg. 54 min. 41 sec. E a distance of 1096.62 feet to a point; Thence S 18 deg. 14 min. 21 sec. E a distance of 807.57 feet to a point; Said point being S 25 deg. 20 min. 50 sec. E a distance of 320.999 feet from P. R. M. 70-80-A37.

Thence S 17 deg. 48 min. 15 sec. E a distance of 937.05 feet to a point; Said point being N 11 deg. 17 min. 01 sec. E a distance of 246.093 feet from P. R. M. 70-80-A38.

Thence S 17 deg. 29 min. 23 sec. E a distance of 1002.53 feet to a point; Thence S 17 deg. 53 min. 17 sec. E a distance of 986.66 feet to a point; Thence S 17 deg. 12 min. 49 sec. E a distance of 996.03 feet to a point; Thence S 18 deg. 03 min. 43 sec. E a distance of 877.70 feet to a point; Said point being S 23 deg. 38 min. 40 sec. E a distance of 559.596 feet from P. R. M. 70-85-A39-2.

Thence S 19 deg. 10 min. 34 sec. E a distance of 839.97 feet to a point; Thence S 20 deg. 17 min. 16 sec. E a distance of 1073.52 feet to a point; Said point being N 29 deg. 15 min. 52 sec. W a distance of 242.731 feet from P. R. M. 70-80-A40.

Thence S 20 deg. 01 min. 21 sec. E a distance of 983.42 feet to a point; Thence S 20 deg. 32 min. 26 sec. E a distance of 896.39 feet to a point; Thence S 20 deg. 32 min. 58 sec. E a distance of 786.47 feet to a point; Thence S 21 deg. 32 min. 56 sec. E a distance of 795.00 feet to a point; Said point being N 89 deg. 50 min. 38 sec. E a distance of 1109.014 feet from P. R. M. 70-80-A41.

Thence S 21 deg. 32 min. 56 sec. E a distance of 287.11 feet to a point; Said point being S 02 deg. 07 min. 22 sec. W a distance of 264.440 feet from P. R. M. 70-80-A42.

Thence S 21 deg. 38 min. 30 sec. E a distance of 1028.30 feet to a point; Thence S 21 deg. 20 min. 11 sec. E a distance of 966.28 feet to a point; Thence S 21 deg. 03 min. 09 sec. E a distance of 300.00 feet to a point; Said point being S 20 deg. 48 min. 00 sec. W a distance of 78.937 feet from P. R. M. 70-85-A43-2.

Thence S 21 deg. 03 min. 09 sec. E a distance of 718.68 feet to a point; Thence S 21 deg. 00 min. 16 sec. E a distance of 730.70 feet to a point; Thence S 23 deg. 17 min. 37 sec. E a distance of 1186.17 feet to a point; Thence S 21 deg. 15 min. 19 sec. E a distance of 1113.32 feet to a point; Thence S 21 deg. 18 min. 58 sec. E a distance of 756.26 feet to a point; Said point being S 06 deg. 22 min. 38 Sec. E a distance of 307.824 feet from P. R. M. 70-80-A44.

Thence S 22 deg. 46 min. 47 sec. E a distance of 1021.95 feet to a point; Thence S 21 deg. 49 min. 28 sec. E a distance of 777.66 feet to a point; Said point being N 45 deg. 08 min. 42 sec. W a distance of 219.464 feet from P. R. M. 70-85-A45-2.

Thence S 21 deg. 53 min. 23 sec. E a distance of 984.14 feet to a point; Thence S 23 deg. 26 min. 26 sec. E a distance of 954.52 feet to a point; Thence S 22 deg. 49 min. 44 sec. E a distance of 885.19 feet to a point; Thence S 23 deg. 12 min. 44 sec. E a distance of 693.41 feet to a point; Thence S 24 deg. 42 min. 36 sec. E a distance of 1279.71 feet to a point; Said point being S 23 deg. 30 min. 21 sec. E a distance of 718.106 feet from P. R. M. 70-85-A46-2.

Thence S 23 deg. 24 min. 33 sec. E a distance of 969.81 feet to a point; Thence S 22 deg. 24 min. 52 sec. E a distance of 918.50 feet to a point; Said point being N 24 deg. 07 min. 42 sec. W a distance of 398.804 feet from P. R. M. 70-85-A47-2.

Thence S 23 deg. 34 min. 13 sec. E a distance of 1048.76 feet to a point; Thence S 23 deg. 17 min. 04 sec. E a distance of 711.82 feet to a point; Thence S 22 deg. 56 min. 07 sec. E a distance of 1347.92 feet to a point; Thence S 23 deg. 53 min. 34 sec. E a distance of 915.52 feet to a point; Thence S 22 deg. 46 min. 39 sec. E a distance of 772.59 feet to a point; Said point being S 30 deg. 04 min. 37 sec. E a distance of 256.876 feet from P. R. M. 70-80-A48.

Thence S 23 deg. 31 min. 37 sec. E a distance of 1339.25 feet to a point; Thence S 23 deg. 07 min. 29 sec. E a distance of 509.11 feet to a point; Thence S 23 deg. 43 min. 47 sec. E a distance of 1164.88 feet to a point; Thence S 23 deg. 32 min. 01 sec. E a distance of 785.57 feet to a point; Said point being S 64 deg. 30 min. 21 sec. W a distance of 17.518 feet from P. R. M. 70-80-A49. Thence S 23 deg. 26 min. 54 sec. E a distance of 930.46 feet to a point; Thence S 25 deg. 42 min. 02 sec. E a distance of 1132.13 feet to a point; Thence S 25 deg. 40 min. 47 sec. E a distance of 826.91 feet to a point; Said point being S 57 deg. 26 min. 36 sec. E a distance of 150.121 feet from P. R. M. 70-80-A50.

Thence S 25 deg. 53 min. 50 sec. E a distance of 663.65 feet to a point; Thence S 25 deg. 56 min. 55 sec. E a distance of 1220.19 feet to a point; Thence S 25 deg. 42 min. 40 sec. E a distance of 784.42 feet to a point; Thence S 24 deg. 47 min. 07 sec. E a distance of 971.37 feet to a point; Said point being S 24 deg. 18 min. 54 sec. E a distance of 198.459 feet from P. R. M. 70-80-A51. Thence S 24 deg. 04 min. 50 sec. E a distance of 1222.67 feet to a point; Said point being N 23 deg. 47 min. 09 sec. W a distance of 363.571 feet from P. R. M. 70-80-A52.

Thence S 24 deg. 09 min. 39 sec. E a distance of 952.40 feet to a point; Thence S 23 deg. 51 min. 22 sec. E a distance of 1153.84 feet to a point; Thence S 24 deg. 17 min. 58 sec. E a distance of 845.29 feet to a point; Thence S 25 deg. 16 min. 43 sec. E a distance of 1012.82 feet to a point; Said point being S 29 deg. 06 min. 03 sec. E a distance of 55.516 feet from P. R. M. 70-80-A53. Thence S 23 deg. 47 min. 26 sec. E a distance of 926.89 feet to a point; Thence S 23 deg. 58 min. 37 sec. E a distance of 1001.90 feet to a point; Said point being N 25 deg. 59 min. 46 sec. W a distance of 536.928 feet from P. R. M. 70-80-A54.

Thence S 26 deg. 19 min. 15 sec. E a distance of 1045.95 feet to a point; Thence S 25 deg. 51 min. 01 sec. E a distance of 953.21 feet to a point; Said point being N 83 deg. 46 min. 48 sec. E a distance of 164.811 feet from P. R. M. 70-80-A55.

Thence S 26 deg. 04 min. 28 sec. E a distance of 784.73 feet to a point; Thence S 25 deg. 59 min. 22 sec. E a distance of 1135.31 feet to a point; Thence S 27 deg. 32 min. 05 sec. E a distance of 1021.61 feet to a point; Said point being N 06 deg. 35 min. 45 sec. E a distance of 299.676 feet from P. R. M. 70-80-A56.

Thence S 28 deg. 03 min. 44 sec. E a distance of 827.11 feet to a point; Thence S 26 deg. 02 min. 32 sec. E a distance of 876.34 feet to a point; Thence S 25 deg. 51 min. 38 sec. E a distance of 1110.79 feet to a point; Thence S 26 deg. 41 min. 30 sec. E a distance of 1060.95 feet to a point; Said point being S 44 deg. 16 min. 11 sec. E a distance of 460.106 feet from P. R. M. 70-80-A57.

Thence S 25 deg. 23 min. 03 sec. E a distance of 903.58 feet to a point; Thence S 26 deg. 21 min. 35 sec. E a distance of 927.25 feet to a point; Thence S 24 deg. 40 min. 56 sec. E a distance of 1058.75 feet to a point; Said point being S 24 deg. 11 min. 30 sec. E a distance of 320.185 feet from P. R. M. 70-80-A58.

Thence S 26 deg. 20 min. 31 sec. E a distance of 992.92 feet to a point; Thence S 26 deg. 15 min. 09 sec. E a distance of 1019.34 feet to a point; Thence S 28 deg. 17 min. 23 sec. E a distance of 685.96 feet to a point; Thence S 26 deg. 15 min. 40 sec. E a distance of 958.92 feet to a point; Thence S 25 deg. 56 min. 31 sec. E a distance of 997.42 feet to a point; Said point being S 18 deg. 38 min. 09 sec. E a distance of 372.602 feet from P. R. M. 70-80-A59.

Thence S 27 deg. 37 min. 50 sec. E a distance of 1012.63 feet to a point; Thence S 26 deg. 13 min. 46 sec. E a distance of 943.07 feet to a point; Thence S 27 deg. 26 min. 45 sec. E a distance of 996.69 feet to a point; Said point being N 79 deg. 22 min. 33 sec. W a distance of 56.117 feet from P. R. M. 70-80-A60.

Thence S 27 deg. 26 min. 09 sec. E a distance of 1037.43 feet to a point; Thence S 27 deg. 32 min. 32 sec. E a distance of 984.68 feet to a point; Thence S 27 deg. 19 min. 02 sec. E a distance of 999.49 feet to a point; Thence S 26 deg. 41 min. 50 sec. E a distance of 993.45 feet to a point; Thence S 28 deg. 07 min. 36 sec. E a distance of 1041.57 feet to a point; Said point being S 19 deg. 43 min. 39 sec. E a distance of 326.468 feet from P. R. M. 70-80-A61.

Thence S 28 deg. 27 min. 32 sec. E a distance of 1004.65 feet to a point; Thence S 27 deg. 07 min. 06 sec. E a distance of 909.26 feet to a point; Thence S 28 deg. 01 min. 47 sec. E a distance of 1102.29 feet to a point; Thence S 28 deg. 16 min. 39 sec. E a distance of 830.57 feet to a point; Said point being N 55 deg. 55 min. 39 sec. E a distance of 95.603 feet from P. R. M. 70-80-A62.

Thence S 28 deg. 30 min. 55 sec. E a distance of 983.53 feet to a point; Thence S 28 deg. 26 min. 19 sec. E a distance of 1133.09 feet to a point; Thence S 29 deg. 37 min. 59 sec. E a distance of 748.46 feet to a point; Thence S 28 deg. 05 min. 09 sec. E a distance of 1028.42 feet to a point; Said point being S 50 deg. 16 min. 09 sec. E a distance of 377.455 feet from P. R. M. 70-80-A63.

Thence S 27 deg. 53 min. 42 sec. E a distance of 999.80 feet to a point; Thence S 27 deg. 02 min. 53 sec. E a distance of 996.40 feet to a point; Thence S 26 deg. 19 min. 40 sec. E a distance of 974.27 feet to a point; Said point being N 21 deg. 04 min. 48 sec. W a distance of 256.790 feet from P. R. M. 88-78-A01.

Thence S 26 deg. 14 in. 09 sec. E a distance of 962.23 feet to a point; Thence S 27 deg. 19 min. 50 sec. E a distance of 1114.40 feet to a point; Thence S 24 deg. 50 min. 43 sec. E a distance of 1015.60 feet to a point; Thence S 27 deg. 32 min. 14 sec. E a distance of 615.47 feet to a point; Thence S 26 deg. 18 min. 09 sec. E a distance of 609.79 feet to a point; Said point being N 01 deg. 41 min. 45 sec. W a distance of 92.716 feet from P. R. M. 88-78-A02.

Thence S 27 deg. 14 min. 39 sec. E a distance of 997.14 feet to a point; Thence S 24 deg. 39 min. 41 sec. E a distance of 982.71 feet to a point; Thence S 26 deg. 52 min. 47 sec. E a distance of 1001.88 feet to a point; Thence S 25 deg. 41 min. 57 sec. E a distance of 998.45 feet to a point; Thence S 24 deg. 04 min. 04 sec. E a distance of 1074.35 feet to a point; Thence S 25 deg. 50 min. 11 sec. E a distance of 921.47 feet to a point; Said point being S 43 deg. 51 min. 40 sec. E a distance of 549.953 feet from P. R. M. 88-78-A03.

Thence S 25 deg. 50 min. 11 sec. E to the point of intersection with the mean high water line on the northern bank of Sebastian Inlet; Said point being the southerly terminus of the coastal construction control line for Brevard County; Thence N 25 deg. 50 min. 11 sec. W to the aforementioned point; Said point being S 43 deg. 51 min. 40 sec. E a distance of 549.953 feet from P. R. M. 88-78-A03.

62B-26.018 Description of the Indian River County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Indian River County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Indian River County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 3-5-87, Formerly 16B-26.018.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE INDIAN RIVER COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE ATLANTIC COAST FROM THE MEAN HIGH WATER LINE OF THE SOUTHERN BANK OF SEBASTIAN INLET SOUTH TO THE INDIAN RIVER AND ST. LUCIE COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "88-78-A01 THROUGH 88-78-A38", "94-77-A40 AND 94-77-A39" FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY THE NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE EAST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM.

COMMENCE AT P. R. M. 88-78-A04, THENCE N 83 DEG. 16 MIN. 59 SEC. W (ALL BEARINGS IN THIS DESCRIPTION ARE GRID BEARINGS) A DISTANCE OF 29.09 FEET TO THE POINT OF BEGINNING; THENCE N 26 DEG. 57 MIN. 52 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTHERN BANK OF SEBASTIAN INLET; SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR INDIAN RIVER COUNTY. THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING;

THENCE S 26 DEG. 57 MIN. 52 SEC. E A DISTANCE OF 987.32 FEET TO A POINT; THENCE S 26 DEG. 35 MIN. 28 SEC. E A DISTANCE OF 972.99 FEET TO A POINT; THENCE S 26 DEG. 13 MIN. 21 SEC. E A DISTANCE OF 992.12 FEET TO A POINT; THENCE S 26 DEG. 12 MIN. 21 SEC. E A DISTANCE OF 965.62 FEET TO A POINT; THENCE S 26 DEG. 17 MIN. 51 SEC. E A DISTANCE OF 1044.31 FEET TO A POINT; SAID POINT BEING N 01 DEG. 43 MIN. 14 SEC. W A DISTANCE OF 321.91 FEET FROM P. R. M. 88-78-A05.

THENCE S 26 DEG. 07 MIN. 21 SEC. E A DISTANCE OF 941.60 FEET TO A POINT; THENCE S 26 DEG. 35 MIN. 45 SEC. E A DISTANCE OF 1088.45 FEET TO A POINT; THENCE S 25 DEG. 32 MIN. 28 SEC. E A DISTANCE OF 250.00 FEET TO A POINT; THENCE S 28 DEG. 33 MIN. 15 SEC. W A DISTANCE OF 110.54 FEET TO A POINT; THENCE S 25 DEG. 32 MIN. 13 SEC. E A DISTANCE OF 600.00 FEET TO A POINT; THENCE S 25 DEG. 32 MIN. 12 SEC. E A DISTANCE OF 1080.15 FEET TO A POINT; THENCE S 25 DEG. 32 MIN. 13 SEC. E A DISTANCE OF 120.00 FEET TO A POINT; THENCE S 66 DEG. 59 MIN. 19 SEC. E A DISTANCE OF 145.64 FEET TO A POINT; THENCE S 26 DEG. 01 MIN. 11 SEC. E A DISTANCE OF 867.92 FEET TO A POINT; SAID POINT BEING S 76 DEG. 45 MIN. 35 SEC. E A DISTANCE OF 174.21 FEET FROM P. R. M. 88-78-A06.

THENCE S 26 DEG. 04 MIN. 41 SEC. E A DISTANCE OF 807.23 FEET TO A POINT; THENCE S 25 DEG. 25 MIN. 55 SEC. E A DISTANCE OF 1006.60 FEET TO A POINT; THENCE S 25 DEG. 21 MIN. 11 SEC. E A DISTANCE OF 981.43 FEET TO A POINT; THENCE S 22 DEG. 48 MIN. 22 SEC. E A DISTANCE OF 972.81 FEET TO A POINT; SAID POINT BEING N 15 DEG. 13 MIN. 20 SEC. W A DISTANCE OF 216.32 FEET FROM P. R. M. 88-78-A07.

THENCE S 22 DEG. 52 MIN. 02 SEC. E A DISTANCE OF 949.23 FEET TO A POINT; THENCE S 24 DEG. 09 MIN. 14 SEC. E A DISTANCE OF 1016.21 FEET TO A POINT; THENCE S 25 DEG. 41 MIN. 35 SEC. E A DISTANCE OF 989.66 FEET TO A POINT; THENCE S 25 DEG. 31 MIN. 10 SEC. E A DISTANCE OF 1032.66 FEET TO A POINT; SAID POINT BEING N 42 DEG. 27 MIN. 22 SEC. E A DISTANCE OF 560.80 FEET FROM P. R. M. 88-78-A08.

THENCE S 23 DEG. 06 MIN. 25 SEC. E A DISTANCE OF 954.55 FEET TO A POINT; THENCE S 22 DEG. 53 MIN. 47 SEC. E A DISTANCE OF 989.16 FEET TO A POINT; THENCE S 25 DEG. 38 MIN. 02 SEC. E A DISTANCE OF 1018.88 FEET TO A POINT; THENCE S 25 DEG. 54 MIN. 53 SEC. E A DISTANCE OF 1029.73 FEET TO A POINT; THENCE S 25 DEG. 28

MIN. 28 SEC. E A DISTANCE OF 995.18 FEET TO A POINT; THENCE S 26 DEG. 11 MIN. 33 SEC. E A DISTANCE OF 1120.60 FEET TO A POINT; SAID POINT BEING S 55 DEG. 30 MIN. 52 SEC. E A DISTANCE OF 624.87 FEET FROM P. R. M. 88-78-A09.

THENCE S 26 DEG. 08 MIN. 48 SEC. E A DISTANCE OF 965.14 FEET TO A POINT; THENCE S 28 DEG. 46 MIN. 08 SEC. E A DISTANCE OF 756.79 FEET TO A POINT; THENCE S 28 DEG. 56 MIN. 54 SEC. E A DISTANCE OF 1046.64 FEET TO A POINT; THENCE S 28 DEG. 47 MIN. 54 SEC. E A DISTANCE OF 957.96 FEET TO A POINT; THENCE S 27 DEG. 12 MIN. 51 SEC. E A DISTANCE OF 1019.53 FEET TO A POINT; SAID POINT BEING N 17 DEG. 03 MIN. 31 SEC. E A DISTANCE OF 536.03 FEET FROM P. R. M. 88-78-A10.

THENCE S 27 DEG. 07 MIN. 04 SEC. E A DISTANCE OF 939.55 FEET TO A POINT; THENCE S 26 DEG. 06 MIN. 48 SEC. E A DISTANCE OF 958.50 FEET TO A POINT; THENCE S 24 DEG. 26 MIN. 39 SEC. E A DISTANCE OF 989.65 FEET TO A POINT; THENCE S 24 DEG. 35 MIN. 09 SEC. E A DISTANCE OF 961.39 FEET TO A POINT; THENCE S 24 DEG. 19 MIN. 30 SEC. E A DISTANCE OF 1054.89 FEET TO A POINT; SAID POINT BEING S 66 DEG. 16 MIN. 24 SEC. E A DISTANCE OF 643.38 FEET FROM P. R. M. 88-78-A11.

THENCE S 23 DEG. 36 MIN. 06 SEC. E A DISTANCE OF 862.35 FEET TO A POINT; THENCE S 23 DEG. 48 MIN. 15 SEC. E A DISTANCE OF 980.92 FEET TO A POINT; THENCE S 24 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 972.92 FEET TO A POINT; SAID POINT BEING N 52 DEG. 27 MIN. 34 SEC. E A DISTANCE OF 423.48 FEET FROM P. R. M. 88-78-A12.

THENCE S 23 DEG. 10 MIN. 11 SEC. E A DISTANCE OF 959.31 FEET TO A POINT; THENCE S 24 DEG. 48 MIN. 28 SEC. E A DISTANCE OF 1025.24 FEET TO A POINT; SAID POINT BEING N 07 DEG. 01 MIN. 15 SEC. E A DISTANCE OF 755.96 FEET FROM P. R. M. 88-86-A13-2.

THENCE S 24 DEG. 31 MIN. 00 SEC. E A DISTANCE OF 1061.86 FEET TO A POINT; THENCE S 32 DEG. 34 MIN. 53 SEC. E A DISTANCE OF 1002.72 FEET TO A POINT; THENCE S 27 DEG. 59 MIN. 25 SEC. E A DISTANCE OF 1359.91 FEET TO A POINT; SAID POINT BEING N 12 DEG. 22 MIN. 12 SEC. E A DISTANCE OF 449.50 FEET FROM P. R. M. 88-86-A14-2.

THENCE S 28 DEG. 50 MIN. 42 SEC. E A DISTANCE OF 688.95 FEET TO A POINT; THENCE S 26 DEG. 40 MIN. 47 SEC. E A DISTANCE OF 1012.58 FEET TO A POINT; THENCE S 23 DEG. 16 MIN. 08 SEC. E A DISTANCE OF 928.68 FEET TO A POINT; THENCE S 22 DEG. 07 MIN. 57 SEC. E A DISTANCE OF 972.50 FEET TO A POINT; THENCE S 26 DEG. 11 MIN. 40 SEC. E A DISTANCE OF 982.36 FEET TO A POINT; THENCE S 24 DEG. 32 MIN. 31 SEC. E A DISTANCE OF 995.81 FEET TO A POINT; SAID POINT BEING N 76 DEG. 54 MIN. 42 SEC. E A DISTANCE OF 265.38 FEET FROM P. R. M. 88-78-A15.

THENCE S 20 DEG. 16 MIN. 31 SEC. E A DISTANCE OF 1033.97 FEET TO A POINT; THENCE S 20 DEG. 26 MIN. 25 SEC. E A DISTANCE OF 1020.14 FEET TO A POINT; THENCE S 17 DEG. 32 MIN. 09 SEC. E A DISTANCE OF 985.20 FEET TO A POINT; THENCE S 17 DEG. 49 MIN. 23 SEC. E A DISTANCE OF 1026.18 FEET TO A POINT; SAID POINT BEING N 47 DEG. 55 MIN. 25 SEC. E A DISTANCE OF 499.72 FEET FROM P. R. M. 88-78-A16.

THENCE S 12 DEG. 33 MIN. 25 SEC. E A DISTANCE OF 1018.62 FEET TO A POINT; THENCE S 09 DEG. 42 MIN. 00 SEC. E A DISTANCE OF 979.23 FEET TO A POINT; THENCE S 13 DEG. 37 MIN. 54 SEC. E A DISTANCE OF 998.34 FEET TO A POINT; THENCE S 16 DEG. 56 MIN. 30 SEC. E A DISTANCE OF 929.26 FEET TO A POINT; THENCE S 17 DEG. 03 MIN. 17 SEC. E A DISTANCE OF 983.83 FEET TO A POINT; SAID POINT BEING S 31 DEG. 08 MIN. 09 SEC. E A DISTANCE OF 644.07 FEET FROM P. R. M. 88-78-A17.

THENCE S 16 DEG. 50 MIN. 00 SEC. E A DISTANCE OF 990.46 FEET TO A POINT; THENCE S 18 DEG. 55 MIN. 11 SEC. E A DISTANCE OF 1153.27 FEET TO A POINT; THENCE S 19 DEG. 56 MIN. 57 SEC. E A DISTANCE OF 969.67 FEET TO A POINT; THENCE S 16 DEG. 11 MIN. 30 SEC. E A DISTANCE OF 998.89 FEET TO A POINT; SAID POINT BEING S 59 DEG. 50 MIN. 28 SEC. E A DISTANCE OF 632.80 FEET FROM P. R. M. 88-78-A18-2.

THENCE S 15 DEG. 58 MIN. 37 SEC. E A DISTANCE OF 991.76 FEET TO A POINT; THENCE S 17 DEG. 10 MIN. 49 SEC. E A DISTANCE OF 1450.085 FEET TO A POINT; SAID POINT BEING S 88 DEG. 29 MIN. 04 SEC. E A DISTANCE OF 1026.62 FEET FROM P. R. M. 88-78-A19-2.

THENCE S 20 DEG. 15 MIN. 45 SEC. E A DISTANCE OF 572.38 FEET TO A POINT; THENCE S 18 DEG. 16 MIN. 06 SEC. E A DISTANCE OF 1026.02 FEET TO A POINT; THENCE S 18 DEG. 26 MIN. 23 SEC. E A DISTANCE OF 937.31 FEET TO A POINT; THENCE S 17 DEG. 58 MIN. 57 SEC. E A DISTANCE OF 965.48 FEET TO A POINT; THENCE S 17 DEG. 59 MIN. 43 SEC. E A DISTANCE OF 1137.94 FEET TO A POINT; SAID POINT BEING IN 52 DEG. 32 MIN. 02 SEC. E A DISTANCE OF 720.24 FEET FROM P. R. M. 88-78-A20-2.

THENCE S 18 DEG. 17 MIN. 19 SEC. E A DISTANCE OF 1034.40 FEET TO A POINT; THENCE S 15 DEG. 42 MIN. 52 SEC. E A DISTANCE OF 1092.53 FEET TO A POINT; THENCE S 13 DEG. 45 MIN. 03 SEC. E A DISTANCE OF 1022.34 FEET TO A POINT; THENCE S 16 DEG. 08 MIN. 14 SEC. E A DISTANCE OF 946.18 FEET TO A POINT; SAID POINT BEING S 71 DEG. 49 MIN. 39 SEC. E A DISTANCE OF 724.40 FEET FROM P. R. M. 88-78-A21-2.

THENCE S 16 DEG. 09 MIN. 56 SEC. E A DISTANCE OF 1031.83 FEET TO A POINT; SAID POINT BEING N 12 DEG. 07 MIN. 12 SEC. E A DISTANCE OF 264.51 FEET FROM P. R. M. 88-78-A22.

THENCE S 16 DEG. 23 MIN. 50 SEC. E A DISTANCE OF 1149.68 FEET TO A POINT; SAID POINT BEING N 01 DEG. 50 MIN. 59 SEC. E A DISTANCE OF 496.40 FEET FROM P. R. M. 88-78-A22A.

THENCE S 17 DEG. 20 MIN. 32 SEC. E A DISTANCE OF 911.57 FEET TO A POINT; THENCE S 17 DEG. 27 MIN. 09 SEC. E A DISTANCE OF 969.87 FEET TO A POINT; SAID POINT BEING N 86 DEG. 32 MIN. 32 SEC. E A DISTANCE OF 173.81 FEET FROM P. R. M. 88-78-A23.

THENCE S 10 DEG. 21 MIN. 07 SEC. E A DISTANCE OF 1031.15 FEET TO A POINT; SAID POINT BEING S 84 DEG. 24 MIN. 13 SEC. E A DISTANCE OF 913.49 FEET FROM P. R. M. 88-86-A24-2.

THENCE S 12 DEG. 01 MIN. 14 SEC. E A DISTANCE OF 934.61 FEET TO A POINT; THENCE S 17 DEG. 18 MIN. 16 SEC. E A DISTANCE OF 1183.09 FEET TO A POINT; SAID POINT BEING N 70 DEG. 52 MIN. 08 SEC. E A DISTANCE OF 1000.14 FEET FROM P. R. M. 88-78-A25.

THENCE S 17 DEG. 38 MIN. 56 SEC. E A DISTANCE OF 892.68 FEET TO A POINT; THENCE S 13 DEG. 06 MIN. 47 SEC. E A DISTANCE OF 988.16 FEET TO A POINT; THENCE S 16 DEG. 39 MIN. 28 SEC. E A DISTANCE OF 939.34 FEET TO A POINT; THENCE S 15 DEG. 08 MIN. 55 SEC. E A DISTANCE OF 1136.95 FEET TO A POINT; THENCE S 15 DEG. 19 MIN. 10 SEC. E A DISTANCE OF 812.96 FEET TO A POINT; SAID POINT BEING N 87 DEG. 25 MIN. 02 SEC. E A DISTANCE OF 2274.15 FEET FROM P. R. M. 88-86-A26-2.

THENCE S 15 DEG. 10 MIN. 52 SEC. E A DISTANCE OF 1143.66 FEET TO A POINT; SAID POINT BEING N 82 DEG. 11 MIN. 17 SEC. E A DISTANCE OF 2376.58 FEET FROM P. R. M. 88-78-A27.

THENCE S 10 DEG. 35 MIN. 37 SEC. E A DISTANCE OF 825.79 FEET TO A POINT; THENCE S 01 DEG. 43 MIN. 57 SEC. W A DISTANCE OF 1074.00 FEET TO A POINT; THENCE S 03 DEG. 24 MIN. 09 SEC. E A DISTANCE OF 799.85 FEET TO A POINT; THENCE S 06 DEG. 44 MIN. 25 SEC. E A DISTANCE OF 876.86 FEET TO A POINT; SAID POINT BEING N 77 DEG. 44 MIN. 17 SEC. E A DISTANCE OF 1559.34 FEET FROM P. R. M. 88-86-A28-2.

THENCE S 13 DEG. 41 MIN. 53 SEC. E A DISTANCE OF 979.16 FEET TO A POINT; THENCE S 16 DEG. 26 MIN. 14 SEC. E A DISTANCE OF 1077.40 FEET TO A POINT; THENCE S 20 DEG. 00 MIN. 30 SEC. E A DISTANCE OF 973.61 FEET TO A POINT; THENCE S 22 DEG. 23 MIN. 50 SEC. E A DISTANCE OF 1032.39 FEET TO A POINT; SAID POINT BEING N 78 DEG. 08 MIN. 10 SEC. E A DISTANCE OF 1064.18 FEET FROM P. R. M. 88-86-A29-2.

THENCE S 24 DEG. 35 MIN. 58 SEC. E A DISTANCE OF 974.21 FEET TO A POINT; THENCE S 28 DEG. 13 MIN. 17 SEC. E A DISTANCE OF 961.67 FEET TO A POINT; SAID POINT BEING N 57 DEG. 06 MIN. 32 SEC. E A DISTANCE OF 1004.72 FEET FROM P. R. M. 88-78-A30.

THENCE S 31 DEG. 43 MIN. 33 SEC. E A DISTANCE OF 1014.04 FEET TO A POINT; THENCE S 37 DEG. 05 MIN. 30 SEC. E A DISTANCE OF 886.43 FEET TO A POINT; SAID POINT BEING N 53 DEG. 01 MIN. 43 SEC. E A DISTANCE OF 1537.78 FEET FROM P. R. M. 88-78-A31.

THENCE S 35 DEG. 14 MIN. 53 SEC. E A DISTANCE OF 1064.79 FEET TO A POINT; SAID POINT BEING N 38 DEG. 56 MIN. 31 SEC. E A DISTANCE OF 1506.10 FEET FROM P. R. M. 88-78-A32.

THENCE S 35 DEG. 34 MIN. 40 SEC. E A DISTANCE OF 1123.78 FEET TO A POINT; THENCE S 35 DEG. 26 MIN. 22 SEC. E A DISTANCE OF 908.14 FEET TO A POINT; THENCE S 30 DEG. 44 MIN. 25 SEC. E A DISTANCE OF 1006.60 FEET TO A POINT; SAID POINT BEING N 71 DEG. 39 MIN. 52 SEC. E A DISTANCE OF 1018.59 FEET FROM P. R. M. 88-86-A33-2.

THENCE S 28 DEG. 01 MIN. 02 SEC. E A DISTANCE OF 888.72 FEET TO A POINT; SAID POINT BEING N 44 DEG. 02 MIN. 09 SEC. E A DISTANCE OF 995.23 FEET FROM P. R. M. 88-86-A34-2.

THENCE S 23 DEG. 30 MIN. 49 SEC. E A DISTANCE OF 1113.25 FEET TO A POINT; THENCE S 16 DEG. 45 MIN. 38 SEC. E A DISTANCE OF 917.79 FEET TO A POINT; THENCE S 12 DEG. 35 MIN. 10 SEC. E A DISTANCE OF 1218.68 FEET TO A POINT; THENCE S 10 DEG. 56 MIN. 22 SEC. E A DISTANCE OF 759.50 FEET TO A POINT; SAID POINT BEING S 75 DEG. 29 MIN. 13 SEC. E A DISTANCE OF 929.63 FEET FROM P. R. M. 88-78-A35.

THENCE S 10 DEG. 52 MIN. 56 SEC. E A DISTANCE OF 835.32 FEET TO A POINT; THENCE S 10 DEG. 41 MIN. 15 SEC. E A DISTANCE OF 943.75 FEET TO A POINT; SAID POINT BEING S 75 DEG. 49 MIN. 25 SEC. E A DISTANCE OF 1008.15 FEET FROM P. R. M. 88-78-A36.

THENCE S 10 DEG. 38 MIN. 41 SEC. E A DISTANCE OF 886.30 FEET TO A POINT; SAID POINT BEING N 85 DEG. 07 MIN. 00 SEC. E A DISTANCE OF 743.08 FEET FROM P. R. M. 88-78-A37.

THENCE S 11 DEG. 06 MIN. 52 SEC. E A DISTANCE OF 1100.48 FEET TO A POINT; THENCE S 10 DEG. 03 MIN. 04 SEC. E A DISTANCE OF 967.21 FEET TO A POINT; SAID POINT BEING S 79 DEG. 25 MIN. 31 SEC. E A DISTANCE OF 740.66 FEET FROM P. R. M. 88-78-A38.

THENCE S 10 DEG. 12 MIN. 49 SEC. E A DISTANCE OF 1169.71 FEET TO A POINT; SAID POINT BEING S 74 DEG. 03 MIN. 06 SEC. E A DISTANCE OF 652.47 FEET FROM RIOMAR 2.

THENCE S 10 DEG. 42 MIN. 47 SEC. E A DISTANCE OF 698.49 FEET TO A POINT; THENCE S 11 DEG. 01 MIN. 08 SEC. E A DISTANCE OF 1324.47 FEET TO A POINT; SAID POINT BEING N 38 DEG. 35 MIN. 32 SEC. E A DISTANCE OF 600.97 FEET FROM P. R. M. 94-77-A40.

THENCE S 14 DEG. 52 MIN. 11 SEC. E A DISTANCE OF 899.07 FEET TO A POINT; THENCE S 14 DEG. 06 MIN. 06 SEC. E A DISTANCE OF 918.29 FEET TO A POINT; THENCE S 15 DEG. 35 MIN. 19 SEC. E A DISTANCE OF 1138.11 FEET TO A POINT; THENCE S 15 DEG. 20 MIN. 20 SEC. E A DISTANCE OF 934.47 FEET TO A POINT; SAID POINT BEING S 30 DEG. 58 MIN. 56 SEC. E A DISTANCE OF 920.08 FEET FROM P. R. M. 94-77-A39.

THENCE S 15 DEG. 20 MIN. 20 SEC. E TO THE POINT OF INTERSECTION WITH THE INDIAN RIVER AND ST. LUCIE COUNTY LINE, SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR INDIAN RIVER COUNTY.

62B-26.019 Description of the St. Johns County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the St. Johns County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for St. Johns County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 1-28-88, Formerly 16B-26.019.

**METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE ST. JOHNS COUNTY, FLORIDA**

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE ATLANTIC OCEAN FROM THE ST. JOHNS-DUVAL COUNTY LINE SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF ST. AUGUSTINE INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF ST. AUGUSTINE INLET, CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF MATANZAS INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF MATANZAS INLET CONTINUING SOUTHERLY TO ITS TERMINUS AT THE ST. JOHNS-FLAGLER COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "78-79-A01 THROUGH 78-79-A11", "78-86-A12-2", "78-79-A13 THROUGH 78-79-A42", "78-86-A43-2 THROUGH 78-86-A45-2", "78-79-A45A", "78-79-A46", "78-79-A47 1980", "78-79-A48", "78-86-A49-2", "78-79-A50 THROUGH 78-79-A56", "78-79-A57 1986", "78-79-A58 THROUGH 78-79-A60", "78-79-A61 1986", "73-77-A32", "73-86-A31-2", AND "73-77-A30". FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE EAST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) 78-79-A01, 78-79-A24, 78-79-A51, 73-77-A31 AND NATIONAL GEODETIC SURVEY (N.G.S.) STATION VILANO 1962.

**METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE FOR ST. JOHNS COUNTY, FLORIDA**

COMMENCE AT P. R. M. 78-79-A09, THENCE N 44 DEG. 13 MIN. 44 SEC. E A DISTANCE OF 192.02 FEET TO THE POINT OF BEGINNING; THENCE N 12 DEG. 44 MIN. 03 SEC. W TO THE POINT OF INTERSECTION WITH ST. JOHNS-DUVAL COUNTY LINE, SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR ST. JOHNS COUNTY; THENCE RETURNING ALONG THE SAME COURSE TO THE POINT OF BEGINNING.

THENCE S 12 DEG. 39 MIN. 07 SEC. E A DISTANCE OF 1026.23 FEET TO A POINT, THENCE S 12 DEG. 34 MIN. 44 SEC. E A DISTANCE OF 1000.53 FEET TO A POINT, THENCE S 11 DEG. 45 MIN. 08 SEC. E A DISTANCE OF 973.58 FEET TO A POINT, SAID POINT BEING N 16 DEG. 56 MIN. 47 SEC. E A DISTANCE OF 238.35 FEET FROM P. R. M. 78-79-A10.

THENCE S 11 DEG. 26 MIN. 37 SEC. E A DISTANCE OF 1023.13 FEET TO A POINT, THENCE S 13 DEG. 20 MIN. 31 SEC. E A DISTANCE OF 1009.31 FEET TO A POINT, THENCE S 13 DEG. 25 MIN. 35 SEC. E A DISTANCE OF 1020.78 FEET TO A POINT, THENCE S 13 DEG. 23 MIN. 37 SEC. E A DISTANCE OF 1011.39 FEET TO A POINT, THENCE S 13 DEG. 28 MIN. 54 SEC. E A DISTANCE OF 1029.18 FEET TO A POINT, THENCE S 13 DEG. 11 MIN. 57 SEC. E A DISTANCE OF 1077.84 FEET TO A POINT, SAID POINT BEING S 19 DEG. 13 MIN. 53 SEC. E A DISTANCE OF 479.02 FEET FROM P. R. M. 78-79-A11.

THENCE S 12 DEG. 52 MIN. 14 SEC. E A DISTANCE OF 1044.06 FEET TO A POINT, THENCE S 13 DEG. 01 MIN. 47 SEC. E A DISTANCE OF 1096.28 FEET TO A POINT, THENCE S 14 DEG. 03 MIN. 41 SEC. E A DISTANCE OF 1073.26 FEET TO A POINT, THENCE S 14 DEG. 17 MIN. 05 SEC. E A DISTANCE OF 1116.48 FEET TO A POINT, THENCE S 14 DEG. 44 MIN. 03 SEC. E A DISTANCE OF 1085.61 FEET TO A POINT, SAID POINT BEING S 81 DEG. 35 MIN. 34 SEC. E A DISTANCE OF 115.94 FEET FROM P. R. M. 78-86-A12-2.

THENCE S 14 DEG. 27 MIN. 23 SEC. E A DISTANCE OF 1128.04 FEET TO A POINT, THENCE S 14 DEG. 22 MIN. 48 SEC. E A DISTANCE OF 952.09 FEET TO A POINT, THENCE S 14 DEG. 40 MIN. 38 SEC. E A DISTANCE OF 1024.79 FEET TO A POINT, THENCE S 13 DEG. 59 MIN. 06 SEC. E A DISTANCE OF 1029.73 FEET TO A POINT, THENCE S 13 DEG. 20 MIN. 41 SEC. E A DISTANCE OF 1018.14 FEET TO A POINT, SAID POINT BEING N 30 DEG. 21 MIN. 12 SEC. E A DISTANCE OF 207.89 FEET FROM P. R. M. 78-79-A13.

THENCE S 13 DEG. 26 MIN. 04 SEC. E A DISTANCE OF 1038.87 FEET TO A POINT, SAID POINT BEING N 50 DEG. 26 MIN. 53 SEC. E A DISTANCE OF 679.50 FEET FROM P. R. M. 78-79-A14.

THENCE S 12 DEG. 53 MIN. 22 SEC. E A DISTANCE OF 1020.43 FEET TO A POINT, SAID POINT BEING N 36 DEG. 08 MIN. 22 SEC. E A DISTANCE OF 801.59 FEET FROM P. R. M. 78-79-A15.

THENCE S 13 DEG. 22 MIN. 52 SEC. E A DISTANCE OF 1027.58 FEET TO A POINT, SAID POINT BEING N 08 DEG. 54 MIN. 46 SEC. E A DISTANCE OF 560.84 FEET FROM P. R. M. 78-79-A16.

THENCE S 13 DEG. 11 MIN. 51 SEC. E A DISTANCE OF 1025.32 FEET TO A POINT, THENCE S 12 DEG. 56 MIN. 07 SEC. E A DISTANCE OF 1047.59 FEET TO A POINT, THENCE S 12 DEG. 23 MIN. 04 SEC. E A DISTANCE OF 1027.46 FEET TO A POINT, THENCE S 12 DEG. 57 MIN. 21 SEC. E A DISTANCE OF 1025.13 FEET TO A POINT, THENCE S 12 DEG. 43 MIN. 36 SEC. E A DISTANCE OF 1055.65 FEET TO A POINT, THENCE S 13 DEG. 01 MIN. 37 SEC. E A DISTANCE OF 1007.74 FEET TO A POINT, SAID POINT BEING S 62 DEG. 43 MIN. 43 SEC. E A DISTANCE OF 358.05 FEET FROM P. R. M. 78-79-A17.

THENCE S 13 DEG. 00 MIN. 25 SEC. E A DISTANCE OF 1037.29 FEET TO A POINT, THENCE S 13 DEG. 28 MIN. 54 SEC. E A DISTANCE OF 1039.75 FEET TO A POINT, SAID POINT BEING N 61 DEG. 17 MIN. 42 SEC. E A DISTANCE OF 307.69 FEET FROM P. R. M. 78-79-A18.

THENCE S 13 DEG. 22 MIN. 17 SEC. E A DISTANCE OF 1063.81 FEET TO A POINT, THENCE S 12 DEG. 20 MIN. 05 SEC. E A DISTANCE OF 1020.09 FEET TO A POINT, THENCE S 11 DEG. 00 MIN. 47 SEC. E A DISTANCE OF 1036.32 FEET TO A POINT, SAID POINT BEING N 07 DEG. 59 MIN. 17 SEC. E A DISTANCE OF 785.88 FEET FROM P. R. M. 78-79-A19.

THENCE S 11 DEG. 28 MIN. 58 SEC. E A DISTANCE OF 989.04 FEET TO A POINT, THENCE S 12 DEG. 01 MIN. 21 SEC. E A DISTANCE OF 1059.59 FEET TO A POINT, THENCE S 11 DEG. 38 MIN. 41 SEC. E A DISTANCE OF 1060.79 FEET TO A POINT, SAID POINT BEING S 81 DEG. 05 MIN. 05 SEC. E A DISTANCE OF 280.86 FEET FROM P. R. M. 78-79-A20.

THENCE S 12 DEG. 10 MIN. 37 SEC. E A DISTANCE OF 1041.54 FEET TO A POINT, THENCE S 12 DEG. 22 MIN. 33 SEC. E A DISTANCE OF 1060.36 FEET TO A POINT, THENCE S 12 DEG. 15 MIN. 31 SEC. E A DISTANCE OF 1034.53 FEET TO A POINT, SAID POINT BEING N 08 DEG. 18 MIN. 39 SEC. E A DISTANCE OF 737.78 FEET FROM P. R. M. 78-79-A21.

THENCE S 11 DEG. 57 MIN. 35 SEC. E A DISTANCE OF 1057.18 FEET TO A POINT, THENCE S 12 DEG. 09 MIN. 52 SEC. E A DISTANCE OF 1042.54 FEET TO A POINT, THENCE S 12 DEG. 00 MIN. 19 SEC. E A DISTANCE OF 1048.05 FEET TO A POINT, THENCE S 10 DEG. 27 MIN. 03 SEC. E A DISTANCE OF 1044.25 FEET TO A POINT, SAID POINT BEING N 16 DEG. 50 MIN. 38 SEC. E A DISTANCE OF 496.32 FEET FROM P. R. M. 78-79-A22.

THENCE S 11 DEG. 27 MIN. 14 SEC. E A DISTANCE OF 1034.84 FEET TO A POINT, THENCE S 11 DEG. 05 MIN. 25 SEC. E A DISTANCE OF 1027.78 FEET TO A POINT, THENCE S 12 DEG. 36 MIN. 37 SEC. E A DISTANCE OF 1028.05 FEET TO A POINT, SAID POINT BEING N 05 DEG. 35 MIN. 27 SEC. E A DISTANCE OF 561.66 FEET FROM P. R. M. 78-79-A23.

THENCE S 12 DEG. 28 MIN. 54 SEC. E A DISTANCE OF 1028.01 FEET TO A POINT, THENCE S 11 DEG. 34 MIN. 01 SEC. E A DISTANCE OF 1031.78 FEET TO A POINT, THENCE S 11 DEG. 14 MIN. 50 SEC. E A DISTANCE OF 1045.96 FEET TO A POINT, THENCE S 12 DEG. 08 MIN. 11 SEC. E A DISTANCE OF 1016.38 FEET TO A POINT, THENCE S 10 DEG. 30 MIN. 55 SEC. E A DISTANCE OF 1099.14 FEET TO A POINT, SAID POINT BEING N 02 DEG. 41 MIN. 18 SEC. E A DISTANCE OF 568.68 FEET FROM P. R. M. 78-79-A24.

THENCE S 09 DEG. 55 MIN. 21 SEC. E A DISTANCE OF 997.47 FEET TO A POINT, SAID POINT BEING N 21 DEG. 10 MIN. 38 SEC. W A DISTANCE OF 167.06 FEET FROM N.G.S. JENKS 2.

THENCE S 12 DEG. 30 MIN. 32 SEC. E A DISTANCE OF 1052.15 FEET TO A POINT, THENCE S 12 DEG. 46 MIN. 47 SEC. E A DISTANCE OF 1032.71 FEET TO A POINT, THENCE S 11 DEG. 47 MIN. 31 SEC. E A DISTANCE OF 1035.28 FEET TO A POINT, THENCE S 12 DEG. 02 MIN. 46 SEC. E A DISTANCE OF 1132.83 FEET TO A POINT, SAID POINT BEING N 60 DEG. 31 MIN. 22 SEC. E A DISTANCE OF 88.51 FEET FROM P. R. M. 78-79-A25.

THENCE S 11 DEG. 42 MIN. 33 SEC. E A DISTANCE OF 984.50 FEET TO A POINT, THENCE S 11 DEG. 43 MIN. 52 SEC. E A DISTANCE OF 1057.37 FEET TO A POINT, THENCE S 12 DEG. 02 MIN. 10 SEC. E A DISTANCE OF 1070.80 FEET TO A POINT, THENCE S 11 DEG. 43 MIN. 00 SEC. E A DISTANCE OF 1064.60 FEET TO A POINT, SAID POINT BEING S 61 DEG. 31 MIN. 18 SEC. E A DISTANCE OF 141.65 FEET FROM P. R. M. 78-79-A26.

THENCE S 11 DEG. 28 MIN. 54 SEC. E A DISTANCE OF 1046.46 FEET TO A POINT, THENCE S 11 DEG. 53 MIN. 45 SEC. E A DISTANCE OF 1069.33 FEET TO A POINT, THENCE S 11 DEG. 39 MIN. 10 SEC. E A DISTANCE OF 1042.06 FEET TO A POINT, THENCE S 10 DEG. 26 MIN. 15 SEC. E A DISTANCE OF 1084.65 FEET TO A POINT, SAID POINT BEING S 16 DEG. 25 MIN. 35 SEC. E A DISTANCE OF 291.14 FEET FROM P. R. M. 78-79-A27.

THENCE S 11 DEG. 44 MIN. 14 SEC. E A DISTANCE OF 1055.33 FEET TO A POINT, THENCE S 11 DEG. 59 MIN. 27 SEC. E A DISTANCE OF 1058.43 FEET TO A POINT, THENCE S 10 DEG. 28 MIN. 10 SEC. E A DISTANCE OF 1044.36 FEET TO A POINT, THENCE S 09 DEG. 50 MIN. 24 SEC. E A DISTANCE OF 1045.49 FEET TO A POINT, THENCE S 10 DEG. 15 MIN. 55 SEC. E A DISTANCE OF 1124.51 FEET TO A POINT, SAID POINT BEING N 37 DEG. 30 MIN. 07 SEC. E A DISTANCE OF 186.72 FEET FROM P. R. M. 78-79-A28.

THENCE S 10 DEG. 22 MIN. 17 SEC. E A DISTANCE OF 939.46 FEET TO A POINT, THENCE S 09 DEG. 56 MIN. 55 SEC. E A DISTANCE OF 1024.28 FEET TO A POINT, THENCE S 10 DEG. 18 MIN. 38 SEC. E A DISTANCE OF 1055.70 FEET TO A POINT, THENCE S 09 DEG. 05 MIN. 50 SEC. E A DISTANCE OF 1041.93 FEET TO A POINT, THENCE S 10 DEG. 01 MIN. 16 SEC. E A DISTANCE OF 1044.21 FEET TO A POINT, SAID POINT BEING N 80 DEG. 02 MIN. 15 SEC. E A DISTANCE OF 118.07 FEET FROM P. R. M. 78-79-A29.

THENCE S 11 DEG. 38 MIN. 30 SEC. E A DISTANCE OF 1044.09 FEET TO A POINT, THENCE S 11 DEG. 14 MIN. 17 SEC. E A DISTANCE OF 1065.04 FEET TO A POINT, THENCE S 11 DEG. 18 MIN. 05 SEC. E A DISTANCE OF 1063.60 FEET TO A POINT, THENCE S 11 DEG. 36 MIN. 38 SEC. E A DISTANCE OF 1112.49 FEET TO A POINT, THENCE S 11 DEG. 37 MIN. 21 SEC. E A DISTANCE OF 1026.56 FEET TO A POINT, SAID POINT BEING S 17 DEG. 42 MIN. 24 SEC. E A DISTANCE OF 416.43 FEET FROM P. R. M. 78-79-A30.

THENCE S 11 DEG. 19 MIN. 58 SEC. E A DISTANCE OF 1110.02 FEET TO A POINT, THENCE S 10 DEG. 53 MIN. 33 SEC. E A DISTANCE OF 1022.42 FEET TO A POINT, THENCE S 12 DEG. 09 MIN. 51 SEC. E A DISTANCE OF 1064.53 FEET TO A POINT, THENCE S 12 DEG. 21 MIN. 56 SEC. E A DISTANCE OF 1090.85 FEET TO A POINT, SAID POINT BEING S 29 DEG. 36 MIN. 21 SEC. W A DISTANCE OF 17.88 FEET FROM P. R. M. 78-79-A31.

THENCE S 14 DEG. 50 MIN. 34 SEC. E A DISTANCE OF 1045.60 FEET TO A POINT, THENCE S 12 DEG. 08 MIN. 42 SEC. E A DISTANCE OF 1014.44 FEET TO A POINT, THENCE S 12 DEG. 19 MIN. 01 SEC. E A DISTANCE OF 1062.69 FEET TO A POINT, SAID POINT BEING N 04 DEG. 42 MIN. 10 SEC. W A DISTANCE OF 244.66 FEET FROM P. R. M. 78-79-A32.

THENCE S 12 DEG. 31 MIN. 28 SEC. E A DISTANCE OF 1044.48 FEET TO A POINT, THENCE S 12 DEG. 38 MIN. 35 SEC. E A DISTANCE OF 955.06 FEET TO A POINT, THENCE S 12 DEG. 12 MIN. 14 SEC. E A DISTANCE OF 1029.50 FEET TO A POINT, THENCE S 12 DEG. 28 MIN. 57 SEC. E A DISTANCE OF 1044.28 FEET TO A POINT, THENCE S 11 DEG. 52 MIN. 29 SEC. E A DISTANCE OF 1056.42 FEET TO A POINT, SAID POINT BEING N 05 DEG. 53 MIN. 53 SEC. E A DISTANCE OF 215.82 FEET FROM P. R. M. 78-79-A33.

THENCE S 12 DEG. 05 MIN. 30 SEC. E A DISTANCE OF 1001.77 FEET TO A POINT, THENCE S 11 DEG. 57 MIN. 04 SEC. E A DISTANCE OF 1021.46 FEET TO A POINT, THENCE S 12 DEG. 07 MIN. 01 SEC. E A DISTANCE OF 990.71 FEET TO A POINT, THENCE S 12 DEG. 57 MIN. 55 SEC. E A DISTANCE OF 1043.65 FEET TO A POINT, THENCE S 13 DEG. 23 MIN. 49 SEC. E A DISTANCE OF 1025.16 FEET TO A POINT, SAID POINT BEING S 42 DEG. 04 MIN. 07 SEC. E A DISTANCE OF 194.49 FEET FROM P. R. M. 78-79-A34.

THENCE S 12 DEG. 31 MIN. 49 SEC. E A DISTANCE OF 1027.87 FEET TO A POINT, THENCE S 12 DEG. 26 MIN. 53 SEC. E A DISTANCE OF 1037.88 FEET TO A POINT, THENCE S 12 DEG. 09 MIN. 07 SEC. E A DISTANCE OF 1042.85 FEET TO A POINT, THENCE S 12 DEG. 55 MIN. 00 SEC. E A DISTANCE OF 1039.27 FEET TO A POINT, THENCE S 12 DEG. 55 MIN. 37 SEC. E A DISTANCE OF 994.36 FEET TO A POINT, SAID POINT BEING S 26 DEG. 46 MIN. 49 SEC. E A DISTANCE OF 279.42 FEET FROM P. R. M. 78-79-A35.

THENCE S 13 DEG. 28 MIN. 14 SEC. E A DISTANCE OF 996.66 FEET TO A POINT, THENCE S 14 DEG. 24 MIN. 51 SEC. E A DISTANCE OF 989.73 FEET TO A POINT, THENCE S 14 DEG. 22 MIN. 00 SEC. E A DISTANCE OF 993.62 FEET TO A POINT, THENCE S 14 DEG. 17 MIN. 27 SEC. E A DISTANCE OF 981.81 FEET TO A POINT, THENCE S 14 DEG. 37 MIN. 15 SEC. E A DISTANCE OF 1114.37 FEET TO A POINT, THENCE S 14 DEG. 34 MIN. 37 SEC. E A DISTANCE OF 1063.02 FEET TO A POINT, SAID POINT BEING S 23 DEG. 30 MIN. 14 SEC. E A DISTANCE OF 390.64 FEET FROM P. R. M. 78-79-A36.

THENCE S 14 DEG. 58 MIN. 13 SEC. E A DISTANCE OF 1027.28 FEET TO A POINT, THENCE S 15 DEG. 18 MIN. 33 SEC. E A DISTANCE OF 1108.07 FEET TO A POINT, THENCE S 15 DEG. 51 MIN. 09 SEC. E A DISTANCE OF 1063.73 FEET TO A POINT, THENCE S 16 DEG. 49 MIN. 07 SEC. E A DISTANCE OF 1039.71 FEET TO A POINT, SAID POINT BEING S 25 DEG. 32 MIN. 44 SEC. E A DISTANCE OF 256.91 FEET FROM P. R. M. 78-79-A37.

THENCE S 15 DEG. 23 MIN. 38 SEC. E A DISTANCE OF 1008.38 FEET TO A POINT, THENCE S 16 DEG. 47 MIN. 46 SEC. E A DISTANCE OF 975.68 FEET TO A POINT, THENCE S 15 DEG. 52 MIN. 53 SEC. E A DISTANCE OF 1119.42 FEET TO A POINT, THENCE S 18 DEG. 00 MIN. 17 SEC. E A DISTANCE OF 1063.73 FEET TO A POINT, THENCE S 20 DEG. 15 MIN. 11 SEC. E A DISTANCE OF 1122.89 FEET TO A POINT, SAID POINT BEING S 23 DEG. 35 MIN. 12 SEC. E A DISTANCE OF 83.35 FEET FROM P. R. M. 78-79-A38.

THENCE S 18 DEG. 35 MIN. 05 SEC. E A DISTANCE OF 1086.59 FEET TO A POINT, THENCE S 19 DEG. 20 MIN. 05 SEC. E A DISTANCE OF 1103.67 FEET TO A POINT, THENCE S 19 DEG. 11 MIN. 13 SEC. E A DISTANCE OF 1109.33 FEET TO A POINT, SAID POINT BEING N 52 DEG. 25 MIN. 56 SEC. E A DISTANCE OF 211.16 FEET FROM P. R. M. 78-79-A39.

THENCE S 19 DEG. 28 MIN. 50 SEC. E A DISTANCE OF 1076.85 FEET TO A POINT, SAID POINT BEING N 13 DEG. 12 MIN. 26 SEC. E A DISTANCE OF 396.04 FEET FROM N.G.S. VILANO.

THENCE S 19 DEG. 16 MIN. 32 SEC. E A DISTANCE OF 1210.34 FEET TO A POINT, SAID POINT BEING S 18 DEG. 58 MIN. 21 SEC. W A DISTANCE OF 585.22 FEET FROM P. R. M. 78-79-A40.

THENCE S 58 DEG. 45 MIN. 43 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH BANK OF ST. AUGUSTINE INLET, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 18 DEG. 58 MIN. 21 SEC. W A DISTANCE OF 585.22 FEET FROM P. R. M. 78-79-A40.

RECOMMENCE AT P. R. M. 78-79-A41; THENCE S 12 DEG. 46 MIN. 29 SEC. W. A DISTANCE OF 783.75 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 33 DEG. 20 MIN. 06 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH BANK OF ST. AUGUSTINE INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 12 DEG. 46 MIN. 29 SEC. W A DISTANCE OF 783.75 FEET FROM P. R. M. 78-79-A41.

THENCE S 33 DEG. 20 MIN. 06 SEC. E A DISTANCE OF 935.12 FEET TO A POINT, THENCE S 33 DEG. 42 MIN. 40 SEC. E A DISTANCE OF 1188.26 FEET TO A POINT, THENCE S 23 DEG. 09 MIN. 59 SEC. E A DISTANCE OF 1298.43 FEET TO A POINT, THENCE S 23 DEG. 28 MIN. 52 SEC. E A DISTANCE OF 828.13 FEET TO A POINT, THENCE S 16 DEG. 05 MIN. 34 SEC. E A DISTANCE OF 1084.42 FEET TO A POINT, SAID POINT BEING S 40 DEG. 31 MIN. 21 SEC. W A DISTANCE OF 645.91 FEET FROM P. R. M. 78-79-A42.

THENCE S 14 DEG. 14 MIN. 15 SEC. E A DISTANCE OF 1068.37 FEET TO A POINT, THENCE S 14 DEG. 36 MIN. 56 SEC. E A DISTANCE OF 1028.91 FEET TO A POINT, THENCE S 13 DEG. 43 MIN. 35 SEC. E A DISTANCE OF 1068.08 FEET TO A POINT, THENCE S 16 DEG. 58 MIN. 10 SEC. E A DISTANCE OF 992.02 FEET TO A POINT, THENCE S 15 DEG. 58 MIN. 07 SEC. E A DISTANCE OF 436.60 FEET TO A POINT, SAID POINT BEING S 39 DEG. 42 MIN. 15 SEC. W A DISTANCE OF 443.99 FEET FROM P. R. M. 78-86-A43-2.

THENCE S 16 DEG. 51 MIN. 12 SEC. E A DISTANCE OF 1501.21 FEET TO A POINT, THENCE S 15 DEG. 22 MIN. 58 SEC. E A DISTANCE OF 1031.38 FEET TO A POINT, THENCE S 16 DEG. 37 MIN. 46 SEC. E A DISTANCE OF 1010.66 FEET TO A POINT, THENCE S 16 DEG. 49 MIN. 04 SEC. E A DISTANCE OF 1110.73 FEET TO A POINT, THENCE S 16 DEG. 34 MIN. 31 SEC. E A DISTANCE OF 921.73 FEET TO A POINT, SAID POINT BEING S 06 DEG. 49 MIN. 34 SEC. W A DISTANCE OF 326.41 FEET FROM P. R. M. 78-86-A44-2.

THENCE S 15 DEG. 29 MIN. 00 SEC. E A DISTANCE OF 885.65 FEET TO A POINT, SAID POINT BEING N 05 DEG. 26 MIN. 35 SEC. W A DISTANCE OF 330.53 FEET FROM P. R. M. 78-86-A45-2.

THENCE S 11 DEG. 41 MIN. 56 SEC. E A DISTANCE OF 936.84 FEET TO A POINT, SAID POINT BEING IN 40 DEG. 10 MIN. 19 SEC. W A DISTANCE OF 189.59 FEET FROM P. R. M. 78-86-A45A.

THENCE S 11 DEG. 41 MIN. 56 SEC. E A DISTANCE OF 392.00 FEET TO A POINT, THENCE N 89 DEG. 45 MIN. 51 SEC. E A DISTANCE OF 227.02 FEET TO A POINT, THENCE S 01 DEG. 07 MIN. 40 SEC. E A DISTANCE OF 642.02 FEET TO A POINT, THENCE S 00 DEG. 52 MIN. 17 SEC. W A DISTANCE OF 1016.06 FEET TO A POINT, THENCE S 00 DEG. 56 MIN. 31 SEC. W A DISTANCE OF 795.27 FEET TO A POINT, THENCE S 00 DEG. 32 MIN. 01 SEC. W A DISTANCE OF 197.06 FEET TO A POINT, THENCE S 00 DEG. 52 MIN. 32 SEC. E A DISTANCE OF 1028.84 FEET TO A POINT, SAID POINT BEING S 82 DEG. 16 MIN. 04 SEC. E A DISTANCE OF 318.62 FEET FROM P. R. M. 78-79-A46.

THENCE S 01 DEG. 02 MIN. 57 SEC. E A DISTANCE OF 1018.62 FEET TO A POINT, THENCE S 02 DEG. 14 MIN. 11 SEC. E A DISTANCE OF 1001.09 FEET TO A POINT, THENCE S 06 DEG. 50 MIN. 15 SEC. E A DISTANCE OF 992.92 FEET TO A POINT, SAID POINT BEING N 40 DEG. 58 MIN. 24 SEC. E A DISTANCE OF 694.13 FEET FROM P. R. M. 78-79-A47.

THENCE S 06 DEG. 16 MIN. 37 SEC. E A DISTANCE OF 993.77 FEET TO A POINT, THENCE S 08 DEG. 01 MIN. 12 SEC. E A DISTANCE OF 992.93 FEET TO A POINT, THENCE S 03 DEG. 03 MIN. 13 SEC. E A DISTANCE OF 986.89 FEET TO A POINT, THENCE S 02 DEG. 22 MIN. 50 SEC. E A DISTANCE OF 992.99 FEET TO A POINT, THENCE S 03 DEG. 26 MIN. 55 SEC. E A DISTANCE OF 1008.61 FEET TO A POINT, SAID POINT BEING N 83 DEG. 18 MIN. 48 SEC. E A DISTANCE OF 2272.71 FEET FROM P. R. M. 78-79-A48.

THENCE S 03 DEG. 20 MIN. 05 SEC. E A DISTANCE OF 985.27 FEET TO A POINT, THENCE S 03 DEG. 21 MIN. 26 SEC. E A DISTANCE OF 1013.32 FEET TO A POINT, THENCE S 03 DEG. 27 MIN. 56 SEC. E A DISTANCE OF 1003.96 FEET TO A POINT, THENCE S 05 DEG. 08 MIN. 37 SEC. E A DISTANCE OF 933.70 FEET TO A POINT, THENCE S 07 DEG. 38 MIN. 39 SEC. E A DISTANCE OF 1040.82 FEET TO A POINT, THENCE S 07 DEG. 13 MIN. 05 SEC. E A DISTANCE OF 1036.23 FEET TO A POINT, SAID POINT BEING S 81 DEG. 43 MIN. 36 SEC. E A DISTANCE OF 1333.73 FEET FROM P. R. M. 78-86-A49-2.

THENCE S 06 DEG. 38 MIN. 53 SEC. E A DISTANCE OF 1101.10 FEET TO A POINT, THENCE S 08 DEG. 44 MIN. 32 SEC. E A DISTANCE OF 1080.84 FEET TO A POINT, THENCE S 07 DEG. 25 MIN. 52 SEC. E A DISTANCE OF 917.50 FEET TO A POINT, THENCE S 10 DEG. 57 MIN. 37 SEC. E A DISTANCE OF 1010.71 FEET TO A POINT, SAID POINT BEING S 85 DEG. 02 MIN. 21 SEC. E A DISTANCE OF 987.97 FEET FROM P. R. M. 78-79-A50.

THENCE S 10 DEG. 28 MIN. 01 SEC. E A DISTANCE OF 1008.69 FEET TO A POINT, SAID POINT BEING N 56 DEG. 06 MIN. 40 SEC. E A DISTANCE OF 845.29 FEET FROM P. R. M. MICKLER.

THENCE S 11 DEG. 23 MIN. 34 SEC. E A DISTANCE OF 1008.59 FEET TO A POINT, SAID POINT BEING N 66 DEG. 25 MIN. 37 SEC. E A DISTANCE OF 610.68 FEET FROM P. R. M. 78-79-A51.

THENCE S 10 DEG. 48 MIN. 46 SEC. E A DISTANCE OF 1006.07 FEET TO A POINT, THENCE S 10 DEG. 58 MIN. 53 SEC. E A DISTANCE OF 1001.01 FEET TO A POINT, THENCE S 16 DEG. 26 MIN. 09 SEC. E A DISTANCE OF 1008.79 FEET TO A POINT, THENCE S 14 DEG. 16 MIN. 41 SEC. E A DISTANCE OF 1006.75 FEET TO A POINT, SAID POINT BEING N 23 DEG. 35 MIN. 45 SEC. E A DISTANCE OF 638.79 FEET FROM P. R. M. 78-79-A52.

THENCE S 14 DEG. 35 MIN. 16 SEC. E A DISTANCE OF 916.91 FEET TO A POINT, THENCE S 14 DEG. 25 MIN. 37 SEC. E A DISTANCE OF 1225.79 FEET TO A POINT, THENCE S 15 DEG. 05 MIN. 18 SEC. E A DISTANCE OF 891.62 FEET TO A POINT, SAID POINT BEING S 85 DEG. 01 MIN. 38 SEC. E A DISTANCE OF 582.81 FEET FROM P. R. M. 78-79-A53.

THENCE S 14 DEG. 15 MIN. 59 SEC. E A DISTANCE OF 1052.99 FEET TO A POINT, THENCE S 16 DEG. 36 MIN. 33 SEC. E A DISTANCE OF 1023.02 FEET TO A POINT, THENCE S 16 DEG. 44 MIN. 08 SEC. E A DISTANCE OF 1009.47 FEET TO A POINT, SAID POINT BEING N 71 DEG. 51 MIN. 31 SEC. E A DISTANCE OF 252.72 FEET FROM P. R. M. 78-79-A54.

THENCE S 17 DEG. 12 MIN. 17 SEC. E A DISTANCE OF 1015.87 FEET TO A POINT, THENCE S 17 DEG. 24 MIN. 39 SEC. E A DISTANCE OF 961.46 FEET TO A POINT, THENCE S 17 DEG. 55 MIN. 12 SEC. E A DISTANCE OF 1008.32 FEET TO A POINT, THENCE S 17 DEG. 48 MIN. 53 SEC. E A DISTANCE OF 1024.23 FEET TO A POINT, THENCE S 17 DEG. 20 MIN. 44 SEC. E A DISTANCE OF 962.26 FEET TO A POINT, SAID POINT BEING N 00 DEG. 31 MIN. 15 SEC. E A DISTANCE OF 544.39 FEET FROM P. R. M. 78-79-A55.

THENCE S 17 DEG. 56 MIN. 46 SEC. E A DISTANCE OF 932.63 FEET TO A POINT, THENCE S 18 DEG. 34 MIN. 06 SEC. E A DISTANCE OF 1021.04 FEET TO A POINT, THENCE S 18 DEG. 48 MIN. 45 SEC. E A DISTANCE OF 1002.08 FEET TO A POINT, THENCE S 17 DEG. 09 MIN. 43 SEC. E A DISTANCE OF 1029.02 FEET TO A POINT, THENCE S 19 DEG. 20 MIN. 18 SEC. E A DISTANCE OF 960.10 FEET TO A POINT, THENCE S 18 DEG. 57 MIN. 02 SEC. E A DISTANCE OF 1027.58 FEET TO A POINT, SAID POINT BEING N 85 DEG. 02 MIN. 44 SEC. E A DISTANCE OF 432.55 FEET FROM P. R. M. 78-79-A56.

THENCE S 18 DEG. 46 MIN. 59 SEC. E A DISTANCE OF 996.01 FEET TO A POINT, THENCE S 21 DEG. 43 MIN. 34 SEC. E A DISTANCE OF 1066.21 FEET TO A POINT, SAID POINT BEING N 11 DEG. 31 MIN. 06 SEC. E A DISTANCE OF 782.73 FEET FROM N.G.S. NICK.

THENCE S 21 DEG. 31 MIN. 44 SEC. E A DISTANCE OF 1038.85 FEET TO A POINT, SAID POINT BEING N 52 DEG. 44 MIN. 38 SEC. E A DISTANCE OF 547.49 FEET FROM P. R. M. 78-79-A57.

THENCE S 21 DEG. 17 MIN. 20 SEC. E A DISTANCE OF 1019.17 FEET TO A POINT, THENCE S 23 DEG. 03 MIN. 32 SEC. E A DISTANCE OF 1009.60 FEET TO A POINT, THENCE S 23 DEG. 17 MIN. 07 SEC. E A DISTANCE OF 1013.37 FEET TO A POINT, SAID POINT BEING N 84 DEG. 42 MIN. 31 SEC. E A DISTANCE OF 716.67 FEET FROM P. R. M. 78-79-A58.

THENCE S 25 DEG. 15 MIN. 17 SEC. E A DISTANCE OF 1020.31 FEET TO A POINT, THENCE S 24 DEG. 48 MIN. 10 SEC. E A DISTANCE OF 1060.53 FEET TO A POINT, SAID POINT BEING S 78 DEG. 06 MIN. 31 SEC. E A DISTANCE OF 769.12 FEET FROM P. R. M. 78-79-A59.

THENCE S 26 DEG. 10 MIN. 58 SEC. E A DISTANCE OF 1012.09 FEET TO A POINT, THENCE S 17 DEG. 21 MIN. 57 SEC. E A DISTANCE OF 970.30 FEET TO A POINT, THENCE S 75 DEG. 00 MIN. 00 SEC. W A DISTANCE OF 370.00 FEET TO A POINT, SAID POINT BEING S 25 DEG. 04 MIN. 33 SEC. E A DISTANCE OF 581.00 FEET FROM P. R. M. 78-79-A60.

THENCE S 13 DEG. 26 MIN. 10 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH BANK OF MATANZAS INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 25 DEG. 04 MIN. 33 SEC. E A DISTANCE OF 581.00 FEET FROM P. R. M. 78-79-A60.

RECOMMENCE AT P. R. M. 78-79-A61; THENCE S 80 DEG. 36 MIN. 47 SEC. E A DISTANCE OF 50.41 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 13 DEG. 26 MIN. 10 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH BANK OF MATANZAS INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 80 DEG. 36 MIN. 47 SEC. E A DISTANCE OF 50.41 FEET FROM P. R. M. 78-79-A61.

THENCE S 37 DEG. 17 MIN. 06 SEC. E A DISTANCE OF 734.42 FEET TO A POINT, THENCE S 26 DEG. 23 MIN. 04 SEC. E A DISTANCE OF 489.64 FEET TO A POINT, THENCE S 26 DEG. 08 MIN. 22 SEC. E A DISTANCE OF 1015.99 FEET TO A POINT, SAID POINT BEING N 53 DEG. 36 MIN. 08 SEC. E A DISTANCE OF 619.39 FEET FROM P. R. M. 73-77-A32.

THENCE S 20 DEG. 50 MIN. 08 SEC. E A DISTANCE OF 1013.33 FEET TO A POINT, THENCE S 15 DEG. 08 MIN. 22 SEC. E A DISTANCE OF 1020.20 FEET TO A POINT, THENCE S 13 DEG. 06 MIN. 02 SEC. E A DISTANCE OF 1004.96 FEET TO A POINT, THENCE S 12 DEG. 28 MIN. 27 SEC. E A DISTANCE OF 1027.79 FEET TO A POINT, THENCE S 23 DEG. 38 MIN. 15 SEC. E A DISTANCE OF 1036.89 FEET TO A POINT, THENCE S 16 DEG. 10 MIN. 01 SEC. E A DISTANCE OF 1029.19 FEET TO A POINT, SAID POINT BEING N 45 DEG. 12 MIN. 07 SEC. W A DISTANCE OF 262.50 FEET FROM P. R. M. 73-86-A31-2.

THENCE S 16 DEG. 58 MIN. 57 SEC. E A DISTANCE OF 1022.38 FEET TO A POINT, THENCE S 18 DEG. 13 MIN. 56 SEC. E A DISTANCE OF 1032.99 FEET TO A POINT, THENCE S 18 DEG. 28 MIN. 33 SEC. E A DISTANCE OF 1016.90 FEET TO A POINT, THENCE S 17 DEG. 52 MIN. 47 SEC. E A DISTANCE OF 1033.11 FEET TO A POINT, SAID POINT BEING S 06 DEG. 48 MIN. 20 SEC. E A DISTANCE OF 580.86 FEET FROM P. R. M. 73-77-A30.

THENCE S 22 DEG. 28 MIN. 50 SEC. E TO THE POINT OF INTERSECTION WITH ST. JOHNS-FLAGLER COUNTY LINE, SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR ST. JOHNS COUNTY.

62B-26.020 Description of the Flagler County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Flagler County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Flagler County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 5-4-88, Formerly 16B-26.020.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE FOR FLAGLER COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE ATLANTIC OCEAN FROM THE ST. JOHNS-FLAGLER COUNTY LINE SOUTHERLY TO ITS TERMINUS AT THE FLAGLER-VOLUSIA COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "73-77-A01 THROUGH 73-77-A05", "73-86-A06-2 THROUGH 73-86-A07-2", "73-77-A08 THROUGH 73-77-A20", "73-86-A21-2 THROUGH 73-86-A25-2", "73-77-A27 THROUGH 73-77-A29". FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE EAST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT N.G.S. STATION SMITH 1934, N.G.S. STATION CANAL 1934, P. R. M. 73-77-A09 AND P. R. M. 73-77-A31.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE FOR FLAGLER COUNTY, FLORIDA

COMMENCE AT P. R. M. 73-77-A29, THENCE N 17 DEG. 11 MIN. 01 SEC. W A DISTANCE OF 697.61 FEET TO THE POINT OF BEGINNING; THENCE N 22 DEG. 48 MIN. 39 SEC. W TO THE POINT OF INTERSECTION WITH FLAGLER-ST. JOHNS COUNTY LINE, SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR FLAGLER COUNTY; THENCE RETURNING ALONG THE SAME COURSE TO THE POINT OF BEGINNING.

THENCE S 22 DEG. 48 MIN. 39 SEC. E A DISTANCE OF 983.58 FEET TO A POINT, SAID POINT BEING S 36 DEG. 06 MIN. 50 SEC. E A DISTANCE OF 297.30 FEET FROM P. R. M. 73-77-A29.

THENCE S 20 DEG. 11 MIN. 58 SEC. E A DISTANCE OF 1251.40 FEET TO A POINT, THENCE S 20 DEG. 49 MIN. 15 SEC. E A DISTANCE OF 759.83 FEET TO A POINT, THENCE S 20 DEG. 31 MIN. 20 SEC. E A DISTANCE OF 945.85 FEET TO A POINT, THENCE S 20 DEG. 27 MIN. 44 SEC. E A DISTANCE OF 1005.20 FEET TO A POINT, SAID POINT BEING N 18 DEG. 05 MIN. 20 SEC. E A DISTANCE OF 231.96 FEET FROM P. R. M. 73-77-A28 1986.

THENCE S 19 DEG. 23 MIN. 08 SEC. E A DISTANCE OF 964.80 FEET TO A POINT, THENCE S 19 DEG. 28 MIN. 21 SEC. E A DISTANCE OF 917.76 FEET TO A POINT, THENCE S 19 DEG. 51 MIN. 34 SEC. E A DISTANCE OF 1086.71 FEET TO A POINT, THENCE S 19 DEG. 52 MIN. 01 SEC. E A DISTANCE OF 991.51 FEET TO A POINT, THENCE S 20 DEG. 08 MIN. 32 SEC. E A DISTANCE OF 930.65 FEET TO A POINT, SAID POINT BEING N 84 DEG. 23 MIN. 49 SEC. E A DISTANCE OF 114.82 FEET FROM P. R. M. 73-77-A27.

THENCE S 20 DEG. 02 MIN. 33 SEC. E A DISTANCE OF 976.61 FEET TO A POINT, THENCE S 19 DEG. 35 MIN. 19 SEC. E A DISTANCE OF 898.36 FEET TO A POINT, SAID POINT BEING N 50 DEG. 47 MIN. 33 SEC. W A DISTANCE OF 283.63 FEET FROM N.G.S. ROCK 1934.

THENCE S 19 DEG. 26 MIN. 21 SEC. E A DISTANCE OF 929.66 FEET TO A POINT, THENCE S 19 DEG. 38 MIN. 23 SEC. E A DISTANCE OF 1078.03 FEET TO A POINT, THENCE S 18 DEG. 29 MIN. 55 SEC. E A DISTANCE OF 865.61 FEET TO A POINT, THENCE S 19 DEG. 42 MIN. 53 SEC. E A DISTANCE OF 989.47 FEET TO A POINT, THENCE S 22 DEG. 12 MIN. 48 SEC. E A DISTANCE OF 944.97 FEET TO A POINT, THENCE S 22 DEG. 18 MIN. 19 SEC. E A DISTANCE OF 1004.11 FEET TO A POINT, THENCE S 20 DEG. 59 MIN. 42 SEC. E A DISTANCE OF 948.39 FEET TO A POINT, SAID POINT BEING S 03 DEG. 10 MIN. 14 SEC. E A DISTANCE OF 166.95 FEET FROM P. R. M. 73-86-A25-2.

THENCE S 22 DEG. 01 MIN. 56 SEC. E A DISTANCE OF 1094.36 FEET TO A POINT, THENCE S 22 DEG. 20 MIN. 59 SEC. E A DISTANCE OF 1129.37 FEET TO A POINT, SAID POINT BEING N 29 DEG. 22 MIN. 46 SEC. W A DISTANCE OF 397.03 FEET FROM P. R. M. 73-86-A24-2.

THENCE S 20 DEG. 18 MIN. 39 SEC. E A DISTANCE OF 815.58 FEET TO A POINT, THENCE S 20 DEG. 17 MIN. 47 SEC. E A DISTANCE OF 983.95 FEET TO A POINT, THENCE S 19 DEG. 32 MIN. 31 SEC. E A DISTANCE OF 1239.99 FEET TO A POINT, THENCE S 19 DEG. 47 MIN. 03 SEC. E A DISTANCE OF 874.11 FEET TO A POINT, THENCE S 19 DEG. 32 MIN. 42 SEC. E A DISTANCE OF 836.44 FEET TO A POINT, SAID POINT BEING S 59 DEG. 59 MIN. 47 SEC. W A DISTANCE OF 41.82 FEET FROM P. R. M. 73-86-A23-2.

THENCE S 18 DEG. 27 MIN. 01 SEC. E A DISTANCE OF 878.59 FEET TO A POINT, THENCE S 19 DEG. 57 MIN. 58 SEC. E A DISTANCE OF 908.62 FEET TO A POINT, THENCE S 19 DEG. 56 MIN. 27 SEC. E A DISTANCE OF 1228.74 FEET TO A POINT, THENCE S 17 DEG. 08 MIN. 58 SEC. E A DISTANCE OF 816.49 FEET TO A POINT, THENCE S 18 DEG. 47 MIN. 22 SEC. E A DISTANCE OF 997.66 FEET TO A POINT, SAID POINT BEING S 17 DEG. 43 MIN. 14 SEC. E A DISTANCE OF 213.62 FEET FROM P. R. M. 73-86-A22-2.

THENCE S 20 DEG. 09 MIN. 22 SEC. E A DISTANCE OF 997.48 FEET TO A POINT, THENCE S 20 DEG. 09 MIN. 01 SEC. E A DISTANCE OF 796.34 FEET TO A POINT, THENCE S 22 DEG. 10 MIN. 55 SEC. E A DISTANCE OF 1247.88 FEET TO A POINT, SAID POINT BEING N 57 DEG. 27 MIN. 00 SEC. W A DISTANCE OF 148.21 FEET FROM P. R. M. 73-86-A21-2.

THENCE S 22 DEG. 13 MIN. 03 SEC. E A DISTANCE OF 936.02 FEET TO A POINT, THENCE S 19 DEG. 44 MIN. 18 SEC. E A DISTANCE OF 964.88 FEET TO A POINT, THENCE S 19 DEG. 45 MIN. 52 SEC. E A DISTANCE OF 947.31 FEET TO A POINT, SAID POINT BEING S 00 DEG. 35 MIN. 19 SEC. W A DISTANCE OF 444.71 FEET FROM P. R. M. 73-77-A20.

THENCE S 22 DEG. 16 MIN. 52 SEC. E A DISTANCE OF 885.57 FEET TO A POINT, THENCE S 19 DEG. 54 MIN. 19 SEC. E A DISTANCE OF 1023.03 FEET TO A POINT, THENCE S 18 DEG. 57 MIN. 00 SEC. E A DISTANCE OF 912.02 FEET TO A POINT, THENCE S 20 DEG. 45 MIN. 29 SEC. E A DISTANCE OF 1009.81 FEET TO A POINT, THENCE S 21 DEG. 54 MIN. 29 SEC. E A DISTANCE OF 917.70 FEET TO A POINT, THENCE S 21 DEG. 15 MIN. 21 SEC. E A DISTANCE OF 1048.61 FEET TO A POINT, SAID POINT BEING S 28 DEG. 48 MIN. 59 SEC. W A DISTANCE OF 174.59 FEET FROM P. R. M. 73-77-A19.

THENCE S 21 DEG. 15 MIN. 22 SEC. E A DISTANCE OF 915.50 FEET TO A POINT, SAID POINT BEING S 27 DEG. 44 MIN. 04 SEC. E A DISTANCE OF 482.94 FEET FROM N.G.S. CANAL 1934.

THENCE S 22 DEG. 11 MIN. 36 SEC. E A DISTANCE OF 1102.86 FEET TO A POINT, SAID POINT BEING N 13 DEG. 13 MIN. 05 SEC. W A DISTANCE OF 573.32 FEET FROM P. R. M. 73-77-A18.

THENCE S 22 DEG. 28 MIN. 12 SEC. E A DISTANCE OF 992.17 FEET TO A POINT, THENCE S 22 DEG. 12 MIN. 35 SEC. E A DISTANCE OF 965.05 FEET TO A POINT, THENCE S 22 DEG. 05 MIN. 38 SEC. E A DISTANCE OF 944.54 FEET TO A POINT, THENCE S 22 DEG. 22 MIN. 13 SEC. E A DISTANCE OF 1003.29 FEET TO A POINT, THENCE S 22 DEG. 30 MIN. 37 SEC. E A DISTANCE OF 917.71 FEET TO A POINT, SAID POINT BEING S 15 DEG. 25 MIN. 09 SEC. W A DISTANCE OF 86.42 FEET FROM P. R. M. 73-77-A17 1986.

THENCE S 24 DEG. 03 MIN. 00 SEC. E A DISTANCE OF 890.17 FEET TO A POINT, THENCE S 23 DEG. 49 MIN. 22 SEC. E A DISTANCE OF 450.75 FEET TO A POINT, THENCE S 23 DEG. 22 MIN. 16 SEC. E A DISTANCE OF 803.56 FEET TO A POINT, THENCE S 24 DEG. 28 MIN. 28 SEC. E A DISTANCE OF 1028.86 FEET TO A POINT, SAID POINT BEING N 24 DEG. 46 MIN. 31 SEC. W A DISTANCE OF 294.55 FEET FROM P. R. M. 73-77-A16 1986.

THENCE S 24 DEG. 16 MIN. 57 SEC. E A DISTANCE OF 859.88 FEET TO A POINT, THENCE S 24 DEG. 04 MIN. 02 SEC. E A DISTANCE OF 725.91 FEET TO A POINT, THENCE S 22 DEG. 04 MIN. 42 SEC. E A DISTANCE OF 1093.92 FEET TO A POINT, THENCE S 22 DEG. 11 MIN. 33 SEC. E A DISTANCE OF 1100.04 FEET TO A POINT, SAID POINT BEING S 01 DEG. 39 MIN. 02 SEC. W A DISTANCE OF 93.18 FEET FROM P. R. M. 73-77-A15.

THENCE S 22 DEG. 43 MIN. 40 SEC. E A DISTANCE OF 784.01 FEET TO A POINT, SAID POINT BEING N 34 DEG. 23 MIN. 55 SEC. W A DISTANCE OF 533.51 FEET FROM N.G.S WEAVER 1934.

THENCE S 22 DEG. 48 MIN. 09 SEC. E A DISTANCE OF 924.67 FEET TO A POINT, SAID POINT BEING N 26 DEG. 21 MIN. 52 SEC. W A DISTANCE OF 186.22 FEET FROM P. R. M. 73-77-A14.

THENCE S 22 DEG. 48 MIN. 23 SEC. E A DISTANCE OF 994.25 FEET TO A POINT, THENCE S 24 DEG. 57 MIN. 46 SEC. E A DISTANCE OF 995.76 FEET TO A POINT, SAID POINT BEING N 23 DEG. 36 MIN. 50 SEC. W A DISTANCE OF 323.58 FEET FROM P. R. M. 73-77-A13.

THENCE S 24 DEG. 51 MIN. 17 SEC. E A DISTANCE OF 883.20 FEET TO A POINT, THENCE S 23 DEG. 35 MIN. 52 SEC. E A DISTANCE OF 1002.49 FEET TO A POINT, SAID POINT BEING S 88 DEG. 55 MIN. 44 SEC. W A DISTANCE OF 106.13 FEET FROM P. R. M. 73-77-A12.

THENCE S 23 DEG. 32 MIN. 22 SEC. E A DISTANCE OF 938.49 FEET TO A POINT, THENCE S 23 DEG. 46 MIN. 49 SEC. E A DISTANCE OF 917.14 FEET TO A POINT, SAID POINT BEING N 40 DEG. 27 MIN. 09 SEC. W A DISTANCE OF 649.85 FEET FROM P. R. M. 73-77-A11.

THENCE S 23 DEG. 33 MIN. 36 SEC. E A DISTANCE OF 1054.05 FEET TO A POINT, THENCE S 22 DEG. 56 MIN. 30 SEC. E A DISTANCE OF 880.74 FEET TO A POINT, THENCE S 23 DEG. 29 MIN. 26 SEC. E A DISTANCE OF 1065.24 FEET TO A POINT, THENCE S 25 DEG. 54 MIN. 18 SEC. E A DISTANCE OF 965.29 FEET TO A POINT, SAID POINT BEING N 51 DEG. 31 MIN. 35 SEC. W A DISTANCE OF 265.42 FEET FROM P. R. M. 73-77-A10.

THENCE S 22 DEG. 48 MIN. 48 SEC. E A DISTANCE OF 940.42 FEET TO A POINT, THENCE S 22 DEG. 46 MIN. 20 SEC. E A DISTANCE OF 953.32 FEET TO A POINT, THENCE S 23 DEG. 12 MIN. 52 SEC. E A DISTANCE OF 947.58 FEET TO A POINT, SAID POINT BEING N 12 DEG. 13 MIN. 57 SEC. W A DISTANCE OF 826.77 FEET FROM N.G.S. FLAGLER 1934. THENCE S 23 DEG. 07 MIN. 36 SEC. E A DISTANCE OF 945.91 FEET TO A POINT, SAID POINT BEING N 43 DEG. 32 MIN. 40 SEC. W A DISTANCE OF 189.05 FEET FROM P. R. M. 73-77-A09.

THENCE S 22 DEG. 53 MIN. 30 SEC. E A DISTANCE OF 966.16 FEET TO A POINT, THENCE S 22 DEG. 49 MIN. 21 SEC. E A DISTANCE OF 968.39 FEET TO A POINT, THENCE S 23 DEG. 00 MIN. 47 SEC. E A DISTANCE OF 970.41 FEET TO A POINT, SAID POINT BEING N 40 DEG. 14 MIN. 12 SEC. W A DISTANCE OF 446.91 FEET FROM P. R. M. 73-77-A08.

THENCE S 24 DEG. 09 MIN. 54 SEC. E A DISTANCE OF 959.83 FEET TO A POINT, THENCE S 22 DEG. 26 MIN. 05 SEC. E A DISTANCE OF 943.75 FEET TO A POINT, THENCE S 21 DEG. 44 MIN. 54 SEC. E A DISTANCE OF 947.55 FEET TO A POINT, THENCE S 21 DEG. 36 MIN. 58 SEC. E A DISTANCE OF 1004.73 FEET TO A POINT, SAID POINT BEING N 34 DEG. 49 MIN. 20 SEC. W A DISTANCE OF 552.43 FEET FROM P. R. M. 73-86-A07-2.

THENCE S 22 DEG. 30 MIN. 19 SEC. E A DISTANCE OF 903.52 FEET TO A POINT, THENCE S 22 DEG. 43 MIN. 59 SEC. E A DISTANCE OF 1048.87 FEET TO A POINT, THENCE S 22 DEG. 29 MIN. 05 SEC. E A DISTANCE OF 731.26 FEET TO A POINT, THENCE S 22 DEG. 40 MIN. 02 SEC. E A DISTANCE OF 962.72 FEET TO A POINT, THENCE S 22 DEG. 41 MIN. 51 SEC. E A DISTANCE OF 946.58 FEET TO A POINT, SAID POINT BEING S 08 DEG. 47 MIN. 42 SEC. E A DISTANCE OF 444.32 FEET FROM P. R. M. 73-86-A06-2.

THENCE S 21 DEG. 47 MIN. 05 SEC. E A DISTANCE OF 885.38 FEET TO A POINT, THENCE S 21 DEG. 48 MIN. 43 SEC. E A DISTANCE OF 810.62 FEET TO A POINT, THENCE S 21 DEG. 47 MIN. 42 SEC. E A DISTANCE OF 953.06 FEET TO A POINT, THENCE S 20 DEG. 44 MIN. 15 SEC. E A DISTANCE OF 930.21 FEET TO A POINT, SAID POINT BEING S 06 DEG. 51 MIN. 46 SEC. E A DISTANCE OF 537.66 FEET FROM P. R. M. 73-77-A05.

THENCE S 21 DEG. 01 MIN. 11 SEC. E A DISTANCE OF 948.72 FEET TO A POINT, THENCE S 21 DEG. 50 MIN. 22 SEC. E A DISTANCE OF 955.70 FEET TO A POINT, THENCE S 21 DEG. 05 MIN. 06 SEC. E A DISTANCE OF 948.48 FEET TO A POINT, SAID POINT BEING N 59 DEG. 13 MIN. 44 SEC. W A DISTANCE OF 233.56 FEET FROM P. R. M. 73-77-A04.

THENCE S 21 DEG. 05 MIN. 45 SEC. E A DISTANCE OF 942.38 FEET TO A POINT, SAID POINT BEING N 06 DEG. 57 MIN. 14 SEC. W A DISTANCE OF 498.30 FEET FROM P. R. M. 73-77-A03.

THENCE S 20 DEG. 59 MIN. 34 SEC. E A DISTANCE OF 860.02 FEET TO A POINT, THENCE S 20 DEG. 55 MIN. 06 SEC. E A DISTANCE OF 969.37 FEET TO A POINT, SAID POINT BEING N 58 DEG. 27 MIN. 58 SEC. E A DISTANCE OF 96.31 FEET FROM P. R. M. 73-77-A02.

THENCE S 20 DEG. 51 MIN. 06 SEC. E A DISTANCE OF 976.94 FEET TO A POINT, SAID POINT BEING N 60 DEG. 34 MIN. 27 SEC. W A DISTANCE OF 263.25 FEET FROM P. R. M. 73-77-A01.

THENCE S 21 DEG. 54 MIN. 19 SEC. E A DISTANCE OF 949.66 FEET TO A POINT, THENCE S 21 DEG. 41 MIN. 56 SEC. E A DISTANCE OF 951.08 FEET TO A POINT, SAID POINT BEING N 25 DEG. 41 MIN. 00 SEC. W A DISTANCE OF 1324.52 FEET FROM N.G.S. SMITH 1934.

THENCE S 21 DEG. 41 MIN. 56 SEC. E TO THE POINT OF INTERSECTION WITH FLAGLER-VOLUSIA COUNTY LINE, SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR FLAGLER COUNTY.

62B-26.021 Description of the St. Lucie County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the St. Lucie County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for St. Lucie County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 9-15-88, Formerly 16B-26.021.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE ST. LUCIE COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE ATLANTIC OCEAN FROM THE ST. LUCIE-INDIAN RIVER COUNTY LINE SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF FT. PIERCE INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF FT. PIERCE INLET, CONTINUING SOUTHERLY TO ITS TERMINUS AT THE ST. LUCIE-MARTIN COUNTY LINE.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "94-77-A01 THROUGH 94-77-A04", "94-77-A05-2 1987", "94-77-A06 THROUGH 94-77-A20", "Z 307 RESET 1987", "94-77-A21 THROUGH 94-77-A24",

“94-77-A25-2 1987”, “94-77-A26 THROUGH 94-77-A32”, “94-77-A33-2 1987”, “94-77-A34 THROUGH 94-77-A35”, “94-77-A36-2 1987”, “94-77-A37 THROUGH 94-77-A40”. FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE EAST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) 94-77-A02, 94-77-A12, 94-77-A25 AND 94-77-A40.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL

LINE ST. LUCIE COUNTY, FLORIDA

COMMENCE AT P. R. M. 94-77-A39, THENCE S 24 DEG. 39 MIN. 06 SEC. E A DISTANCE OF 1835.06 FEET TO THE POINT OF BEGINNING; THENCE N 19 DEG. 25 MIN. 31 SEC. W TO THE INTERSECTION WITH THE ST. LUCIE-INDIAN RIVER COUNTY LINE, SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR ST. LUCIE COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING.

THENCE S 19 DEG. 25 MIN. 31 SEC. E A DISTANCE OF 981.62 FEET TO A POINT, THENCE S 16 DEG. 31 MIN. 29 SEC. E A DISTANCE OF 988.08 FEET TO A POINT, SAID POINT BEING S 77 DEG. 08 MIN. 36 SEC. E A DISTANCE OF 147.74 FEET FROM P. R. M. 94-77-A38.

THENCE S 16 DEG. 28 MIN. 27 SEC. E A DISTANCE OF 1024.56 FEET TO A POINT, THENCE S 14 DEG. 34 MIN. 53 SEC. E A DISTANCE OF 970.80 FEET TO A POINT, THENCE S 14 DEG. 19 MIN. 37 SEC. E A DISTANCE OF 992.99 FEET TO A POINT, SAID POINT BEING S 59 DEG. 02 MIN. 19 SEC. E A DISTANCE OF 96.33 FEET FROM P. R. M. 94-77-A37.

THENCE S 14 DEG. 37 MIN. 40 SEC. E A DISTANCE OF 1006.60 FEET TO A POINT, THENCE S 14 DEG. 13 MIN. 26 SEC. E A DISTANCE OF 998.28 FEET TO A POINT, THENCE S 16 DEG. 47 MIN. 34 SEC. E A DISTANCE OF 964.11 FEET TO A POINT, SAID POINT BEING S 06 DEG. 11 MIN. 10 SEC. E A DISTANCE OF 167.12 FEET FROM P. R. M. 94-77-A36-2 1987. THENCE S 15 DEG. 37 MIN. 52 SEC. E A DISTANCE OF 979.80 FEET TO A POINT, THENCE S 15 DEG. 42 MIN. 34 SEC. E A DISTANCE OF 993.38 FEET TO A POINT, SAID POINT BEING N 28 DEG. 24 MIN. 57 SEC. W A DISTANCE OF 221.86 FEET FROM P. R. M. 94-77-A35.

THENCE S 15 DEG. 13 MIN. 42 SEC. E A DISTANCE OF 981.14 FEET TO A POINT, THENCE S 17 DEG. 44 MIN. 27 SEC. E A DISTANCE OF 997.39 FEET TO A POINT, SAID POINT BEING N 06 DEG. 00 MIN. 51 SEC. W A DISTANCE OF 401.04 FEET FROM P. R. M. 94-77-A34.

THENCE S 18 DEG. 52 MIN. 19 SEC. E A DISTANCE OF 989.71 FEET TO A POINT, THENCE S 21 DEG. 52 MIN. 39 SEC. E A DISTANCE OF 987.22 FEET TO A POINT, SAID POINT BEING IN 19 DEG. 10 MIN. 19 SEC. W A DISTANCE OF 454.33 FEET FROM P. R. M. 94-77-A33-2 1987.

THENCE S 22 DEG. 21 MIN. 47 SEC. E A DISTANCE OF 986.46 FEET TO A POINT, THENCE S 23 DEG. 08 MIN. 51 SEC. E A DISTANCE OF 991.55 FEET TO A POINT, THENCE S 22 DEG. 19 MIN. 40 SEC. E A DISTANCE OF 984.56 FEET TO A POINT, SAID POINT BEING S 37 DEG. 45 MIN. 58 SEC. E A DISTANCE OF 424.22 FEET FROM P. R. M. 94-77-A32.

THENCE S 23 DEG. 07 MIN. 22 SEC. E A DISTANCE OF 988.07 FEET TO A POINT, THENCE S 21 DEG. 17 MIN. 17 SEC. E A DISTANCE OF 966.94 FEET TO A POINT, THENCE S 20 DEG. 56 MIN. 43 SEC. E A DISTANCE OF 987.58 FEET TO A POINT, THENCE S 19 DEG. 21 MIN. 49 SEC. E A DISTANCE OF 984.41 FEET TO A POINT, SAID POINT BEING N 40 DEG. 39 MIN. 34 SEC. E A DISTANCE OF 482.67 FEET FROM P. R. M. 94-77-A31.

THENCE S 18 DEG. 14 MIN. 42 SEC. E A DISTANCE OF 993.40 FEET TO A POINT, THENCE S 18 DEG. 22 MIN. 21 SEC. E A DISTANCE OF 981.68 FEET TO A POINT, SAID POINT BEING N 32 DEG. 59 MIN. 32 SEC. E A DISTANCE OF 320.24 FEET FROM P. R. M. 94-77-A30.

THENCE S 15 DEG. 54 MIN. 46 SEC. E A DISTANCE OF 821.75 FEET TO A POINT, THENCE S 17 DEG. 32 MIN. 56 SEC. E A DISTANCE OF 1153.43 FEET TO A POINT, THENCE S 12 DEG. 47 MIN. 19 SEC. E A DISTANCE OF 1007.76 FEET TO A POINT, SAID POINT BEING S 60 DEG. 16 MIN. 48 SEC. E A DISTANCE OF 368.55 FEET FROM P. R. M. 94-77-A29.

THENCE S 16 DEG. 15 MIN. 20 SEC. E A DISTANCE OF 969.62 FEET TO A POINT, THENCE S 18 DEG. 15 MIN. 51 SEC. E A DISTANCE OF 1009.92 FEET TO A POINT, SAID POINT BEING N 87 DEG. 06 MIN. 38 SEC. E A DISTANCE OF 851.32 FEET FROM P. R. M. 94-77-A28.

THENCE S 20 DEG. 24 MIN. 12 SEC. E A DISTANCE OF 1044.73 FEET TO A POINT, THENCE S 22 DEG. 44 MIN. 13 SEC. E A DISTANCE OF 981.18 FEET TO A POINT, SAID POINT BEING S 81 DEG. 48 MIN. 16 SEC. E A DISTANCE OF 664.45 FEET FROM P. R. M. 94-77-A27.

THENCE S 20 DEG. 07 MIN. 27 SEC. E A DISTANCE OF 1016.63 FEET TO A POINT, THENCE S 22 DEG. 04 MIN. 57 SEC. E A DISTANCE OF 1001.88 FEET TO A POINT, SAID POINT BEING N 76 DEG. 53 MIN. 44 SEC. E A DISTANCE OF 583.79 FEET FROM P. R. M. 94-77-A26.

THENCE S 22 DEG. 04 MIN. 57 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF FORT PIERCE INLET, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 76 DEG. 53 MIN. 44 SEC. E A DISTANCE OF 583.79 FEET FROM P. R. M. 94-77-A26.

RECOMMENCE AT P. R. M. PIERCE 2, THENCE S 70 DEG. 58 MIN. 41 SEC. W A DISTANCE OF 366.67 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 06 DEG. 34 MIN. 44 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF FT. PIERCE INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 70 DEG. 58 MIN. 41 SEC. W A DISTANCE OF 366.67 FEET FROM P. R. M. PIERCE 2.

THENCE S 06 DEG. 34 MIN. 44 SEC. E A DISTANCE OF 981.67 FEET TO A POINT, THENCE S 15 DEG. 41 MIN. 33 SEC. E A DISTANCE OF 1000.85 FEET TO A POINT, THENCE S 21 DEG. 23 MIN. 19 SEC. E A DISTANCE OF 981.64 FEET TO A POINT, SAID POINT BEING N 59 DEG. 45 MIN. 59 SEC. W A DISTANCE OF 536.70 FEET FROM P. R. M. 94-77-A25-2 1987.

THENCE S 21 DEG. 35 MIN. 14 SEC. E A DISTANCE OF 993.33 FEET TO A POINT, THENCE S 19 DEG. 22 MIN. 58 SEC. E A DISTANCE OF 986.57 FEET TO A POINT, THENCE S 19 DEG. 52 MIN. 10 SEC. E A DISTANCE OF 953.84 FEET TO A POINT, SAID POINT BEING N 55 DEG. 03 MIN. 47 SEC. W A DISTANCE OF 397.28 FEET FROM P. R. M. 94-77-A24.

THENCE S 19 DEG. 14 MIN. 27 SEC. E A DISTANCE OF 981.59 FEET TO A POINT, THENCE S 22 DEG. 39 MIN. 53 SEC. E A DISTANCE OF 1002.39 FEET TO A POINT, THENCE S 22 DEG. 39 MIN. 40 SEC. E A DISTANCE OF 986.38 FEET TO A POINT, SAID POINT BEING N 71 DEG. 33 MIN. 51 SEC. E A DISTANCE OF 762.79 FEET FROM P. R. M. 94-77-A23.

THENCE S 20 DEG. 46 MIN. 01 SEC. E A DISTANCE OF 988.35 FEET TO A POINT, THENCE S 20 DEG. 06 MIN. 10 SEC. E A DISTANCE OF 1035.37 FEET TO A POINT, THENCE S 17 DEG. 52 MIN. 49 SEC. E A DISTANCE OF 1020.04 FEET TO A POINT, THENCE S 17 DEG. 55 MIN. 30 SEC. E A DISTANCE OF 968.02 FEET TO A POINT, THENCE S 20 DEG. 34 MIN. 26 SEC. E A DISTANCE OF 975.83 FEET TO A POINT, SAID POINT BEING S 66 DEG. 01 MIN. 41 SEC. E A DISTANCE OF 2592.34 FEET FROM P. R. M. 94-77-A22.

THENCE S 17 DEG. 12 MIN. 22 SEC. E A DISTANCE OF 980.87 FEET TO A POINT, SAID POINT BEING S 71 DEG. 12 MIN. 17 SEC. E A DISTANCE OF 2574.02 FEET FROM P. R. M. 94-77-A21.

THENCE S 17 DEG. 24 MIN. 25 SEC. E A DISTANCE OF 1021.32 FEET TO A POINT, SAID POINT BEING N 71 DEG. 12 MIN. 25 SEC. E A DISTANCE OF 887.48 FEET FROM P. R. M. Z 307 RESET 1987.

THENCE S 15 DEG. 55 MIN. 01 SEC. E A DISTANCE OF 986.86 FEET TO A POINT, THENCE S 19 DEG. 09 MIN. 00 SEC. E A DISTANCE OF 995.53 FEET TO A POINT, THENCE S 20 DEG. 58 MIN. 50 SEC. E A DISTANCE OF 996.53 FEET TO A POINT, THENCE S 21 DEG. 46 MIN. 40 SEC. E A DISTANCE OF 990.92 FEET TO A POINT, SAID POINT BEING S 77 DEG. 55 MIN. 37 SEC. E A DISTANCE OF 1089.00 FEET FROM P. R. M. 94-77-A20.

THENCE S 22 DEG. 01 MIN. 04 SEC. E A DISTANCE OF 959.90 FEET TO A POINT, THENCE S 18 DEG. 51 MIN. 37 SEC. E A DISTANCE OF 974.41 FEET TO A POINT, THENCE S 19 DEG. 50 MIN. 21 SEC. E A DISTANCE OF 997.47 FEET TO A POINT, SAID POINT BEING N 74 DEG. 36 MIN. 13 SEC. E A DISTANCE OF 1030.36 FEET FROM P. R. M. 94-77-A19.

THENCE S 20 DEG. 00 MIN. 14 SEC. E A DISTANCE OF 1080.35 FEET TO A POINT, THENCE S 19 DEG. 39 MIN. 30 SEC. E A DISTANCE OF 862.82 FEET TO A POINT, THENCE S 20 DEG. 12 MIN. 09 SEC. E A DISTANCE OF 1015.04 FEET TO A POINT, SAID POINT BEING N 52 DEG. 28 MIN. 57 SEC. E A DISTANCE OF 535.34 FEET FROM P. R. M. 94-77-A18.

THENCE S 21 DEG. 27 MIN. 16 SEC. E A DISTANCE OF 1031.88 FEET TO A POINT, THENCE S 22 DEG. 10 MIN. 03 SEC. E A DISTANCE OF 1082.79 FEET TO A POINT, THENCE S 22 DEG. 05 MIN. 33 SEC. E A DISTANCE OF 865.75 FEET TO A POINT, SAID POINT BEING N 88 DEG. 41 MIN. 45 SEC. E A DISTANCE OF 129.92 FEET FROM P. R. M. 94-77-A17.

THENCE S 21 DEG. 24 MIN. 08 SEC. E A DISTANCE OF 1005.92 FEET TO A POINT, THENCE S 25 DEG. 34 MIN. 00 SEC. E A DISTANCE OF 978.74 FEET TO A POINT, SAID POINT BEING N 08 DEG. 54 MIN. 19 SEC. W A DISTANCE OF 589.77 FEET FROM P. R. M. 94-77-A16.

THENCE S 24 DEG. 20 MIN. 11 SEC. E A DISTANCE OF 996.45 FEET TO A POINT, THENCE S 25 DEG. 44 MIN. 08 SEC. E A DISTANCE OF 1009.39 FEET TO A POINT, THENCE S 24 DEG. 58 MIN. 22 SEC. E A DISTANCE OF 968.17 FEET TO A POINT, THENCE S 27 DEG. 48 MIN. 39 SEC. E A DISTANCE OF 979.31 FEET TO A POINT, THENCE S 26 DEG. 44 MIN. 27 SEC. E A DISTANCE OF 1008.44 FEET TO A POINT, SAID POINT BEING S 74 DEG. 47 MIN. 15 SEC. E A DISTANCE OF 534.41 FEET FROM P. R. M. 94-77-A15.

THENCE S 26 DEG. 44 MIN. 24 SEC. E A DISTANCE OF 1046.33 FEET TO A POINT, THENCE S 25 DEG. 58 MIN. 19 SEC. E A DISTANCE OF 922.63 FEET TO A POINT, THENCE S 26 DEG. 51 MIN. 29 SEC. E A DISTANCE OF 990.07 FEET TO A POINT, THENCE S 28 DEG. 16 MIN. 16 SEC. E A DISTANCE OF 998.48 FEET TO A POINT, THENCE S 25 DEG. 43 MIN. 40 SEC. E A DISTANCE OF 991.88 FEET TO A POINT, THENCE S 26 DEG. 52 MIN. 04 SEC. E A DISTANCE OF 1005.56 FEET TO A POINT, SAID POINT BEING N 85 DEG. 39 MIN. 42 SEC. E A DISTANCE OF 948.06 FEET FROM P. R. M. 94-77-A14.

THENCE S 26 DEG. 00 MIN. 19 SEC. E A DISTANCE OF 990.78 FEET TO A POINT, THENCE S 25 DEG. 11 MIN. 03 SEC. E A DISTANCE OF 961.78 FEET TO A POINT, THENCE S 22 DEG. 55 MIN. 24 SEC. E A DISTANCE OF 971.82 FEET TO A POINT, SAID POINT BEING N 54 DEG. 03 MIN. 32 SEC. E A DISTANCE OF 1420.98 FEET FROM P. R. M. 94-77-A13.

THENCE S 25 DEG. 14 MIN. 32 SEC. E A DISTANCE OF 985.91 FEET TO A POINT, THENCE S 25 DEG. 38 MIN. 25 SEC. E A DISTANCE OF 972.83 FEET TO A POINT, SAID POINT BEING N 74 DEG. 24 MIN. 06 SEC. E A DISTANCE OF 1375.16 FEET FROM P. R. M. 94-77-A12.

THENCE S 24 DEG. 19 MIN. 15 SEC. E A DISTANCE OF 983.89 FEET TO A POINT, THENCE S 22 DEG. 56 MIN. 20 SEC. E A DISTANCE OF 984.27 FEET TO A POINT, SAID POINT BEING N 61 DEG. 27 MIN. 37 SEC. E A DISTANCE OF 1099.32 FEET FROM P. R. M. 94-77-A11.

THENCE S 22 DEG. 40 MIN. 14 SEC. E A DISTANCE OF 979.33 FEET TO A POINT, THENCE S 18 DEG. 38 MIN. 07 SEC. E A DISTANCE OF 968.92 FEET TO A POINT, THENCE S 20 DEG. 04 MIN. 47 SEC. E A DISTANCE OF 998.70 FEET TO A POINT, SAID POINT BEING N 76 DEG. 17 MIN. 32 SEC. E A DISTANCE OF 747.76 FEET FROM P. R. M. 94-77-A10.
 THENCE S 15 DEG. 42 MIN. 10 SEC. E A DISTANCE OF 1000.60 FEET TO A POINT, THENCE S 21 DEG. 26 MIN. 19 SEC. E A DISTANCE OF 983.31 FEET TO A POINT, THENCE S 22 DEG. 37 MIN. 35 SEC. E A DISTANCE OF 1034.95 FEET TO A POINT, SAID POINT BEING N 40 DEG. 57 MIN. 13 SEC. E A DISTANCE OF 605.18 FEET FROM P. R. M. 94-77-A09.
 THENCE S 17 DEG. 45 MIN. 44 SEC. E A DISTANCE OF 945.85 FEET TO A POINT, THENCE S 17 DEG. 37 MIN. 53 SEC. E A DISTANCE OF 1004.86 FEET TO A POINT, THENCE S 20 DEG. 32 MIN. 25 SEC. E A DISTANCE OF 971.82 FEET TO A POINT, THENCE S 20 DEG. 59 MIN. 06 SEC. E A DISTANCE OF 962.24 FEET TO A POINT, SAID POINT BEING N 06 DEG. 15 MIN. 27 SEC. W A DISTANCE OF 363.94 FEET FROM P. R. M. 94-77-A08.
 THENCE S 22 DEG. 42 MIN. 46 SEC. E A DISTANCE OF 973.90 FEET TO A POINT, THENCE S 22 DEG. 38 MIN. 14 SEC. E A DISTANCE OF 986.72 FEET TO A POINT, THENCE S 22 DEG. 29 MIN. 11 SEC. E A DISTANCE OF 999.80 FEET TO A POINT, THENCE S 21 DEG. 51 MIN. 16 SEC. E A DISTANCE OF 997.33 FEET TO A POINT, SAID POINT BEING N 07 DEG. 17 MIN. 01 SEC. W A DISTANCE OF 256.84 FEET FROM P. R. M. 94-77-A07.
 THENCE S 22 DEG. 14 MIN. 04 SEC. E A DISTANCE OF 990.86 FEET TO A POINT, THENCE S 22 DEG. 08 MIN. 14 SEC. E A DISTANCE OF 972.35 FEET TO A POINT, THENCE S 22 DEG. 07 MIN. 51 SEC. E A DISTANCE OF 998.49 FEET TO A POINT, THENCE S 22 DEG. 14 MIN. 08 SEC. E A DISTANCE OF 988.33 FEET TO A POINT, SAID POINT BEING N 70 DEG. 23 MIN. 48 SEC. E A DISTANCE OF 213.36 FEET FROM P. R. M. 94-77-A06.
 THENCE S 22 DEG. 04 MIN. 42 SEC. E A DISTANCE OF 980.19 FEET TO A POINT, THENCE S 20 DEG. 56 MIN. 38 SEC. E A DISTANCE OF 987.01 FEET TO A POINT, THENCE S 21 DEG. 31 MIN. 01 SEC. E A DISTANCE OF 972.11 FEET TO A POINT, THENCE S 21 DEG. 49 MIN. 32 SEC. E A DISTANCE OF 1007.57 FEET TO A POINT, SAID POINT BEING N 81 DEG. 05 MIN. 03 SEC. E A DISTANCE OF 252.27 FEET FROM P. R. M. 94-77-A05-2 1987.
 THENCE S 22 DEG. 04 MIN. 19 SEC. E A DISTANCE OF 941.39 FEET TO A POINT, THENCE S 21 DEG. 36 MIN. 54 SEC. E A DISTANCE OF 1039.72 FEET TO A POINT, SAID POINT BEING N 06 DEG. 53 MIN. 13 SEC. E A DISTANCE OF 300.02 FEET FROM P. R. M. 94-77-A04.
 THENCE S 23 DEG. 14 MIN. 08 SEC. E A DISTANCE OF 977.70 FEET TO A POINT, THENCE S 23 DEG. 08 MIN. 37 SEC. E A DISTANCE OF 1103.09 FEET TO A POINT, THENCE S 25 DEG. 12 MIN. 51 SEC. E A DISTANCE OF 1065.56 FEET TO A POINT, THENCE S 23 DEG. 36 MIN. 46 SEC. E A DISTANCE OF 820.65 FEET TO A POINT, SAID POINT BEING N 20 DEG. 43 MIN. 54 SEC. E A DISTANCE OF 352.97 FEET FROM P. R. M. 94-77-A03.
 THENCE S 23 DEG. 43 MIN. 39 SEC. E A DISTANCE OF 1130.37 FEET TO A POINT, THENCE S 23 DEG. 25 MIN. 48 SEC. E A DISTANCE OF 1012.73 FEET TO A POINT, THENCE S 22 DEG. 56 MIN. 29 SEC. E A DISTANCE OF 786.79 FEET TO A POINT, THENCE S 22 DEG. 59 MIN. 26 SEC. E A DISTANCE OF 982.50 FEET TO A POINT, SAID POINT BEING S 32 DEG. 52 MIN. 30 SEC. E A DISTANCE OF 897.00 FEET FROM P. R. M. 94-77-A02.
 THENCE S 24 DEG. 57 MIN. 04 SEC. E TO THE POINT OF INTERSECTION WITH THE ST. LUCIE-MARTIN COUNTY LINE, SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE.

62B-26.022 Description of the Collier County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Collier County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Collier County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 6-29-89, Formerly 16B-26.022.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE COLLIER COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE GULF OF MEXICO FROM THE COLLIER-LEE COUNTY LINE SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF WIGGINS PASS. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF WIGGINS PASS CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF MOORINGS PASS (DOCTORS PASS). RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF MOORINGS PASS (DOCTORS PASS) CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF GORDON PASS. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF GORDON PASS CONTINUING SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF LITTLE MARCO PASS. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF BIG MARCO PASS CONTINUING

SOUTHERLY TO ITS TERMINUS AT THE NORTH MEAN HIGH WATER LINE OF CAXAMBAS PASS.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "WIGGINS 1934", "64-78-A01-2 1987" THROUGH "64-78-A02", "64-78-A03-2 1987" THROUGH "VANDER 1955", "64-78-A07", "64-78-A08", "64-78-A09-2 1987", "64-78-A10" THROUGH "64-78-A15", "64-78-A15-2 1978", "64-78-A16" THROUGH "64-78-A17", "64-78-A18-2 1987", "64-78-A19-2 1987", "64-78-A20" THROUGH "64-78-A21", "COL 46 1986", "64-78-A22-2 1987", "64-78-A23" THROUGH "64-78-A24", "64-78-A25-2 1987", "64-78-A26" THROUGH "CAXAMBAS 1959". FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE EAST ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON 1974 ADJUSTMENT OF NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) WIGGINS 1934 AND CAXAMBAS 1959.

COMMENCE AT P. R. M. WIGGINS 1934 THENCE S 75 DEG. 47 MIN. 04 SEC. E A DISTANCE OF 998.74 FEET TO THE POINT OF BEGINNING; THENCE N 14 DEG. 16 MIN. 51 SEC. E TO THE POINT OF INTERSECTION WITH THE COLLIER-LEE COUNTY LINE, SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR COLLIER COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING SAID POINT BEING S 75 DEG. 47 MIN. 04 SEC. E A DISTANCE OF 998.74 FEET FROM P. R. M. WIGGINS 1934.

THENCE S 14 DEG. 16 MIN. 51 SEC. W A DISTANCE OF 971.04 FEET TO A POINT, THENCE S 23 DEG. 12 MIN. 40 SEC. E A DISTANCE OF 1048.71 FEET TO A POINT, THENCE S 22 DEG. 43 MIN. 47 SEC. E A DISTANCE OF 1044.21 FEET TO A POINT, THENCE S 21 DEG. 38 MIN. 26 SEC. E A DISTANCE OF 387.56 FEET TO A POINT, THENCE N 67 DEG. 48 MIN. 01 SEC. E A DISTANCE OF 324.56 FEET TO A POINT, THENCE S 08 DEG. 15 MIN. 20 SEC. E A DISTANCE OF 736.28 FEET TO A POINT, SAID POINT BEING N 89 DEG. 56 MIN. 25 SEC. E A DISTANCE OF 865.62 FEET FROM P. R. M. 64-78-A01-2 1987.

THENCE S 08 DEG. 09 MIN. 02 SEC. E A DISTANCE OF 950.59 FEET TO A POINT, THENCE S 17 DEG. 45 MIN. 07 SEC. E A DISTANCE OF 1022.90 FEET TO A POINT, THENCE S 16 DEG. 18 MIN. 16 SEC. E A DISTANCE OF 1055.42 FEET TO A POINT, THENCE S 16 DEG. 59 MIN. 35 SEC. E A DISTANCE OF 637.00 FEET TO A POINT, THENCE S 72 DEG. 20 MIN. 26 SEC. E A DISTANCE OF 174.31 FEET TO A POINT, THENCE S 15 DEG. 10 MIN. 19 SEC. E A DISTANCE OF 268.91 FEET TO A POINT, SAID POINT BEING N 87 DEG. 25 MIN. 06 SEC. E A DISTANCE OF 679.46 FEET FROM P. R. M. 64-78-A02.

THENCE S 15 DEG. 13 MIN. 36 SEC. E A DISTANCE OF 1005.09 FEET TO A POINT, THENCE S 13 DEG. 53 MIN. 56 SEC. E A DISTANCE OF 1004.07 FEET TO A POINT, THENCE S 11 DEG. 04 MIN. 37 SEC. E A DISTANCE OF 1021.98 FEET TO A POINT, THENCE S 12 DEG. 52 MIN. 39 SEC. E A DISTANCE OF 996.42 FEET TO A POINT, THENCE S 12 DEG. 53 MIN. 38 SEC. E A DISTANCE OF 996.22 FEET TO A POINT, THENCE S 14 DEG. 16 MIN. 23 SEC. E A DISTANCE OF 980.22 FEET TO A POINT, SAID POINT BEING N 43 DEG. 01 MIN. 17 SEC. E A DISTANCE OF 657.26 FEET FROM P. R. M. 64-78-A03-2 1987.

THENCE S 14 DEG. 19 MIN. 00 SEC. E A DISTANCE OF 680.00 FEET TO A POINT, SAID POINT BEING S 73 DEG. 52 MIN. 00 SEC. E A DISTANCE OF 641.86 FEET FROM P. R. M. 64-78-A03-2 1987.

THENCE S 14 DEG. 19 MIN. 00 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF WIGGINS PASS, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 73 DEG. 52 MIN. 00 SEC. E A DISTANCE OF 641.86 FEET FROM P. R. M. 64-78-A03-2 1987.

RECOMMENCE AT P. R. M. 64-78-A03-2 1987; THENCE S 29 DEG. 02 MIN. 44 SEC. E A DISTANCE OF 1960.37 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 08 DEG. 50 MIN. 18 SEC. W TO THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF WIGGINS PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION LINE, SAID POINT BEING S 29 DEG. 02 MIN. 44 SEC. E A DISTANCE OF 1960.37 FEET FROM P. R. M. 64-78-A03-2 1987.

THENCE S 42 DEG. 21 MIN. 11 SEC. W A DISTANCE OF 298.42 FEET TO A POINT, THENCE S 13 DEG. 21 MIN. 59 SEC. E A DISTANCE OF 508.53 FEET TO A POINT, THENCE S 38 DEG. 47 MIN. 39 SEC. E A DISTANCE OF 343.25 FEET TO A POINT, THENCE S 12 DEG. 26 MIN. 54 SEC. E A DISTANCE OF 1053.46 FEET TO A POINT, THENCE S 08 DEG. 50 MIN. 54 SEC. E A DISTANCE OF 1023.62 FEET TO A POINT, SAID POINT BEING N 45 DEG. 28 MIN. 14 SEC. E A DISTANCE OF 564.67 FEET FROM P. R. M. 64-78-A04.

THENCE S 10 DEG. 38 MIN. 21 SEC. E A DISTANCE OF 1025.93 FEET TO A POINT, THENCE S 11 DEG. 32 MIN. 24 SEC. E A DISTANCE OF 1039.81 FEET TO A POINT, THENCE S 09 DEG. 53 MIN. 26 SEC. E A DISTANCE OF 257.20 FEET TO A POINT, THENCE S 59 DEG. 47 MIN. 15 SEC. E A DISTANCE OF 762.11 FEET TO A POINT, THENCE S 08 DEG. 32 MIN. 54 SEC. W A DISTANCE OF 320.33 FEET TO A POINT, THENCE S 10 DEG. 42 MIN. 59 SEC. W A DISTANCE OF 369.80 FEET TO A POINT, THENCE S 21 DEG. 44 MIN. 46 SEC. W A DISTANCE OF 519.47 FEET TO A POINT, THENCE S 14 DEG. 47 MIN. 10 SEC. E A DISTANCE OF 108.40 FEET TO A POINT, THENCE S 13 DEG. 07 MIN. 08 SEC. E A DISTANCE OF 1135.56 FEET TO A POINT, THENCE S 05 DEG. 01 MIN. 38 SEC. E A DISTANCE OF 982.52 FEET TO A POINT, SAID POINT BEING N 46 DEG. 48 MIN. 32 SEC. E A DISTANCE OF 354.70 FEET FROM P. R. M. 64-78-A05.

THENCE S 11 DEG. 14 MIN. 58 SEC. E A DISTANCE OF 946.10 FEET TO A POINT, THENCE S 08 DEG. 11 MIN. 34 SEC. E A DISTANCE OF 1280.24 FEET TO A POINT, SAID POINT BEING N 29 DEG. 26 MIN. 29 SEC. E A DISTANCE OF 534.02 FEET FROM P. R. M. 64-78-A06.

THENCE S 08 DEG. 14 MIN. 20 SEC. E A DISTANCE OF 422.55 FEET TO A POINT, THENCE S 85 DEG. 04 MIN. 13 SEC. E A DISTANCE OF 466.88 FEET TO A POINT, THENCE S 06 DEG. 25 MIN. 02 SEC. E A DISTANCE OF 352.20 FEET TO A POINT, SAID POINT BEING N 81 DEG. 56 MIN. 34 SEC. E A DISTANCE OF 670.58 FEET FROM P. R. M. VANDER 1955.

THENCE S 07 DEG. 17 MIN. 06 SEC. E A DISTANCE OF 1017.88 FEET TO A POINT, THENCE S 10 DEG. 26 MIN. 30 SEC. E A DISTANCE OF 1041.03 FEET TO A POINT, THENCE S 37 DEG. 03 MIN. 38 SEC. E A DISTANCE OF 543.78 FEET TO A POINT, THENCE S 02 DEG. 41 MIN. 32 SEC. E A DISTANCE OF 555.78 FEET TO A POINT, THENCE S 02 DEG. 23 MIN. 24 SEC. E A DISTANCE OF 521.91 FEET TO A POINT, THENCE S 81 DEG. 55 MIN. 37 SEC. W A DISTANCE OF 315.09 FEET TO A POINT, THENCE S 09 DEG. 16 MIN. 40 SEC. E A DISTANCE OF 432.86 FEET TO A POINT, SAID POINT BEING S 66 DEG. 08 MIN. 27 SEC. E A DISTANCE OF 620.05 FEET FROM P. R. M. 64-78-A07.

THENCE S 09 DEG. 41 MIN. 16 SEC. E A DISTANCE OF 1025.92 FEET TO A POINT, THENCE S 06 DEG. 25 MIN. 47 SEC. E A DISTANCE OF 998.79 FEET TO A POINT, THENCE S 07 DEG. 46 MIN. 13 SEC. E A DISTANCE OF 1001.77 FEET TO A POINT, THENCE S 17 DEG. 47 MIN. 07 SEC. E A DISTANCE OF 1098.58 FEET TO A POINT, SAID POINT BEING N 89 DEG. 58 MIN. 49 SEC. E A DISTANCE OF 669.45 FEET FROM P. R. M. 64-78-A08.

THENCE S 15 DEG. 11 MIN. 04 SEC. E A DISTANCE OF 86.63 FEET TO A POINT, THENCE S 39 DEG. 33 MIN. 12 SEC. W A DISTANCE OF 691.93 FEET TO A POINT, THENCE S 23 DEG. 50 MIN. 17 SEC. E A DISTANCE OF 386.92 FEET TO A POINT, THENCE S 36 DEG. 22 MIN. 39 SEC. E A DISTANCE OF 332.67 FEET TO A POINT, THENCE S 04 DEG. 05 MIN. 25 SEC. E A DISTANCE OF 752.64 FEET TO A POINT, THENCE S 04 DEG. 06 MIN. 10 SEC. E A DISTANCE OF 1008.35 FEET TO A POINT, SAID POINT BEING N 50 DEG. 28 MIN. 15 SEC. E A DISTANCE OF 581.62 FEET FROM P. R. M. 64-78-A09-2 1987.

THENCE S 07 DEG. 03 MIN. 45 SEC. E A DISTANCE OF 1004.93 FEET TO A POINT, THENCE S 20 DEG. 24 MIN. 56 SEC. E A DISTANCE OF 1079.70 FEET TO A POINT, THENCE S 05 DEG. 29 MIN. 17 SEC. E A DISTANCE OF 980.06 FEET TO A POINT, THENCE S 79 DEG. 07 MIN. 02 SEC. W A DISTANCE OF 618.36 FEET TO A POINT, THENCE S 51 DEG. 14 MIN. 33 SEC. E A DISTANCE OF 430.31 FEET TO A POINT, THENCE S 39 DEG. 01 MIN. 28 SEC. W A DISTANCE OF 410.94 FEET TO A POINT, THENCE S 08 DEG. 43 MIN. 33 SEC. E A DISTANCE OF 406.87 FEET TO A POINT, THENCE S 03 DEG. 53 MIN. 02 SEC. E A DISTANCE OF 448.74 FEET TO A POINT, THENCE S 65 DEG. 52 MIN. 50 SEC. E A DISTANCE OF 776.06 FEET TO A POINT, THENCE S 03 DEG. 20 MIN. 06 SEC. E A DISTANCE OF 277.13 FEET TO A POINT, THENCE S 02 DEG. 47 MIN. 35 SEC. E A DISTANCE OF 760.11 FEET TO A POINT, THENCE S 56 DEG. 48 MIN. 12 SEC. W A DISTANCE OF 632.42 FEET TO A POINT, SAID POINT BEING S 38 DEG. 32 MIN. 00 SEC. E A DISTANCE OF 427.00 FEET FROM P. R. M. 64-78-A10.

THENCE S 02 DEG. 14 MIN. 11 SEC. E A DISTANCE OF 974.18 FEET TO A POINT, THENCE S 00 DEG. 47 MIN. 02 SEC. E A DISTANCE OF 933.07 FEET TO A POINT, THENCE S 00 DEG. 57 MIN. 13 SEC. E A DISTANCE OF 1067.25 FEET TO A POINT, THENCE S 35 DEG. 02 MIN. 50 SEC. E A DISTANCE OF 1326.21 FEET TO A POINT, THENCE S 01 DEG. 40 MIN. 43 SEC. W A DISTANCE OF 1326.28 FEET TO A POINT, SAID POINT BEING S 71 DEG. 12 MIN. 27 SEC. E A DISTANCE OF 881.24 FEET FROM P. R. M. 64-78-A11.

THENCE S 25 DEG. 47 MIN. 39 SEC. W A DISTANCE OF 974.66 FEET TO A POINT, THENCE S 02 DEG. 59 MIN. 41 SEC. E A DISTANCE OF 1045.50 FEET TO A POINT, THENCE S 03 DEG. 05 MIN. 26 SEC. E A DISTANCE OF 1071.99 FEET TO A POINT, THENCE S 02 DEG. 54 MIN. 42 SEC. E A DISTANCE OF 1047.64 FEET TO A POINT, THENCE S 05 DEG. 00 MIN. 33 SEC. E A DISTANCE OF 922.88 FEET TO A POINT, THENCE S 04 DEG. 28 MIN. 36 SEC. E A DISTANCE OF 766.49 FEET TO A POINT, SAID POINT BEING N 33 DEG. 38 MIN. 07 SEC. E A DISTANCE OF 664.29 FEET FROM P. R. M. 64-78-A12.

THENCE S 15 DEG. 49 MIN. 37 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF MOORINGS PASS (DOCTORS PASS), THENCE RETURN ALONG THE SAME COURSE TO A

POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 33 DEG. 38 MIN. 07 SEC. E A DISTANCE OF 664.29 FEET FROM P. R. M. 64-78-A12.

RECOMMENCE AT P. R. M. 64-78-A12; THENCE S 36 DEG. 30 MIN. 58 SEC. E A DISTANCE OF 1483.03 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 16 DEG. 04 MIN. 53 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF MOORINGS PASS (DOCTORS PASS); THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 36 DEG. 30 MIN. 58 SEC. E A DISTANCE OF 1483.03 FEET FROM P. R. M. 64-78-A12.

THENCE S 16 DEG. 04 MIN. 53 SEC. E A DISTANCE OF 1013.41 FEET TO A POINT, THENCE S 09 DEG. 14 MIN. 45 SEC. E A DISTANCE OF 1057.55 FEET TO A POINT, THENCE S 09 DEG. 20 MIN. 23 SEC. E A DISTANCE OF 466.83 FEET TO A POINT, THENCE S 82 DEG. 35 MIN. 58 SEC. E A DISTANCE OF 492.07 FEET TO A POINT, THENCE S 10 DEG. 17 MIN. 29 SEC. E A DISTANCE OF 520.97 FEET TO A POINT, THENCE S 00 DEG. 27 MIN. 39 SEC. W A DISTANCE OF 1020.45 FEET TO A POINT, THENCE S 00 DEG. 15 MIN. 02 SEC. W A DISTANCE OF 984.09 FEET TO A POINT, SAID POINT BEING N 72 DEG. 41 MIN. 45 SEC. E A DISTANCE OF 405.51 FEET FROM P. R. M. 64-78-A13.

THENCE S 09 DEG. 17 MIN. 15 SEC. E A DISTANCE OF 867.29 FEET TO A POINT, THENCE S 09 DEG. 29 MIN. 59 SEC. E A DISTANCE OF 780.87 FEET TO A POINT, THENCE S 07 DEG. 12 MIN. 12 SEC. E A DISTANCE OF 825.82 FEET TO A POINT, THENCE S 07 DEG. 10 MIN. 30 SEC. E A DISTANCE OF 798.07 FEET TO A POINT, THENCE S 03 DEG. 23 MIN. 27 SEC. E A DISTANCE OF 811.51 FEET TO A POINT, THENCE S 03 DEG. 25 MIN. 29 SEC. E A DISTANCE OF 811.87 FEET TO A POINT, SAID POINT BEING N 36 DEG. 17 MIN. 18 SEC. E A DISTANCE OF 546.46 FEET FROM P. R. M. 64-78-A14.

THENCE S 03 DEG. 05 MIN. 44 SEC. E A DISTANCE OF 801.51 FEET TO A POINT, THENCE S 03 DEG. 21 MIN. 32 SEC. E A DISTANCE OF 807.96 FEET TO A POINT, THENCE S 05 DEG. 13 MIN. 24 SEC. E A DISTANCE OF 806.17 FEET TO A POINT, THENCE S 05 DEG. 10 MIN. 50 SEC. E A DISTANCE OF 799.46 FEET TO A POINT, THENCE S 06 DEG. 50 MIN. 50 SEC. E A DISTANCE OF 816.94 FEET TO A POINT, THENCE S 06 DEG. 37 MIN. 04 SEC. E A DISTANCE OF 791.17 FEET TO A POINT, THENCE S 08 DEG. 59 MIN. 40 SEC. E A DISTANCE OF 791.68 FEET TO A POINT, THENCE S 09 DEG. 01 MIN. 22 SEC. E A DISTANCE OF 797.99 FEET TO A POINT, SAID POINT BEING S 85 DEG. 52 MIN. 56 SEC. E A DISTANCE OF 247.27 FEET FROM P. R. M. 64-78-A15.

THENCE S 04 DEG. 56 MIN. 51 SEC. E A DISTANCE OF 762.13 FEET TO A POINT, THENCE S 03 DEG. 53 MIN. 20 SEC. E A DISTANCE OF 1098.94 FEET TO A POINT, THENCE S 03 DEG. 49 MIN. 41 SEC. E A DISTANCE OF 1153.51 FEET TO A POINT, THENCE S 06 DEG. 40 MIN. 02 SEC. E A DISTANCE OF 1122.12 FEET TO A POINT, THENCE S 08 DEG. 17 MIN. 12 SEC. E A DISTANCE OF 864.61 FEET TO A POINT, THENCE S 05 DEG. 38 MIN. 14 SEC. E A DISTANCE OF 1014.26 FEET TO A POINT, SAID POINT BEING N 64 DEG. 51 MIN. 31 SEC. E A DISTANCE OF 254.89 FEET FROM P. R. M. 64-78-A15-2 1978.

THENCE S 05 DEG. 32 MIN. 49 SEC. E A DISTANCE OF 954.81 FEET TO A POINT, THENCE S 11 DEG. 16 MIN. 33 SEC. E A DISTANCE OF 981.39 FEET TO A POINT, THENCE S 04 DEG. 27 MIN. 06 SEC. E A DISTANCE OF 887.01 FEET TO A POINT, SAID POINT BEING N 58 DEG. 04 MIN. 50 SEC. E A DISTANCE OF 353.09 FEET FROM P. R. M. 64-78-A16.

THENCE S 04 DEG. 35 MIN. 39 SEC. E A DISTANCE OF 1030.08 FEET TO A POINT, THENCE S 05 DEG. 02 MIN. 08 SEC. E A DISTANCE OF 1019.51 FEET TO A POINT, THENCE S 05 DEG. 05 MIN. 30 SEC. E A DISTANCE OF 375.74 FEET TO A POINT, THENCE S 36 DEG. 45 MIN. 00 SEC. E A DISTANCE OF 570.02 FEET TO A POINT, SAID POINT BEING N 34 DEG. 17 MIN. 08 SEC. E A DISTANCE OF 1098.59 FEET FROM P. R. M. 64-78-A17.

THENCE S 36 DEG. 45 MIN. 00 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF GORDON PASS, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 34 DEG. 17 MIN. 08 SEC. E A DISTANCE OF 1098.59 FEET FROM P. R. M. 64-78-A17.

RECOMMENCE AT P. R. M. 64-78-A17; THENCE N 85 DEG. 24 MIN. 59 SEC. E A DISTANCE OF 784.02 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 10 DEG. 34 MIN. 54 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF GORDON PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 85 DEG. 24 MIN. 59 SEC. E A DISTANCE OF 784.02 FEET FROM P. R. M. 64-78-A17.

THENCE S 10 DEG. 34 MIN. 53 SEC. E A DISTANCE OF 218.32 FEET TO A POINT, THENCE S 31 DEG. 06 MIN. 39 SEC. W A DISTANCE OF 487.35 FEET TO A POINT, THENCE S 19 DEG. 30 MIN. 31 SEC. E A DISTANCE OF 164.04 FEET TO A POINT, THENCE S 83 DEG. 15 MIN. 22 SEC. E A DISTANCE OF 298.01 FEET TO A POINT, THENCE S 16 DEG. 24 MIN. 30 SEC. E A DISTANCE OF 965.76 FEET TO A POINT, SAID POINT BEING N 65 DEG. 52 MIN. 24 SEC. E A DISTANCE OF 632.39 FEET FROM P. R. M. 64-78-A18-2 1987.

THENCE S 26 DEG. 39 MIN. 19 SEC. E A DISTANCE OF 966.22 FEET TO A POINT, THENCE S 26 DEG. 29 MIN. 51 SEC. E

A DISTANCE OF 999.06 FEET TO A POINT, THENCE S 24 DEG. 22 MIN. 48 SEC. E A DISTANCE OF 1007.69 FEET TO A POINT, THENCE S 69 DEG. 59 MIN. 60 SEC. W A DISTANCE OF 314.00 FEET TO A POINT, THENCE S 18 DEG. 42 MIN. 02 SEC. E A DISTANCE OF 327.23 FEET TO A POINT, THENCE S 65 DEG. 05 MIN. 33 SEC. E A DISTANCE OF 244.28 FEET TO A POINT, THENCE S 19 DEG. 42 MIN. 08 SEC. E A DISTANCE OF 579.03 FEET TO A POINT, THENCE S 26 DEG. 29 MIN. 25 SEC. E A DISTANCE OF 1004.42 FEET TO A POINT, THENCE S 20 DEG. 23 MIN. 33 SEC. E A DISTANCE OF 943.47 FEET TO A POINT, THENCE S 23 DEG. 10 MIN. 15 SEC. E A DISTANCE OF 1075.49 FEET TO A POINT, THENCE S 05 DEG. 02 MIN. 56 SEC. E A DISTANCE OF 843.42 FEET TO A POINT, THENCE S 23 DEG. 45 MIN. 58 SEC. E A DISTANCE OF 870.14 FEET TO A POINT, THENCE S 24 DEG. 02 MIN. 16 SEC. E A DISTANCE OF 887.39 FEET TO A POINT, THENCE S 18 DEG. 42 MIN. 37 SEC. E A DISTANCE OF 924.16 FEET TO A POINT, SAID POINT BEING N 65 DEG. 32 MIN. 31 SEC. E A DISTANCE OF 389.40 FEET FROM P. R. M. 64-78-A19-2 1987.

THENCE S 25 DEG. 31 MIN. 50 SEC. E A DISTANCE OF 956.12 FEET TO A POINT, THENCE S 25 DEG. 44 MIN. 46 SEC. E A DISTANCE OF 977.48 FEET TO A POINT, THENCE S 15 DEG. 12 MIN. 03 SEC. E A DISTANCE OF 956.27 FEET TO A POINT, THENCE S 25 DEG. 27 MIN. 01 SEC. E A DISTANCE OF 970.71 FEET TO A POINT, SAID POINT BEING N 57 DEG. 47 MIN. 10 SEC. E A DISTANCE OF 302.86 FEET FROM P. R. M. 64-78-A20.

THENCE S 25 DEG. 28 MIN. 57 SEC. E A DISTANCE OF 1019.73 FEET TO A POINT, THENCE S 26 DEG. 59 MIN. 42 SEC. E A DISTANCE OF 967.82 FEET TO A POINT, THENCE S 28 DEG. 58 MIN. 22 SEC. E A DISTANCE OF 1093.76 FEET TO A POINT, THENCE S 28 DEG. 48 MIN. 04 SEC. E A DISTANCE OF 1023.53 FEET TO A POINT, THENCE S 03 DEG. 22 MIN. 57 SEC. E A DISTANCE OF 355.36 FEET TO A POINT, THENCE S 34 DEG. 11 MIN. 52 SEC. E A DISTANCE OF 629.09 FEET TO A POINT, THENCE S 29 DEG. 04 MIN. 02 SEC. E A DISTANCE OF 1026.13 FEET TO A POINT, THENCE S 33 DEG. 44 MIN. 07 SEC. E A DISTANCE OF 1041.98 FEET TO A POINT, SAID POINT BEING N 69 DEG. 17 MIN. 25 SEC. E A DISTANCE OF 492.87 FEET FROM P. R. M. 64-78-A21.

THENCE S 27 DEG. 03 MIN. 38 SEC. E A DISTANCE OF 1009.62 FEET TO A POINT, THENCE S 23 DEG. 10 MIN. 00 SEC. E A DISTANCE OF 991.08 FEET TO A POINT, THENCE S 18 DEG. 18 MIN. 43 SEC. E A DISTANCE OF 986.72 FEET TO A POINT, THENCE S 16 DEG. 09 MIN. 18 SEC. E A DISTANCE OF 1027.21 FEET TO A POINT, SAID POINT BEING N 70 DEG. 34 MIN. 28 SEC. E A DISTANCE OF 540.17 FEET FROM P. R. M. COL 46 1986.

THENCE S 32 DEG. 10 MIN. 37 SEC. E A DISTANCE OF 1063.29 FEET TO A POINT, THENCE S 30 DEG. 51 MIN. 58 SEC. E A DISTANCE OF 215.41 FEET TO A POINT, THENCE S 00 DEG. 40 MIN. 11 SEC. E A DISTANCE OF 796.32 FEET TO A POINT, THENCE S 06 DEG. 37 MIN. 59 SEC. E A DISTANCE OF 358.52 FEET TO A POINT, THENCE S 18 DEG. 00 MIN. 50 SEC. E A DISTANCE OF 638.12 FEET TO A POINT, SAID POINT BEING N 43 DEG. 44 MIN. 19 SEC. E A DISTANCE OF 559.92 FEET FROM P. R. M. 64-78-A22-2 1987.

THENCE S 17 DEG. 49 MIN. 46 SEC. E A DISTANCE OF 811.40 FEET TO A POINT, THENCE S 24 DEG. 34 MIN. 46 SEC. E A DISTANCE OF 1004.42 FEET TO A POINT, THENCE S 08 DEG. 58 MIN. 16 SEC. E A DISTANCE OF 955.00 FEET TO A POINT, THENCE S 28 DEG. 26 MIN. 45 SEC. E A DISTANCE OF 913.02 FEET TO A POINT, THENCE S 30 DEG. 17 MIN. 06 SEC. E A DISTANCE OF 951.91 FEET TO A POINT, SAID POINT BEING N 88 DEG. 03 MIN. 07 SEC. E A DISTANCE OF 597.51 FEET FROM P. R. M. 64-78-A23.

THENCE S 39 DEG. 00 MIN. 12 SEC. E A DISTANCE OF 963.10 FEET TO A POINT, THENCE S 37 DEG. 55 MIN. 20 SEC. E A DISTANCE OF 1127.31 FEET TO A POINT, SAID POINT BEING S 49 DEG. 32 MIN. 09 SEC. E A DISTANCE OF 2492.25 FEET FROM P. R. M. 64-78-A23.

THENCE S 32 DEG. 35 MIN. 23 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF LITTLE MARCO PASS, THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 49 DEG. 32 MIN. 09 SEC. E A DISTANCE OF 2492.25 FEET FROM P. R. M. 64-78-A23.

RECOMMENCE AT P. R. M. 64-78-A24; THENCE N 11 DEG. 34 MIN. 07 SEC. W A DISTANCE OF 3261.85 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 08 DEG. 31 MIN. 24 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF BIG MARCO PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 11 DEG. 34 MIN. 07 SEC. W A DISTANCE OF 3261.85 FEET FROM P. R. M. 64-78-A24.

THENCE S 19 DEG. 59 MIN. 36 SEC. E A DISTANCE OF 775.01 FEET TO A POINT, THENCE S 10 DEG. 11 MIN. 42 SEC. E A DISTANCE OF 1071.33 FEET TO A POINT, THENCE S 30 DEG. 49 MIN. 04 SEC. E A DISTANCE OF 523.87 FEET TO A POINT, THENCE S 29 DEG. 36 MIN. 13 SEC. E A DISTANCE OF 228.30 FEET TO A POINT, THENCE S 57 DEG. 06 MIN. 22 SEC. E A DISTANCE OF 317.72 FEET TO A POINT, SAID POINT BEING N 37 DEG. 08 MIN. 48 SEC. E A DISTANCE OF 742.59 FEET FROM P. R. M. 64-78-A24.

THENCE S 57 DEG. 01 MIN. 29 SEC. E A DISTANCE OF 982.90 FEET TO A POINT, THENCE S 42 DEG. 27 MIN. 19 SEC. E

A DISTANCE OF 1370.39 FEET TO A POINT, THENCE S 28 DEG. 24 MIN. 51 SEC. E A DISTANCE OF 937.41 FEET TO A POINT, THENCE S 28 DEG. 26 MIN. 19 SEC. E A DISTANCE OF 993.64 FEET TO A POINT, SAID POINT BEING N 11 DEG. 59 MIN. 01 SEC. E A DISTANCE OF 437.19 FEET FROM P. R. M. 64-78-A25-2 1987.

THENCE S 30 DEG. 40 MIN. 53 SEC. E A DISTANCE OF 1238.21 FEET TO A POINT, THENCE S 30 DEG. 28 MIN. 17 SEC. E A DISTANCE OF 199.18 FEET TO A POINT, THENCE S 51 DEG. 46 MIN. 12 SEC. E A DISTANCE OF 1134.88 FEET TO A POINT, THENCE S 51 DEG. 09 MIN. 46 SEC. E A DISTANCE OF 359.13 FEET TO A POINT, THENCE S 27 DEG. 31 MIN. 23 SEC. E A DISTANCE OF 282.88 FEET TO A POINT, THENCE S 27 DEG. 18 MIN. 12 SEC. E A DISTANCE OF 303.16 FEET TO A POINT, THENCE S 53 DEG. 08 MIN. 05 SEC. W A DISTANCE OF 559.03 FEET TO A POINT, THENCE S 23 DEG. 23 MIN. 25 SEC. E A DISTANCE OF 444.97 FEET TO A POINT, THENCE S 23 DEG. 23 MIN. 55 SEC. E A DISTANCE OF 1223.14 FEET TO A POINT, THENCE S 14 DEG. 50 MIN. 09 SEC. E A DISTANCE OF 975.28 FEET TO A POINT, SAID POINT BEING N 24 DEG. 04 MIN. 07 SEC. E A DISTANCE OF 577.37 FEET FROM P. R. M. 64-78-A26.

THENCE S 11 DEG. 40 MIN. 07 SEC. E A DISTANCE OF 1174.39 FEET TO A POINT, THENCE S 02 DEG. 07 MIN. 59 SEC. E A DISTANCE OF 1041.98 FEET TO A POINT, THENCE S 01 DEG. 48 MIN. 12 SEC. E A DISTANCE OF 1045.11 FEET TO A POINT, THENCE S 00 DEG. 33 MIN. 54 SEC. W A DISTANCE OF 925.66 FEET TO A POINT, THENCE S 00 DEG. 16 MIN. 25 SEC. W A DISTANCE OF 990.24 FEET TO A POINT, THENCE S 17 DEG. 24 MIN. 30 SEC. E A DISTANCE OF 729.77 FEET TO A POINT, SAID POINT BEING N 35 DEG. 25 MIN. 31 SEC. E A DISTANCE OF 503.23 FEET FROM P. R. M. CAXAMBAS 1959.

THENCE S 17 DEG. 24 MIN. 31 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF CAXAMBAS PASS, SAID POINT BEING THE SOUTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR COLLIER COUNTY.

62B-26.023 Description of the Volusia County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Volusia County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Volusia County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 1-24-91, Formerly 16B-26.023.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE VOLUSIA COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE COAST OF THE ATLANTIC OCEAN FROM VOLUSIA-FLAGLER COUNTY LINE SOUTHERLY TO THE NORTH MEAN HIGH WATER LINE OF PONCE DE LEON INLET. RECOMMENCING AT THE SOUTH MEAN HIGH WATER LINE OF PONCE DE LEON INLET AND CONTINUING SOUTHERLY TO ITS TERMINUS AT THE NORTHERLY BOUNDARY OF KENNEDY SPACE CENTER.

SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "SMITH 1934", "79-78-A83", "79-78-A82-2 1988", "79-78-A81", "79-78-A80-2 1988", "79-78-A79", "79-78-A78-2 1988 THROUGH 79-78-A77-2 1988", "79-78-A76", "79-78-A75-2 1988", "79-78-A74 THROUGH 79-78-A73", "79-78-A72-2 1988", "79-78-A71", "79-78-A70-2 1988 THROUGH 79-78-A69-2 1988", "79-78-A68 THROUGH 79-78-A66", "79-78-A65-2 1988", "79-78-A64 THROUGH 79-78-A60", "79-78-A59-2 1988", "79-78-A58 THROUGH 79-78-A55", "REVILO 1934", "79-78-A54A", "79-78-A54-2 1988", "79-78-A53 THROUGH 79-78-A47", "79-78-A46-2 1988", "79-78-A45 THROUGH 79-78-A36", "79-78-A35-2 1988 THROUGH 79-78-A34-2 1988", "79-78-A33", "ROSE 2 1970", "79-78-A32", "79-78-A31-2 1988", "79-78-A30 THROUGH 79-78-A29", "79-78-A28-2 1988", "R-148 VOL 1987", "GIMLET 1956", "79-78-A25", "79-78-A24-2 1988", "79-78-A23", "79-78-A22-2 1988 THROUGH 79-78-A21-2 1988", "79-78-A20", "79-78-A19-2 1988", "79-78-A18 THROUGH 79-78-A09", "79-78-A08-2 1988", "79-78-A07", "79-78-A06-2 1988", "79-78-A05", "ELDORA 1934", "79-78-A04 THROUGH 79-78-A02", "79-78-A01-2 1988", "MOUNT 1934".

FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.), SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE EAST ZONE OF THE

STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1927 DATUM.

THE BEARING BASE FOR THIS DESCRIPTION WAS DETERMINED BY POLARIS OBSERVATIONS MADE AT PERMANENT REFERENCE MONUMENTS (P.R.M.) 79-78-A01, 79-78-A13, 79-78-A25, 79-78-A40, 79-78-A55, 79-78-A70 AND NATIONAL GEODETIC SURVEY (N.G.S.) STATION SMITH 1934.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL
LINE VOLUSIA COUNTY, FLORIDA

COMMENCE AT "P.R.M." SMITH 1934; THENCE N 35 DEG. 19 MIN. 21 SEC. W A DISTANCE OF 361.56 FEET TO THE POINT OF BEGINNING; THENCE N 22 DEG. 18 MIN. 24 SEC. W TO THE POINT OF INTERSECTION WITH THE VOLUSIA-FLAGLER COUNTY LINE, SAID POINT BEING THE NORTHERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR VOLUSIA COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING. SAID POINT BEING N 35 DEG. 19 MIN. 21 SEC. W A DISTANCE OF 361.56 FEET FROM P. R. M. SMITH 1934.

THENCE S 22 DEG. 18 MIN. 24 SEC. E A DISTANCE OF 165.43 FEET TO A POINT; THENCE S 23 DEG. 31 MIN. 50 SEC. E A DISTANCE OF 939.66 FEET TO A POINT; THENCE S 23 DEG. 38 MIN. 05 SEC. E A DISTANCE OF 931.62 FEET TO A POINT; THENCE S 22 DEG. 01 MIN. 45 SEC. E A DISTANCE OF 946.23 FEET TO A POINT; SAID POINT BEING N 45 DEG. 18 MIN. 45 SEC. W A DISTANCE OF 229.94 FEET FROM P. R. M. 79-78-A83.

THENCE S 21 DEG. 44 MIN. 40 SEC. E A DISTANCE OF 944.29 FEET TO A POINT; THENCE S 21 DEG. 17 MIN. 36 SEC. E A DISTANCE OF 968.03 FEET TO A POINT; THENCE S 21 DEG. 31 MIN. 55 SEC. E A DISTANCE OF 957.45 FEET TO A POINT; THENCE S 21 DEG. 33 MIN. 26 SEC. E A DISTANCE OF 951.80 FEET TO A POINT; SAID POINT BEING S 07 DEG. 07 MIN. 37 SEC. E A DISTANCE OF 221.32 FEET FROM P. R. M. 79-78-A82-2 1988.

THENCE S 21 DEG. 32 MIN. 57 SEC. E A DISTANCE OF 960.47 FEET TO A POINT; THENCE S 21 DEG. 29 MIN. 10 SEC. E A DISTANCE OF 973.61 FEET TO A POINT; THENCE S 21 DEG. 13 MIN. 15 SEC. E A DISTANCE OF 967.73 FEET TO A POINT; SAID POINT BEING S 10 DEG. 12 MIN. 01 SEC. W A DISTANCE OF 125.67 FEET FROM P. R. M. 79-78-A81.

THENCE S 21 DEG. 28 MIN. 10 SEC. E A DISTANCE OF 960.38 FEET TO A POINT; THENCE S 22 DEG. 13 MIN. 60 SEC. E A DISTANCE OF 979.26 FEET TO A POINT; THENCE S 22 DEG. 11 MIN. 44 SEC. E A DISTANCE OF 963.10 FEET TO A POINT; SAID POINT BEING N 26 DEG. 43 MIN. 16 SEC. W A DISTANCE OF 576.87 FEET FROM P. R. M. 79-78-A80-2 1988.

THENCE S 21 DEG. 53 MIN. 37 SEC. E A DISTANCE OF 961.17 FEET TO A POINT; THENCE S 21 DEG. 56 MIN. 48 SEC. E A DISTANCE OF 950.59 FEET TO A POINT; THENCE S 21 DEG. 45 MIN. 20 SEC. E A DISTANCE OF 954.85 FEET TO A POINT; SAID POINT BEING N 40 DEG. 01 MIN. 13 SEC. W A DISTANCE OF 160.65 FEET FROM P. R. M. 79-78-A79.

THENCE S 21 DEG. 57 MIN. 01 SEC. E A DISTANCE OF 968.35 FEET TO A POINT; THENCE S 22 DEG. 00 MIN. 28 SEC. E A DISTANCE OF 941.47 FEET TO A POINT; THENCE S 22 DEG. 00 MIN. 13 SEC. E A DISTANCE OF 960.51 FEET TO A POINT; THENCE S 20 DEG. 42 MIN. 16 SEC. E A DISTANCE OF 912.90 FEET TO A POINT; SAID POINT BEING N 38 DEG. 25 MIN. 47 SEC. W A DISTANCE OF 215.81 FEET FROM P. R. M. 79-78-A78-2 1988.

THENCE S 21 DEG. 41 MIN. 19 SEC. E A DISTANCE OF 921.60 FEET TO A POINT; THENCE S 21 DEG. 48 MIN. 26 SEC. E A DISTANCE OF 942.38 FEET TO A POINT; THENCE S 22 DEG. 16 MIN. 03 SEC. E A DISTANCE OF 962.89 FEET TO A POINT; THENCE S 22 DEG. 31 MIN. 07 SEC. E A DISTANCE OF 979.93 FEET TO A POINT; SAID POINT BEING N 39 DEG. 59 MIN. 49 SEC. W A DISTANCE OF 251.06 FEET FROM P. R. M. 79-78-A77-2 1988.

THENCE S 23 DEG. 09 MIN. 45 SEC. E A DISTANCE OF 936.79 FEET TO A POINT; THENCE S 23 DEG. 03 MIN. 14 SEC. E A DISTANCE OF 944.38 FEET TO A POINT; THENCE S 23 DEG. 20 MIN. 56 SEC. E A DISTANCE OF 946.10 FEET TO A POINT; THENCE S 22 DEG. 22 MIN. 18 SEC. E A DISTANCE OF 951.84 FEET TO A POINT; THENCE S 22 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 903.66 FEET TO A POINT; SAID POINT BEING S 36 DEG. 24 MIN. 35 SEC. W A DISTANCE OF 146.81 FEET FROM P. R. M. 79-78-A76.

THENCE S 22 DEG. 18 MIN. 24 SEC. E A DISTANCE OF 968.42 FEET TO A POINT; THENCE S 22 DEG. 05 MIN. 57 SEC. E A DISTANCE OF 947.00 FEET TO A POINT; THENCE S 22 DEG. 18 MIN. 51 SEC. E A DISTANCE OF 946.42 FEET TO A POINT; SAID POINT BEING S 00 DEG. 39 MIN. 06 SEC. W A DISTANCE OF 258.67 FEET FROM P. R. M. 79-78-A75-2 1988.

THENCE S 23 DEG. 09 MIN. 15 SEC. E A DISTANCE OF 957.39 FEET TO A POINT; THENCE S 22 DEG. 44 MIN. 10 SEC. E A DISTANCE OF 931.00 FEET TO A POINT; THENCE S 22 DEG. 01 MIN. 36 SEC. E A DISTANCE OF 949.34 FEET TO A POINT; SAID POINT BEING S 05 DEG. 55 MIN. 36 SEC. W A DISTANCE OF 314.45 FEET FROM P. R. M. 79-78-A74.

THENCE S 21 DEG. 52 MIN. 39 SEC. E A DISTANCE OF 929.94 FEET TO A POINT; THENCE S 23 DEG. 16 MIN. 56 SEC. E A DISTANCE OF 956.12 FEET TO A POINT; THENCE S 23 DEG. 06 MIN. 20 SEC. E A DISTANCE OF 936.35 FEET TO A

POINT; SAID POINT BEING N 52 DEG. 27 MIN. 49 SEC. W A DISTANCE OF 204.90 FEET FROM P. R. M. 79-78-A73.
THENCE S 23 DEG. 23 MIN. 52 SEC. E A DISTANCE OF 937.12 FEET TO A POINT; THENCE S 21 DEG. 56 MIN. 14 SEC. E
A DISTANCE OF 936.43 FEET TO A POINT; SAID POINT BEING S 62 DEG. 15 MIN. 17 SEC. E A DISTANCE OF 425.51
FEET FROM P. R. M. 79-78-A72-2 1988.
THENCE S 22 DEG. 02 MIN. 40 SEC. E A DISTANCE OF 1003.51 FEET TO A POINT; THENCE S 22 DEG. 26 MIN. 53 SEC.
E A DISTANCE OF 900.08 FEET TO A POINT; SAID POINT BEING S 61 DEG. 29 MIN. 46 SEC. E A DISTANCE OF 432.01
FEET FROM P. R. M. 79-78-A71.
THENCE S 22 DEG. 26 MIN. 39 SEC. E A DISTANCE OF 953.79 FEET TO A POINT; THENCE S 22 DEG. 32 MIN. 06 SEC. E
A DISTANCE OF 642.33 FEET TO A POINT; THENCE S 22 DEG. 04 MIN. 52 SEC. E A DISTANCE OF 1074.23 FEET TO A
POINT; SAID POINT BEING N 24 DEG. 32 MIN. 16 SEC. E A DISTANCE OF 250.61 FEET FROM P. R. M. 79-78-A70-2 1988.
THENCE S 22 DEG. 13 MIN. 09 SEC. E A DISTANCE OF 1045.63 FEET TO A POINT; THENCE S 21 DEG. 56 MIN. 40 SEC.
E A DISTANCE OF 999.28 FEET TO A POINT; THENCE S 22 DEG. 56 MIN. 34 SEC. E A DISTANCE OF 979.75 FEET TO A
POINT; SAID POINT BEING N 20 DEG. 46 MIN. 44 SEC. E A DISTANCE OF 224.60 FEET FROM P. R. M. 79-78-A69-2 1988.
THENCE S 23 DEG. 06 MIN. 29 SEC. E A DISTANCE OF 952.30 FEET TO A POINT; THENCE S 23 DEG. 33 MIN. 48 SEC. E
A DISTANCE OF 913.80 FEET TO A POINT; THENCE S 22 DEG. 54 MIN. 46 SEC. E A DISTANCE OF 978.16 FEET TO A
POINT; THENCE S 22 DEG. 38 MIN. 52 SEC. E A DISTANCE OF 929.97 FEET TO A POINT; SAID POINT BEING S 70 DEG.
41 MIN. 37 SEC. E A DISTANCE OF 247.45 FEET FROM P. R. M. 79-78-A68.
THENCE S 23 DEG. 32 MIN. 52 SEC. E A DISTANCE OF 1006.03 FEET TO A POINT; SAID POINT BEING N 04 DEG. 41
MIN. 44 SEC. W A DISTANCE OF 323.04 FEET FROM P. R. M. 79-78-A67.
THENCE S 23 DEG. 56 MIN. 02 SEC. E A DISTANCE OF 1024.70 FEET TO A POINT; THENCE S 22 DEG. 37 MIN. 08 SEC.
E A DISTANCE OF 813.58 FEET TO A POINT; SAID POINT BEING S 43 DEG. 30 MIN. 58 SEC. E A DISTANCE OF 406.76
FEET FROM P. R. M. 79-78-A66.
THENCE S 22 DEG. 41 MIN. 04 SEC. E A DISTANCE OF 950.77 FEET TO A POINT; SAID POINT BEING N 84 DEG. 50
MIN. 38 SEC. E A DISTANCE OF 221.80 FEET FROM P. R. M. 79-78-A65-2 1988.
THENCE S 22 DEG. 58 MIN. 60 SEC. E A DISTANCE OF 848.93 FEET TO A POINT; THENCE S 22 DEG. 49 MIN. 07 SEC. E
A DISTANCE OF 1106.53 FEET TO A POINT; THENCE S 24 DEG. 58 MIN. 41 SEC. E A DISTANCE OF 880.41 FEET TO A
POINT; THENCE S 22 DEG. 36 MIN. 51 SEC. E A DISTANCE OF 892.27 FEET TO A POINT; SAID POINT BEING N 72 DEG.
25 MIN. 39 SEC. E A DISTANCE OF 114.45 FEET FROM P. R. M. 79-78-A64.
THENCE S 23 DEG. 06 MIN. 45 SEC. E A DISTANCE OF 1064.87 FEET TO A POINT; THENCE S 23 DEG. 58 MIN. 46 SEC.
E A DISTANCE OF 941.89 FEET TO A POINT; THENCE S 22 DEG. 39 MIN. 59 SEC. E A DISTANCE OF 945.01 FEET TO A
POINT; THENCE S 22 DEG. 33 MIN. 37 SEC. E A DISTANCE OF 958.94 FEET TO A POINT; SAID POINT BEING N 00 DEG.
44 MIN. 16 SEC. E A DISTANCE OF 349.35 FEET FROM P. R. M. 79-78-A63.
THENCE S 23 DEG. 55 MIN. 10 SEC. E A DISTANCE OF 1067.12 FEET TO A POINT; THENCE S 23 DEG. 50 MIN. 25 SEC.
E A DISTANCE OF 879.51 FEET TO A POINT; SAID POINT BEING N 21 DEG. 29 MIN. 50 SEC. E A DISTANCE OF 429.67
FEET FROM P. R. M. 79-78-A62.
THENCE S 23 DEG. 09 MIN. 32 SEC. E A DISTANCE OF 959.57 FEET TO A POINT; THENCE S 23 DEG. 47 MIN. 26 SEC. E
A DISTANCE OF 953.62 FEET TO A POINT; THENCE S 23 DEG. 56 MIN. 45 SEC. E A DISTANCE OF 843.32 FEET TO A
POINT; SAID POINT BEING N 09 DEG. 59 MIN. 30 SEC. W A DISTANCE OF 245.74 FEET FROM P. R. M. 79-78-A61.
THENCE S 23 DEG. 52 MIN. 28 SEC. E A DISTANCE OF 955.10 FEET TO A POINT; THENCE S 22 DEG. 22 MIN. 38 SEC. E
A DISTANCE OF 1023.91 FEET TO A POINT; THENCE S 22 DEG. 26 MIN. 15 SEC. E A DISTANCE OF 915.47 FEET TO A
POINT; SAID POINT BEING N 00 DEG. 40 MIN. 26 SEC. E A DISTANCE OF 489.20 FEET FROM P. R. M. 79-78-A60.
THENCE S 22 DEG. 32 MIN. 12 SEC. E A DISTANCE OF 915.15 FEET TO A POINT; THENCE S 23 DEG. 33 MIN. 51 SEC. E
A DISTANCE OF 831.34 FEET TO A POINT; THENCE S 23 DEG. 25 MIN. 04 SEC. E A DISTANCE OF 1122.90 FEET TO A
POINT; THENCE S 23 DEG. 06 MIN. 29 SEC. E A DISTANCE OF 940.41 FEET TO A POINT; SAID POINT BEING S 45 DEG.
01 MIN. 14 SEC. E A DISTANCE OF 388.15 FEET FROM P. R. M. 79-78-A59-2 1988.
THENCE S 23 DEG. 16 MIN. 57 SEC. E A DISTANCE OF 1000.14 FEET TO A POINT; THENCE S 22 DEG. 31 MIN. 21 SEC.
E A DISTANCE OF 1010.79 FEET TO A POINT; SAID POINT BEING N 09 DEG. 06 MIN. 17 SEC. E A DISTANCE OF 420.87
FEET FROM P. R. M. 79-78-A58.
THENCE S 22 DEG. 34 MIN. 46 SEC. E A DISTANCE OF 1003.58 FEET TO A POINT; THENCE S 26 DEG. 11 MIN. 18 SEC.
E A DISTANCE OF 957.82 FEET TO A POINT; THENCE S 23 DEG. 46 MIN. 12 SEC. E A DISTANCE OF 946.70 FEET TO A
POINT; SAID POINT BEING N 79 DEG. 21 MIN. 49 SEC. E A DISTANCE OF 210.66 FEET FROM P. R. M. 79-78-A57.
THENCE S 24 DEG. 05 MIN. 59 SEC. E A DISTANCE OF 931.08 FEET TO A POINT; THENCE S 27 DEG. 18 MIN. 12 SEC. E
A DISTANCE OF 1036.50 FEET TO A POINT; SAID POINT BEING N 36 DEG. 31 MIN. 17 SEC. E A DISTANCE OF 427.82

FEET FROM P. R. M. 79-78-A56.

THENCE S 22 DEG. 49 MIN. 55 SEC. E A DISTANCE OF 859.85 FEET TO A POINT; THENCE S 20 DEG. 04 MIN. 53 SEC. E A DISTANCE OF 842.78 FEET TO A POINT; THENCE S 19 DEG. 59 MIN. 19 SEC. E A DISTANCE OF 918.77 FEET TO A POINT; SAID POINT BEING N 09 DEG. 02 MIN. 18 SEC. W A DISTANCE OF 618.11 FEET FROM P. R. M. 79-78-A55.

THENCE S 20 DEG. 24 MIN. 58 SEC. E A DISTANCE OF 1052.27 FEET TO A POINT; SAID POINT BEING S 68 DEG. 36 MIN. 47 SEC. E A DISTANCE OF 759.22 FEET FROM P. R. M. REVILO 1934.

THENCE S 22 DEG. 06 MIN. 06 SEC. E A DISTANCE OF 969.03 FEET TO A POINT; SAID POINT BEING S 34 DEG. 04 MIN. 56 SEC. E A DISTANCE OF 623.75 FEET FROM P. R. M. 79-78-A54A.

THENCE S 22 DEG. 21 MIN. 55 SEC. E A DISTANCE OF 839.79 FEET TO A POINT; SAID POINT BEING S 42 DEG. 52 MIN. 22 SEC. E A DISTANCE OF 825.76 FEET FROM P. R. M. 79-78-A54-2 1988.

THENCE S 24 DEG. 03 MIN. 46 SEC. E A DISTANCE OF 949.82 FEET TO A POINT; SAID POINT BEING S 34 DEG. 54 MIN. 30 SEC. E A DISTANCE OF 890.41 FEET FROM P. R. M. 79-78-A53.

THENCE S 23 DEG. 34 MIN. 29 SEC. E A DISTANCE OF 788.14 FEET TO A POINT; SAID POINT BEING N 08 DEG. 35 MIN. 38 SEC. E A DISTANCE OF 192.84 FEET FROM P. R. M. 79-78-A52.

THENCE S 23 DEG. 11 MIN. 57 SEC. E A DISTANCE OF 904.27 FEET TO A POINT; THENCE S 22 DEG. 33 MIN. 27 SEC. E A DISTANCE OF 1017.61 FEET TO A POINT; THENCE S 24 DEG. 25 MIN. 13 SEC. E A DISTANCE OF 983.27 FEET TO A POINT; SAID POINT BEING N 51 DEG. 40 MIN. 20 SEC. E A DISTANCE OF 194.48 FEET FROM P. R. M. 79-78-A51.

THENCE S 24 DEG. 29 MIN. 09 SEC. E A DISTANCE OF 951.32 FEET TO A POINT; THENCE S 24 DEG. 23 MIN. 46 SEC. E A DISTANCE OF 897.07 FEET TO A POINT; SAID POINT BEING N 05 DEG. 52 MIN. 44 SEC. W A DISTANCE OF 448.24 FEET FROM P. R. M. 79-78-A50.

THENCE S 24 DEG. 18 MIN. 33 SEC. E A DISTANCE OF 1011.49 FEET TO A POINT; THENCE S 24 DEG. 30 MIN. 32 SEC. E A DISTANCE OF 924.83 FEET TO A POINT; THENCE S 24 DEG. 17 MIN. 27 SEC. E A DISTANCE OF 940.26 FEET TO A POINT; SAID POINT BEING N 60 DEG. 40 MIN. 01 SEC. E A DISTANCE OF 227.53 FEET FROM P. R. M. 79-78-A49.

THENCE S 22 DEG. 39 MIN. 49 SEC. E A DISTANCE OF 855.05 FEET TO A POINT; THENCE S 23 DEG. 43 MIN. 55 SEC. E A DISTANCE OF 1090.67 FEET TO A POINT; SAID POINT BEING N 06 DEG. 38 MIN. 08 SEC. W A DISTANCE OF 455.62 FEET FROM P. R. M. 79-78-A48.

THENCE S 24 DEG. 31 MIN. 52 SEC. E A DISTANCE OF 938.89 FEET TO A POINT; THENCE S 25 DEG. 09 MIN. 53 SEC. E A DISTANCE OF 1051.84 FEET TO A POINT; THENCE S 25 DEG. 02 MIN. 33 SEC. E A DISTANCE OF 971.75 FEET TO A POINT; SAID POINT BEING N 82 DEG. 17 MIN. 06 SEC. E A DISTANCE OF 280.10 FEET FROM P. R. M. 79-78-A47.

THENCE S 24 DEG. 23 MIN. 09 SEC. E A DISTANCE OF 987.64 FEET TO A POINT; THENCE S 26 DEG. 02 MIN. 32 SEC. E A DISTANCE OF 956.46 FEET TO A POINT; SAID POINT BEING N 76 DEG. 32 MIN. 27 SEC. E A DISTANCE OF 132.71 FEET FROM P. R. M. 79-78-A46-2 1988.

THENCE S 26 DEG. 13 MIN. 10 SEC. E A DISTANCE OF 977.97 FEET TO A POINT; THENCE S 26 DEG. 55 MIN. 34 SEC. E A DISTANCE OF 980.02 FEET TO A POINT; THENCE S 26 DEG. 36 MIN. 08 SEC. E A DISTANCE OF 1030.23 FEET TO A POINT; SAID POINT BEING N 40 DEG. 37 MIN. 32 SEC. E A DISTANCE OF 195.44 FEET FROM P. R. M. 79-78-A45.

THENCE S 24 DEG. 50 MIN. 43 SEC. E A DISTANCE OF 843.60 FEET TO A POINT; THENCE S 24 DEG. 58 MIN. 38 SEC. E A DISTANCE OF 901.98 FEET TO A POINT; THENCE S 24 DEG. 15 MIN. 58 SEC. E A DISTANCE OF 937.46 FEET TO A POINT; SAID POINT BEING S 63 DEG. 51 MIN. 34 SEC. E A DISTANCE OF 388.36 FEET FROM P. R. M. 79-78-A44.

THENCE S 24 DEG. 21 MIN. 14 SEC. E A DISTANCE OF 964.86 FEET TO A POINT; SAID POINT BEING S 41 DEG. 15 MIN. 53 SEC. E A DISTANCE OF 283.66 FEET FROM P. R. M. 79-78-A43.

THENCE S 26 DEG. 22 MIN. 20 SEC. E A DISTANCE OF 1427.12 FEET TO A POINT; SAID POINT BEING N 12 DEG. 31 MIN. 49 SEC. E A DISTANCE OF 271.32 FEET FROM P. R. M. 79-78-A42.

THENCE S 26 DEG. 33 MIN. 19 SEC. E A DISTANCE OF 586.30 FEET TO A POINT; THENCE S 26 DEG. 21 MIN. 59 SEC. E A DISTANCE OF 890.60 FEET TO A POINT; THENCE S 26 DEG. 22 MIN. 02 SEC. E A DISTANCE OF 1028.96 FEET TO A POINT; SAID POINT BEING N 19 DEG. 46 MIN. 31 SEC. E A DISTANCE OF 259.29 FEET FROM P. R. M. 79-78-A41.

THENCE S 22 DEG. 51 MIN. 11 SEC. E A DISTANCE OF 811.31 FEET TO A POINT; THENCE S 25 DEG. 29 MIN. 25 SEC. E A DISTANCE OF 1089.72 FEET TO A POINT; THENCE S 24 DEG. 46 MIN. 29 SEC. E A DISTANCE OF 848.42 FEET TO A POINT; SAID POINT BEING N 09 DEG. 05 MIN. 17 SEC. E A DISTANCE OF 299.97 FEET FROM P. R. M. 79-78-A40.

THENCE S 25 DEG. 02 MIN. 42 SEC. E A DISTANCE OF 924.06 FEET TO A POINT; SAID POINT BEING N 29 DEG. 38 MIN. 04 SEC. W A DISTANCE OF 192.28 FEET FROM P. R. M. 79-78-A39.

THENCE S 25 DEG. 15 MIN. 41 SEC. E A DISTANCE OF 884.42 FEET TO A POINT; SAID POINT BEING N 24 DEG. 32 MIN. 44 SEC. W A DISTANCE OF 339.87 FEET FROM P. R. M. 79-78-A38.

THENCE S 27 DEG. 07 MIN. 22 SEC. E A DISTANCE OF 1042.73 FEET TO A POINT; SAID POINT BEING N 35 DEG. 35

MIN. 19 SEC. W A DISTANCE OF 288.44 FEET FROM P. R. M. 79-78-A37.

THENCE S 27 DEG. 04 MIN. 52 SEC. E A DISTANCE OF 995.71 FEET TO A POINT; THENCE S 27 DEG. 17 MIN. 53 SEC. E A DISTANCE OF 955.81 FEET TO A POINT; THENCE S 28 DEG. 43 MIN. 36 SEC. E A DISTANCE OF 920.52 FEET TO A POINT; SAID POINT BEING S 47 DEG. 07 MIN. 46 SEC. E A DISTANCE OF 135.96 FEET FROM P. R. M. 79-78-A36.

THENCE S 28 DEG. 58 MIN. 55 SEC. E A DISTANCE OF 965.05 FEET TO A POINT; THENCE S 27 DEG. 13 MIN. 08 SEC. E A DISTANCE OF 944.87 FEET TO A POINT; SAID POINT BEING N 16 DEG. 11 MIN. 21 SEC. W A DISTANCE OF 298.42 FEET FROM P. R. M. 79-78-A35-2 1988.

THENCE S 27 DEG. 16 MIN. 34 SEC. E A DISTANCE OF 957.06 FEET TO A POINT; THENCE S 30 DEG. 11 MIN. 51 SEC. E A DISTANCE OF 1003.55 FEET TO A POINT; THENCE S 30 DEG. 15 MIN. 11 SEC. E A DISTANCE OF 970.56 FEET TO A POINT; THENCE S 29 DEG. 19 MIN. 48 SEC. E A DISTANCE OF 930.03 FEET TO A POINT; SAID POINT BEING N 07 DEG. 32 MIN. 41 SEC. E A DISTANCE OF 123.91 FEET FROM P. R. M. 79-78-A34-2 1988.

THENCE S 29 DEG. 32 MIN. 05 SEC. E A DISTANCE OF 957.45 FEET TO A POINT; THENCE S 30 DEG. 26 MIN. 01 SEC. E. A DISTANCE OF 937.06 FEET TO A POINT; SAID POINT BEING N 27 DEG. 00 MIN. 49 SEC. W A DISTANCE OF 564.20 FEET FROM P. R. M. 79-78-A33.

THENCE S 30 DEG. 45 MIN. 31 SEC. E A DISTANCE OF 950.58 FEET TO A POINT; SAID POINT BEING S 25 DEG. 26 MIN. 49 SEC. E A DISTANCE OF 256.18 FEET FROM P. R. M. ROSE 2 1970.

THENCE S 31 DEG. 07 MIN. 30 SEC. E A DISTANCE OF 955.41 FEET TO A POINT; THENCE S 32 DEG. 44 MIN. 52 SEC. E A DISTANCE OF 913.78 FEET TO A POINT; THENCE S 32 DEG. 53 MIN. 10 SEC. E A DISTANCE OF 920.64 FEET TO A POINT; THENCE S 32 DEG. 34 MIN. 36 SEC. E A DISTANCE OF 808.06 FEET TO A POINT; SAID POINT BEING S 85 DEG. 53 MIN. 02 SEC. E A DISTANCE OF 19.43 FEET FROM P. R. M. 79-78-A32.

THENCE S 32 DEG. 33 MIN. 52 SEC. E A DISTANCE OF 932.10 FEET TO A POINT; SAID POINT BEING N 25 DEG. 43 MIN. 47 SEC. E A DISTANCE OF 57.43 FEET FROM P. R. M. 79-78-A31-2 1988.

THENCE S 35 DEG. 51 MIN. 28 SEC. E A DISTANCE OF 1033.83 FEET TO A POINT; THENCE S 35 DEG. 52 MIN. 04 SEC. E. A DISTANCE OF 848.45 FEET TO A POINT; SAID POINT BEING N 05 DEG. 19 MIN. 35 SEC. W A DISTANCE OF 90.03 FEET FROM P. R. M. 79-78-A30.

THENCE S 34 DEG. 28 MIN. 53 SEC. E A DISTANCE OF 997.25 FEET TO A POINT; SAID POINT BEING N 30 DEG. 49 MIN. 39 SEC. W A DISTANCE OF 842.99 FEET FROM P. R. M. 79-78-A29.

THENCE S 35 DEG. 55 MIN. 33 SEC. E A DISTANCE OF 876.55 FEET TO A POINT; SAID POINT BEING S 13 DEG. 31 MIN. 32 SEC. W A DISTANCE OF 83.88 FEET FROM P. R. M. 79-78-A28-2 1988; SAID POINT IS ALSO N 80 DEG. 17 MIN. 42 SEC. E A DISTANCE OF 83.51 FEET FROM P. R. M. 79-78-A29.

THENCE S 36 DEG. 05 MIN. 40 SEC. E A DISTANCE OF 978.06 FEET TO A POINT; THENCE S 32 DEG. 35 MIN. 47 SEC. E A DISTANCE OF 957.75 FEET TO A POINT; THENCE S 32 DEG. 24 MIN. 04 SEC. E A DISTANCE OF 823.32 FEET TO A POINT; SAID POINT BEING S 60 DEG. 00 MIN. 00 SEC. W A DISTANCE OF 264.00 FEET FROM R-148 VOL 1987.

THENCE S 32 DEG. 24 MIN. 04 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE NORTH SHORE OF PONCE DE LEON INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING S 60 DEG. 00 MIN. 00 SEC. W A DISTANCE OF 264.00 FEET FROM R-148 VOL 1987. RECOMMENCE AT P. R. M. GIMLET 1956 THENCE N 22 DEG. 24 MIN. 25 SEC. W A DISTANCE OF 1743.26 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 41 DEG. 34 MIN. 31 SEC. W TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE SOUTH SHORE OF PONCE DE LEON INLET; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 22 DEG. 24 MIN. 25 SEC. W A DISTANCE OF 1743.26 FEET FROM P. R. M. GIMLET 1956.

THENCE N 89 DEG. 15 MIN. 34 SEC. E A DISTANCE OF 827.00 FEET TO A POINT; THENCE S 30 DEG. 10 MIN. 12 SEC. E A DISTANCE OF 637.63 FEET TO A POINT; THENCE S 28 DEG. 07 MIN. 34 SEC. E A DISTANCE OF 960.96 FEET TO A POINT; SAID POINT BEING N 05 DEG. 51 MIN. 40 SEC. W A DISTANCE OF 193.65 FEET FROM P. R. M. 79-78-A25.

THENCE S 19 DEG. 58 MIN. 35 SEC. E A DISTANCE OF 1071.75 FEET TO A POINT; THENCE S 20 DEG. 56 MIN. 51 SEC. E A DISTANCE OF 888.06 FEET TO A POINT; THENCE S 22 DEG. 02 MIN. 05 SEC. E A DISTANCE OF 1002.66 FEET TO A POINT; THENCE S 22 DEG. 23 MIN. 53 SEC. E A DISTANCE OF 961.64 FEET TO A POINT; THENCE S 23 DEG. 05 MIN. 35 SEC. E A DISTANCE OF 919.29 FEET TO A POINT; THENCE S 23 DEG. 19 MIN. 31 SEC. E A DISTANCE OF 973.51 FEET TO A POINT; SAID POINT BEING N 41 DEG. 42 MIN. 40 SEC. W A DISTANCE OF 499.64 FEET FROM P. R. M. 79-78-A24-2 1988.

THENCE S 23 DEG. 01 MIN. 59 SEC. E A DISTANCE OF 974.01 FEET TO A POINT; THENCE S 25 DEG. 05 MIN. 47 SEC. E A DISTANCE OF 992.12 FEET TO A POINT; THENCE S 25 DEG. 05 MIN. 09 SEC. E A DISTANCE OF 965.10 FEET TO A

POINT; THENCE S 26 DEG. 21 MIN. 49 SEC. E. A DISTANCE OF 956.96 FEET TO A POINT; THENCE S 26 DEG. 44 MIN. 31 SEC. E A DISTANCE OF 1082.44 FEET TO A POINT; SAID POINT BEING N 76 DEG. 01 MIN. 58 SEC. W A DISTANCE OF 286.17 FEET FROM P. R. M. 79-78-A23.

THENCE S 25 DEG. 58 MIN. 22 SEC. E A DISTANCE OF 867.91 FEET TO A POINT; THENCE S 25 DEG. 49 MIN. 35 SEC. E A DISTANCE OF 965.25 FEET TO A POINT; THENCE S 26 DEG. 46 MIN. 36 SEC. E A DISTANCE OF 1063.11 FEET TO A POINT; THENCE S 29 DEG. 04 MIN. 26 SEC. E A DISTANCE OF 976.51 FEET TO A POINT; THENCE S 26 DEG. 57 MIN. 50 SEC. E A DISTANCE OF 827.78 FEET TO A POINT; SAID POINT BEING S 07 DEG. 48 MIN. 36 SEC. E A DISTANCE OF 383.47 FEET FROM P. R. M. 79-78-A22-2 1988.

THENCE S 27 DEG. 05 MIN. 20 SEC. E A DISTANCE OF 971.06 FEET TO A POINT; THENCE S 27 DEG. 43 MIN. 38 SEC. E A DISTANCE OF 1018.74 FEET TO A POINT; THENCE S 27 DEG. 17 MIN. 15 SEC. E A DISTANCE OF 938.90 FEET TO A POINT; THENCE S 27 DEG. 58 MIN. 53 SEC. E A DISTANCE OF 983.84 FEET TO A POINT; SAID POINT BEING N 55 DEG. 12 MIN. 57 SEC. W A DISTANCE OF 317.02 FEET FROM P. R. M. 79-78-A21-2 1988.

THENCE S 28 DEG. 13 MIN. 39 SEC. E A DISTANCE OF 871.77 FEET TO A POINT; THENCE S 28 DEG. 42 MIN. 10 SEC. E A DISTANCE OF 978.80 FEET TO A POINT; THENCE S 29 DEG. 14 MIN. 48 SEC. E A DISTANCE OF 942.91 FEET TO A POINT; THENCE S 29 DEG. 13 MIN. 40 SEC. E A DISTANCE OF 969.71 FEET TO A POINT; SAID POINT BEING N 55 DEG. 51 MIN. 58 SEC. W A DISTANCE OF 338.75 FEET FROM P. R. M. 79-78-A20.

THENCE S 29 DEG. 13 MIN. 14 SEC. E A DISTANCE OF 998.63 FEET TO A POINT; SAID POINT BEING S 52 DEG. 30 MIN. 52 SEC. E A DISTANCE OF 833.57 FEET FROM P. R. M. 79-78-A19-2 1988.

THENCE S 29 DEG. 01 MIN. 04 SEC. E A DISTANCE OF 1075.80 FEET TO A POINT; THENCE S 28 DEG. 48 MIN. 27 SEC. E A DISTANCE OF 779.29 FEET TO A POINT; SAID POINT BEING S 88 DEG. 30 MIN. 27 SEC. E A DISTANCE OF 324.49 FEET FROM P. R. M. 79-78-A18.

THENCE S 28 DEG. 26 MIN. 19 SEC. E A DISTANCE OF 947.76 FEET TO A POINT; THENCE S 29 DEG. 51 MIN. 05 SEC. E A DISTANCE OF 927.42 FEET TO A POINT; THENCE S 29 DEG. 06 MIN. 05 SEC. E A DISTANCE OF 1008.28 FEET TO A POINT; THENCE S 29 DEG. 11 MIN. 36 SEC. E A DISTANCE OF 954.69 FEET TO A POINT; SAID POINT BEING N 29 DEG. 23 MIN. 07 SEC. E A DISTANCE OF 350.74 FEET FROM P. R. M. 79-78-A17.

THENCE S 29 DEG. 19 MIN. 06 SEC. E A DISTANCE OF 1102.33 FEET TO A POINT; THENCE S 29 DEG. 35 MIN. 55 SEC. E A DISTANCE OF 699.55 FEET TO A POINT; THENCE S 29 DEG. 34 MIN. 23 SEC. E A DISTANCE OF 900.15 FEET TO A POINT; THENCE S 29 DEG. 20 MIN. 21 SEC. E A DISTANCE OF 980.08 FEET TO A POINT; THENCE S 30 DEG. 21 MIN. 02 SEC. E A DISTANCE OF 961.30 FEET TO A POINT; SAID POINT BEING S 88 DEG. 06 MIN. 31 SEC. E A DISTANCE OF 416.23 FEET FROM P. R. M. 79-78-A16.

THENCE S 30 DEG. 12 MIN. 08 SEC. E A DISTANCE OF 890.77 FEET TO A POINT; THENCE S 30 DEG. 51 MIN. 08 SEC. E A DISTANCE OF 990.96 FEET TO A POINT; THENCE S 30 DEG. 39 MIN. 54 SEC. E A DISTANCE OF 529.95 FEET TO A POINT; THENCE S 30 DEG. 40 MIN. 51 SEC. E A DISTANCE OF 1272.54 FEET TO A POINT; SAID POINT BEING S 49 DEG. 05 MIN. 50 SEC. E A DISTANCE OF 556.00 FEET FROM P. R. M. 79-78-A15.

THENCE S 28 DEG. 58 MIN. 32 SEC. E A DISTANCE OF 942.02 FEET TO A POINT; THENCE S 30 DEG. 04 MIN. 45 SEC. E A DISTANCE OF 996.02 FEET TO A POINT; THENCE S 33 DEG. 21 MIN. 20 SEC. E A DISTANCE OF 779.07 FEET TO A POINT; THENCE S 33 DEG. 18 MIN. 40 SEC. E A DISTANCE OF 993.24 FEET TO A POINT; SAID POINT BEING S 28 DEG. 06 MIN. 12 SEC. E A DISTANCE OF 213.21 FEET FROM P. R. M. 79-78-A14.

THENCE S 30 DEG. 00 MIN. 02 SEC. E A DISTANCE OF 939.58 FEET TO A POINT; SAID POINT BEING N 13 DEG. 03 MIN. 00 SEC. W A DISTANCE OF 404.94 FEET FROM P. R. M. 79-78-A13.

THENCE S 30 DEG. 11 MIN. 24 SEC. E A DISTANCE OF 941.87 FEET TO A POINT; THENCE S 31 DEG. 11 MIN. 36 SEC. E A DISTANCE OF 942.56 FEET TO A POINT; THENCE S 31 DEG. 21 MIN. 42 SEC. E A DISTANCE OF 994.92 FEET TO A POINT; THENCE S 30 DEG. 27 MIN. 34 SEC. E A DISTANCE OF 978.96 FEET TO A POINT; THENCE S 30 DEG. 48 MIN. 02 SEC. E A DISTANCE OF 949.02 FEET TO A POINT; SAID POINT BEING N 03 DEG. 53 MIN. 58 SEC. E A DISTANCE OF 88.68 FEET FROM P. R. M. 79-78-A12.

THENCE S 31 DEG. 08 MIN. 04 SEC. E A DISTANCE OF 798.12 FEET TO A POINT; THENCE S 31 DEG. 04 MIN. 33 SEC. E A DISTANCE OF 1076.28 FEET TO A POINT; THENCE S 33 DEG. 31 MIN. 09 SEC. E A DISTANCE OF 877.37 FEET TO A POINT; THENCE S 33 DEG. 44 MIN. 56 SEC. E A DISTANCE OF 1029.81 FEET TO A POINT; THENCE S 31 DEG. 14 MIN. 14 SEC. E A DISTANCE OF 959.39 FEET TO A POINT; THENCE S 31 DEG. 16 MIN. 10 SEC. E A DISTANCE OF 946.53 FEET TO A POINT; SAID POINT BEING S 44 DEG. 54 MIN. 13 SEC. E A DISTANCE OF 491.35 FEET FROM P. R. M. 79-78-A11.

THENCE S 31 DEG. 16 MIN. 04 SEC. E A DISTANCE OF 951.42 FEET TO A POINT; THENCE S 31 DEG. 28 MIN. 53 SEC. E A DISTANCE OF 947.27 FEET TO A POINT; THENCE S 31 DEG. 22 MIN. 17 SEC. E A DISTANCE OF 944.35 FEET TO A

POINT; SAID POINT BEING N 49 DEG. 25 MIN. 23 SEC. W A DISTANCE OF 166.98 FEET FROM P. R. M. 79-78-A10. THENCE S 31 DEG. 22 MIN. 06 SEC. E A DISTANCE OF 988.09 FEET TO A POINT; THENCE S 31 DEG. 00 MIN. 31 SEC. E A DISTANCE OF 958.01 FEET TO A POINT; THENCE S 30 DEG. 44 MIN. 16 SEC. E A DISTANCE OF 958.84 FEET TO A POINT; SAID POINT BEING S 63 DEG. 17 MIN. 60 SEC. W A DISTANCE OF 166.09 FEET FROM P. R. M. 79-78-A09. THENCE S 30 DEG. 22 MIN. 26 SEC. E A DISTANCE OF 970.21 FEET TO A POINT; THENCE S 31 DEG. 32 MIN. 25 SEC. E A DISTANCE OF 976.60 FEET TO A POINT; SAID POINT BEING S 23 DEG. 59 MIN. 44 SEC. E A DISTANCE OF 283.03 FEET FROM P. R. M. 79-78-A08-2 1988. THENCE S 31 DEG. 50 MIN. 44 SEC. E A DISTANCE OF 973.78 FEET TO A POINT; SAID POINT BEING S 24 DEG. 08 MIN. 37 SEC. E A DISTANCE OF 407.59 FEET FROM P. R. M. 79-78-A07. THENCE S 30 DEG. 08 MIN. 47 SEC. E A DISTANCE OF 992.75 FEET TO A POINT; THENCE S 30 DEG. 02 MIN. 05 SEC. E A DISTANCE OF 936.60 FEET TO A POINT; SAID POINT BEING N 42 DEG. 50 MIN. 53 SEC. W A DISTANCE OF 364.98 FEET FROM P. R. M. 79-78-A06-2 1988. THENCE S 30 DEG. 45 MIN. 11 SEC. E A DISTANCE OF 949.94 FEET TO A POINT; THENCE S 30 DEG. 50 MIN. 34 SEC. E A DISTANCE OF 940.20 FEET TO A POINT; THENCE S 30 DEG. 54 MIN. 34 SEC. E A DISTANCE OF 769.91 FEET TO A POINT; SAID POINT BEING N 73 DEG. 40 MIN. 06 SEC. W A DISTANCE OF 203.34 FEET FROM P. R. M. 79-78-A05. THENCE S 34 DEG. 12 MIN. 41 SEC. E A DISTANCE OF 835.64 FEET TO A POINT; SAID POINT BEING S 20 DEG. 52 MIN. 47 SEC. E A DISTANCE OF 677.29 FEET FROM P. R. M. ELDORA 1934. THENCE S 31 DEG. 30 MIN. 17 SEC. E A DISTANCE OF 921.36 FEET TO A POINT; SAID POINT BEING S 78 DEG. 08 MIN. 55 SEC. W A DISTANCE OF 203.50 FEET FROM P. R. M. 79-78-A04. THENCE S 29 DEG. 03 MIN. 44 SEC. E A DISTANCE OF 978.76 FEET TO A POINT; THENCE S 31 DEG. 15 MIN. 50 SEC. E A DISTANCE OF 989.26 FEET TO A POINT; SAID POINT BEING S 57 DEG. 43 MIN. 02 SEC. W A DISTANCE OF 251.08 FEET FROM P. R. M. 79-78-A03. THENCE S 30 DEG. 05 MIN. 53 SEC. E A DISTANCE OF 955.86 FEET TO A POINT; THENCE S 30 DEG. 35 MIN. 09 SEC. E A DISTANCE OF 985.76 FEET TO A POINT; THENCE S 30 DEG. 41 MIN. 02 SEC. E A DISTANCE OF 995.94 FEET TO A POINT; SAID POINT BEING N 76 DEG. 06 MIN. 31 SEC. W A DISTANCE OF 238.19 FEET FROM P. R. M. 79-78-A02. THENCE S 30 DEG. 38 MIN. 50 SEC. E A DISTANCE OF 984.88 FEET TO A POINT; THENCE S 33 DEG. 23 MIN. 33 SEC. E A DISTANCE OF 978.15 FEET TO A POINT; THENCE S 30 DEG. 11 MIN. 41 SEC. E A DISTANCE OF 962.33 FEET TO A POINT; THENCE S 30 DEG. 32 MIN. 19 SEC. E A DISTANCE OF 897.61 FEET TO A POINT; SAID POINT BEING S 09 DEG. 21 MIN. 27 SEC. E A DISTANCE OF 399.11 FEET FROM P. R. M. 79-78-A01-2 1988. THENCE S 30 DEG. 09 MIN. 18 SEC. E A DISTANCE OF 942.59 FEET TO A POINT; SAID POINT BEING S 27 DEG. 02 MIN. 57 SEC. E A DISTANCE OF 924.58 FEET FROM P. R. M. MOUNT 1934. THENCE TERMINATES AT THIS POINT OF THE AFOREMENTIONED COURSE AT THE NORTHERLY BOUNDARY OF KENNEDY SPACE CENTER.

62B-26.024 Description of the Bay County Coastal Construction Control Line.

(1) There is hereby established, pursuant to Section 161.053, Florida Statutes, the Bay County Coastal Construction Control Line. The legal description of said line is attached hereto.

(2) This rule shall take effect on the date of filing with the Florida Department of State; and the rule shall be recorded in the public records in the office of the Clerk of the Circuit Court, in and for Bay County, Florida, together with each affected municipality.

(3) After this rule becomes effective, a permit, under Section 161.053, Florida Statutes, and Chapter 62B-33, Florida Administrative Code, to alter, excavate or construct on property seaward of the established control line is required from the Department of Environmental Protection.

Specific Authority 370.021(1) FS. Law Implemented 161.053 FS. History--New 2-7-97.

METES AND BOUNDS DESCRIPTION FOR THE COASTAL CONSTRUCTION CONTROL LINE BAY COUNTY, FLORIDA

DESCRIPTION OF THE COASTAL CONSTRUCTION CONTROL LINE (CCCL) IS ESTABLISHED IN COMPLIANCE WITH SECTION 161.053 OF THE FLORIDA STATUTES. SAID CONTROL LINE LYING ALONG THE GULF OF MEXICO COAST FROM WALTON-BAY COUNTY LINE EASTERLY TO THE WESTERN MEAN HIGH WATER LINE OF SAINT ANDREWS PASS. RECOMMENCING AT THE EASTERN MEAN HIGH WATER LINE OF SAINT ANDREWS PASS AND CONTINUING EASTERLY TO THE WESTERN BOUNDARY OF TYNDALL AIR FORCE BASE ON SHELL ISLAND. RECOMMENCING AT THE EASTERN BOUNDARY OF TYNDALL AIR FORCE BASE ON CROOKED ISLAND AND CONTINUING EASTERLY TO ITS TERMINUS AT THE INTERSECTION WITH THE BAY-GULF COUNTY LINE. SAID COASTAL CONSTRUCTION CONTROL LINE IS RELATED TO A SERIES OF "PERMANENT REFERENCE

MONUMENTS" (P.R.M.) DESIGNATED AND HEREINAFTER REFERRED TO AS "60-76-A37", "46-76-B02 THROUGH 46-76-B04", "46-91-DA16", "46-76-B06 THROUGH 46-76-B08", "46-91-DA15", "46-91-DA14", "46-76-B14-2 THROUGH 46-76-B19D 1991", "46-76-B21", "46-76-B23", "46-76-B25", "46-91-DA13 THROUGH 46-91-DA04", "R98 BA 96", "46-76-B36", "46-76-B38", "R121 BA 96", "46-76-A11 THROUGH 46-76-A07", "46-91-DA03", "46-91-DA02", "46-76-A04", "46-91-DA01".

FOR MONUMENTS ESTABLISHED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, STATE OF FLORIDA, OR REFERRED TO BY STATION NAME FOR MONUMENTS ESTABLISHED BY NATIONAL GEODETIC SURVEY (N.G.S.). SAID PERMANENT REFERENCE MONUMENTS ARE ESTABLISHED ON THE NORTH ZONE OF THE STATE OF FLORIDA PLANE COORDINATE SYSTEM. ALL STATIONS IN THIS DESCRIPTION ARE BASED ON NORTH AMERICAN 1983 DATUM ADJUSTMENT OF 1990.

THE BEARING BASE FOR THIS DESCRIPTION IS GRID NORTH, DETERMINED BY GLOBAL POSITIONING SYSTEM (G.P.S.) OBSERVATIONS MADE AT ALL PERMANENT REFERENCE MONUMENTS (P.R.M.).

COMMENCE AT P. R. M. 60-76-A37; THENCE S 70 DEG. 48 MIN. 25 SEC. E A DISTANCE OF 5267.73 FEET TO THE POINT OF BEGINNING; THENCE N 87 DEG. 38 MIN. 22 SEC. W TO THE POINT OF INTERSECTION WITH THE BAY-WALTON COUNTY LINE, SAID LINE BEING THE WESTERLY TERMINUS OF THE COASTAL CONSTRUCTION CONTROL LINE FOR BAY COUNTY; THENCE RETURN ALONG THE SAME COURSE TO THE POINT OF BEGINNING; SAID POINT BEING S 70 DEG. 48 MIN. 25 SEC. E A DISTANCE OF 5267.73 FEET FROM P. R. M. 60-76-A37.

THENCE S 53 DEG. 46 MIN. 51 SEC. E A DISTANCE OF 1832.84 FEET TO A POINT; THENCE S 50 DEG. 41 MIN. 04 SEC. E A DISTANCE OF 973.22 FEET TO A POINT; THENCE S 64 DEG. 11 MIN. 31 SEC. E A DISTANCE OF 998.36 FEET TO A POINT; THENCE S 64 DEG. 39 MIN. 31 SEC. E A DISTANCE OF 994.65 FEET TO A POINT; THENCE S 64 DEG. 48 MIN. 05 SEC. E A DISTANCE OF 1016.37 FEET TO A POINT; THENCE S 64 DEG. 48 MIN. 46 SEC. E A DISTANCE OF 881.63 FEET TO A POINT; THENCE S 64 DEG. 19 MIN. 17 SEC. E A DISTANCE OF 1076.73 FEET TO A POINT; SAID POINT BEING N 71 DEG. 08 MIN. 56 SEC. W A DISTANCE OF 331.06 FEET FROM P. R. M. 46-76-B02.

THENCE S 64 DEG. 21 MIN. 32 SEC. E A DISTANCE OF 1022.77 FEET TO A POINT; THENCE S 64 DEG. 00 MIN. 48 SEC. E A DISTANCE OF 969.86 FEET TO A POINT; THENCE S 63 DEG. 42 MIN. 18 SEC. E A DISTANCE OF 1117.49 FEET TO A POINT; SAID POINT BEING N 51 DEG. 17 MIN. 40 SEC. E A DISTANCE OF 404.71 FEET FROM P. R. M. 46-76-B03.

THENCE S 63 DEG. 41 MIN. 31 SEC. E A DISTANCE OF 857.27 FEET TO A POINT; THENCE S 63 DEG. 38 MIN. 43 SEC. E A DISTANCE OF 994.78 FEET TO A POINT; SAID POINT BEING S 48 DEG. 21 MIN. 59 SEC. E A DISTANCE OF 423.00 FEET FROM P. R. M. 46-76-B04.

THENCE S 62 DEG. 47 MIN. 39 SEC. E A DISTANCE OF 994.77 FEET TO A POINT; THENCE S 62 DEG. 53 MIN. 39 SEC. E A DISTANCE OF 1010.68 FEET TO A POINT; THENCE S 61 DEG. 48 MIN. 46 SEC. E A DISTANCE OF 993.60 FEET TO A POINT; THENCE S 61 DEG. 55 MIN. 57 SEC. E A DISTANCE OF 1011.72 FEET TO A POINT; THENCE S 62 DEG. 05 MIN. 49 SEC. E A DISTANCE OF 979.18 FEET TO A POINT; THENCE S 61 DEG. 22 MIN. 35 SEC. E A DISTANCE OF 1107.60 FEET TO A POINT; SAID POINT BEING S 60 DEG. 03 MIN. 31 SEC. E A DISTANCE OF 575.74 FEET FROM P. R. M. 46-91-DA16.

THENCE S 61 DEG. 43 MIN. 56 SEC. E A DISTANCE OF 907.73 FEET TO A POINT; THENCE S 62 DEG. 24 MIN. 20 SEC. E A DISTANCE OF 1029.18 FEET TO A POINT; THENCE S 62 DEG. 27 MIN. 53 SEC. E A DISTANCE OF 862.89 FEET TO A POINT; THENCE S 60 DEG. 11 MIN. 13 SEC. E A DISTANCE OF 1160.08 FEET TO A POINT; THENCE S 61 DEG. 01 MIN. 33 SEC. E A DISTANCE OF 1003.11 FEET TO A POINT; SAID POINT BEING S 55 DEG. 57 MIN. 51 SEC. E A DISTANCE OF 356.08 FEET FROM P. R. M. 46-76-B06.

THENCE S 61 DEG. 51 MIN. 33 SEC. E A DISTANCE OF 1055.67 FEET TO A POINT; THENCE S 62 DEG. 09 MIN. 18 SEC. E A DISTANCE OF 891.51 FEET TO A POINT; THENCE S 61 DEG. 38 MIN. 35 SEC. E A DISTANCE OF 975.01 FEET TO A POINT; SAID POINT BEING S 56 DEG. 48 MIN. 54 SEC. E A DISTANCE OF 539.64 FEET FROM P. R. M. 46-76-B07.

THENCE S 60 DEG. 10 MIN. 49 SEC. E A DISTANCE OF 935.60 FEET TO A POINT; THENCE S 60 DEG. 29 MIN. 46 SEC. E A DISTANCE OF 1104.11 FEET TO A POINT; THENCE S 59 DEG. 29 MIN. 08 SEC. E A DISTANCE OF 986.25 FEET TO A POINT; THENCE S 60 DEG. 08 MIN. 44 SEC. E A DISTANCE OF 958.51 FEET TO A POINT; SAID POINT BEING N 44 DEG. 10 MIN. 16 SEC. W A DISTANCE OF 273.45 FEET FROM P. R. M. 46-76-B08.

THENCE S 59 DEG. 47 MIN. 24 SEC. E A DISTANCE OF 1039.05 FEET TO A POINT; THENCE S 59 DEG. 13 MIN. 33 SEC. E A DISTANCE OF 933.48 FEET TO A POINT; THENCE S 59 DEG. 14 MIN. 50 SEC. E A DISTANCE OF 1055.98 FEET TO A POINT; THENCE S 58 DEG. 24 MIN. 14 SEC. E A DISTANCE OF 1510.98 FEET TO A POINT; SAID POINT BEING N 76 DEG. 23 MIN. 42 SEC. W A DISTANCE OF 110.15 FEET FROM P. R. M. 46-91-DA15.

THENCE S 58 DEG. 25 MIN. 33 SEC. E A DISTANCE OF 1081.83 FEET TO A POINT; THENCE S 59 DEG. 48 MIN. 57 SEC. E A DISTANCE OF 1050.09 FEET TO A POINT; THENCE S 58 DEG. 46 MIN. 06 SEC. E A DISTANCE OF 824.69 FEET TO

A POINT; THENCE S 58 DEG. 23 MIN. 48 SEC. E A DISTANCE OF 1087.12 FEET TO A POINT; SAID POINT BEING N 68 DEG. 36 MIN. 06 SEC. W A DISTANCE OF 181.52 FEET FROM P. R. M. 46-91-DA14.

THENCE S 58 DEG. 19 MIN. 22 SEC. E A DISTANCE OF 976.45 FEET TO A POINT; THENCE S 57 DEG. 01 MIN. 43 SEC. E A DISTANCE OF 1047.29 FEET TO A POINT; THENCE S 57 DEG. 01 MIN. 59 SEC. E A DISTANCE OF 982.38 FEET TO A POINT; THENCE S 58 DEG. 01 MIN. 53 SEC. E A DISTANCE OF 812.38 FEET TO A POINT; SAID POINT BEING N 58 DEG. 58 MIN. 59 SEC. W A DISTANCE OF 581.77 FEET FROM P. R. M. 46-76-B14-2.

THENCE S 59 DEG. 04 MIN. 56 SEC. E A DISTANCE OF 1227.43 FEET TO A POINT; THENCE S 59 DEG. 10 MIN. 00 SEC. E A DISTANCE OF 740.04 FEET TO A POINT; THENCE S 57 DEG. 41 MIN. 02 SEC. E A DISTANCE OF 1214.01 FEET TO A POINT; THENCE S 57 DEG. 28 MIN. 38 SEC. E A DISTANCE OF 1035.94 FEET TO A POINT; SAID POINT BEING N 62 DEG. 22 MIN. 14 SEC. W A DISTANCE OF 481.89 FEET FROM P. R. M. 46-76-B15.

THENCE S 54 DEG. 49 MIN. 14 SEC. E A DISTANCE OF 849.09 FEET TO A POINT; THENCE S 57 DEG. 56 MIN. 30 SEC. E A DISTANCE OF 1242.30 FEET TO A POINT; THENCE S 58 DEG. 02 MIN. 40 SEC. E A DISTANCE OF 935.06 FEET TO A POINT; THENCE S 56 DEG. 19 MIN. 46 SEC. E A DISTANCE OF 930.99 FEET TO A POINT; THENCE S 55 DEG. 41 MIN. 13 SEC. E A DISTANCE OF 1021.58 FEET TO A POINT; SAID POINT BEING S 55 DEG. 45 MIN. 19 SEC. E A DISTANCE OF 615.75 FEET FROM P. R. M. 46-76-B16.

THENCE S 56 DEG. 25 MIN. 35 SEC. E A DISTANCE OF 1042.34 FEET TO A POINT; THENCE S 56 DEG. 05 MIN. 18 SEC. E A DISTANCE OF 991.61 FEET TO A POINT; THENCE S 55 DEG. 24 MIN. 16 SEC. E A DISTANCE OF 1002.44 FEET TO A POINT; SAID POINT BEING S 37 DEG. 29 MIN. 52 SEC. E A DISTANCE OF 351.53 FEET FROM P. R. M. 46-76-B17.

THENCE S 56 DEG. 34 MIN. 33 SEC. E A DISTANCE OF 1357.26 FEET TO A POINT; THENCE S 56 DEG. 19 MIN. 09 SEC. E A DISTANCE OF 1303.91 FEET TO A POINT; THENCE S 56 DEG. 36 MIN. 26 SEC. E A DISTANCE OF 397.82 FEET TO A POINT; SAID POINT BEING S 35 DEG. 26 MIN. 02 SEC. E A DISTANCE OF 343.75 FEET FROM P. R. M. 46-76-B18.

THENCE S 56 DEG. 22 MIN. 40 SEC. E A DISTANCE OF 864.91 FEET TO A POINT; THENCE S 57 DEG. 13 MIN. 23 SEC. E A DISTANCE OF 1111.11 FEET TO A POINT; SAID POINT BEING S 07 DEG. 08 MIN. 42 SEC. E A DISTANCE OF 111.23 FEET FROM P. R. M. 46-76-B19.

THENCE S 55 DEG. 41 MIN. 13 SEC. E A DISTANCE OF 1075.49 FEET TO A POINT; THENCE S 56 DEG. 32 MIN. 47 SEC. E A DISTANCE OF 855.86 FEET TO A POINT; SAID POINT BEING S 06 DEG. 07 MIN. 16 SEC. E A DISTANCE OF 515.96 FEET FROM P. R. M. 46-76-B19B 1991.

THENCE S 56 DEG. 45 MIN. 32 SEC. E A DISTANCE OF 995.74 FEET TO A POINT; SAID POINT BEING S 16 DEG. 59 MIN. 30 SEC. W A DISTANCE OF 422.79 FEET FROM P. R. M. 46-76-B19C 1991.

THENCE S 54 DEG. 20 MIN. 14 SEC. E A DISTANCE OF 935.95 FEET TO A POINT; SAID POINT BEING S 35 DEG. 28 MIN. 18 SEC. W A DISTANCE OF 65.41 FEET FROM P. R. M. 46-76-B19D 1991.

THENCE S 54 DEG. 28 MIN. 53 SEC. E A DISTANCE OF 986.86 FEET TO A POINT; THENCE S 54 DEG. 51 MIN. 49 SEC. E A DISTANCE OF 1066.65 FEET TO A POINT; SAID POINT BEING S 78 DEG. 09 MIN. 53 SEC. W A DISTANCE OF 131.24 FEET FROM P. R. M. 46-76-B21.

THENCE S 55 DEG. 29 MIN. 55 SEC. E A DISTANCE OF 996.62 FEET TO A POINT; THENCE S 55 DEG. 16 MIN. 23 SEC. E A DISTANCE OF 1111.92 FEET TO A POINT; SAID POINT BEING S 06 DEG. 12 MIN. 52 SEC. W A DISTANCE OF 236.84 FEET FROM P. R. M. 46-76-B23.

THENCE S 55 DEG. 07 MIN. 58 SEC. E A DISTANCE OF 893.84 FEET TO A POINT; THENCE S 54 DEG. 38 MIN. 26 SEC. E A DISTANCE OF 992.39 FEET TO A POINT; SAID POINT BEING S 50 DEG. 00 MIN. 34 SEC. W A DISTANCE OF 323.11 FEET FROM P. R. M. 46-76-B25.

THENCE S 56 DEG. 43 MIN. 54 SEC. E A DISTANCE OF 970.35 FEET TO A POINT; THENCE S 56 DEG. 46 MIN. 34 SEC. E A DISTANCE OF 930.42 FEET TO A POINT; SAID POINT BEING S 40 DEG. 30 MIN. 28 SEC. W A DISTANCE OF 587.69 FEET FROM P. R. M. 46-91-DA13.

THENCE S 53 DEG. 55 MIN. 35 SEC. E A DISTANCE OF 1071.19 FEET TO A POINT; THENCE S 53 DEG. 51 MIN. 12 SEC. E A DISTANCE OF 1012.43 FEET TO A POINT; SAID POINT BEING S 00 DEG. 02 MIN. 01 SEC. W A DISTANCE OF 578.03 FEET FROM P. R. M. 46-91-DA12.

THENCE S 53 DEG. 54 MIN. 23 SEC. E A DISTANCE OF 858.37 FEET TO A POINT; THENCE S 53 DEG. 01 MIN. 31 SEC. E A DISTANCE OF 1138.60 FEET TO A POINT; THENCE S 52 DEG. 33 MIN. 38 SEC. E A DISTANCE OF 979.40 FEET TO A POINT; SAID POINT BEING S 47 DEG. 19 MIN. 24 SEC. W A DISTANCE OF 452.59 FEET FROM P. R. M. 46-91-DA11.

THENCE S 53 DEG. 49 MIN. 31 SEC. E A DISTANCE OF 924.44 FEET TO A POINT; THENCE S 51 DEG. 20 MIN. 29 SEC. E A DISTANCE OF 918.39 FEET TO A POINT; SAID POINT BEING S 03 DEG. 38 MIN. 56 SEC. E A DISTANCE OF 955.79 FEET FROM P. R. M. 46-91-DA10.

THENCE S 51 DEG. 26 MIN. 59 SEC. E A DISTANCE OF 1122.82 FEET TO A POINT; THENCE S 51 DEG. 09 MIN. 08 SEC.

E A DISTANCE OF 992.33 FEET TO A POINT; SAID POINT BEING S 88 DEG. 42 MIN. 41 SEC. W A DISTANCE OF 1181.49 FEET FROM P. R. M. 46-91-DA09.

THENCE S 49 DEG. 57 MIN. 48 SEC. E A DISTANCE OF 994.91 FEET TO A POINT; THENCE S 48 DEG. 43 MIN. 44 SEC. E A DISTANCE OF 1027.75 FEET TO A POINT; THENCE S 46 DEG. 07 MIN. 35 SEC. E A DISTANCE OF 983.65 FEET TO A POINT; SAID POINT BEING S 02 DEG. 35 MIN. 15 SEC. W A DISTANCE OF 954.17 FEET FROM P. R. M. 46-91-DA08.

THENCE S 48 DEG. 16 MIN. 11 SEC. E A DISTANCE OF 970.47 FEET TO A POINT; THENCE S 47 DEG. 49 MIN. 30 SEC. E A DISTANCE OF 1181.98 FEET TO A POINT; SAID POINT BEING S 87 DEG. 30 MIN. 41 SEC. W A DISTANCE OF 949.57 FEET FROM P. R. M. 46-91-DA07.

THENCE S 49 DEG. 06 MIN. 57 SEC. E A DISTANCE OF 797.94 FEET TO A POINT; THENCE S 47 DEG. 17 MIN. 59 SEC. E A DISTANCE OF 1076.88 FEET TO A POINT; THENCE S 47 DEG. 46 MIN. 39 SEC. E A DISTANCE OF 853.62 FEET TO A POINT; SAID POINT BEING N 86 DEG. 49 MIN. 08 SEC. W A DISTANCE OF 905.14 FEET FROM P. R. M. 46-91-DA06A.

THENCE S 44 DEG. 57 MIN. 03 SEC. E A DISTANCE OF 1062.43 FEET TO A POINT; SAID POINT BEING S 77 DEG. 58 MIN. 31 SEC. W A DISTANCE OF 436.42 FEET FROM P. R. M. 46-91-DA06.

THENCE S 46 DEG. 28 MIN. 08 SEC. E A DISTANCE OF 1044.37 FEET TO A POINT; THENCE S 46 DEG. 27 MIN. 44 SEC. E A DISTANCE OF 947.39 FEET TO A POINT; SAID POINT BEING N 88 DEG. 14 MIN. 50 SEC. W A DISTANCE OF 545.71 FEET FROM P. R. M. 46-91-DA05.

THENCE S 46 DEG. 24 MIN. 57 SEC. E A DISTANCE OF 994.50 FEET TO A POINT; THENCE S 44 DEG. 51 MIN. 17 SEC. E A DISTANCE OF 980.58 FEET TO A POINT; SAID POINT BEING S 34 DEG. 55 MIN. 17 SEC. E A DISTANCE OF 744.55 FEET FROM P. R. M. 46-91-DA04A.

THENCE S 45 DEG. 02 MIN. 10 SEC. E A DISTANCE OF 1072.91 FEET TO A POINT; THENCE S 45 DEG. 12 MIN. 23 SEC. E A DISTANCE OF 958.65 FEET TO A POINT; THENCE S 44 DEG. 43 MIN. 32 SEC. E A DISTANCE OF 1010.29 FEET TO A POINT; THENCE S 44 DEG. 30 MIN. 24 SEC. E A DISTANCE OF 957.11 FEET TO A POINT; SAID POINT BEING S 48 DEG. 03 MIN. 13 SEC. E A DISTANCE OF 979.25 FEET FROM P. R. M. 46-91-DA04.

THENCE S 44 DEG. 30 MIN. 25 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE WESTERN SHORE OF SAINT ANDREWS PASS; THENCE RETURN ALONG THE SAME PATH TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 48 DEG. 03 MIN. 13 SEC. E A DISTANCE OF 979.25 FEET FROM P. R. M. 46-91-DA04.

RECOMMENCE AT P. R. M. R 98 BA 96, THENCE S 23 DEG. 29 MIN. 35 SEC. W A DISTANCE OF 74.46 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 52 DEG. 25 MIN. 16 SEC. W TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE EASTERN SHORE OF SAINT ANDREWS PASS; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 23 DEG. 29 MIN. 35 SEC. W A DISTANCE OF 74.46 FEET FROM P. R. M. R 98 BA 96.

THENCE S 52 DEG. 25 MIN. 16 SEC. E A DISTANCE OF 1071.88 FEET TO A POINT; THENCE S 50 DEG. 11 MIN. 23 SEC. E A DISTANCE OF 982.92 FEET TO A POINT; THENCE S 51 DEG. 03 MIN. 19 SEC. E A DISTANCE OF 1011.08 FEET TO A POINT; THENCE S 46 DEG. 15 MIN. 28 SEC. E A DISTANCE OF 1019.71 FEET TO A POINT; THENCE S 49 DEG. 49 MIN. 27 SEC. E A DISTANCE OF 950.69 FEET TO A POINT; THENCE S 52 DEG. 41 MIN. 19 SEC. E A DISTANCE OF 1065.54 FEET TO A POINT; THENCE S 52 DEG. 53 MIN. 18 SEC. E A DISTANCE OF 960.99 FEET TO A POINT; THENCE S 53 DEG. 49 MIN. 26 SEC. E A DISTANCE OF 990.06 FEET TO A POINT; THENCE S 53 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 950.90 FEET TO A POINT; THENCE S 54 DEG. 30 MIN. 54 SEC. E A DISTANCE OF 992.78 FEET TO A POINT; THENCE S 55 DEG. 12 MIN. 02 SEC. E A DISTANCE OF 1018.75 FEET TO A POINT; THENCE S 54 DEG. 42 MIN. 59 SEC. E A DISTANCE OF 988.52 FEET TO A POINT; SAID POINT BEING S 81 DEG. 43 MIN. 34 SEC. E A DISTANCE OF 144.72 FEET FROM P. R. M. 46-76-B36.

THENCE S 58 DEG. 42 MIN. 30 SEC. E A DISTANCE OF 965.32 FEET TO A POINT; THENCE S 60 DEG. 11 MIN. 15 SEC. E A DISTANCE OF 1014.24 FEET TO A POINT; THENCE S 60 DEG. 59 MIN. 14 SEC. E A DISTANCE OF 989.83 FEET TO A POINT; THENCE S 61 DEG. 28 MIN. 31 SEC. E A DISTANCE OF 995.19 FEET TO A POINT; THENCE S 61 DEG. 27 MIN. 23 SEC. E A DISTANCE OF 957.15 FEET TO A POINT; THENCE S 64 DEG. 32 MIN. 34 SEC. E A DISTANCE OF 978.61 FEET TO A POINT; THENCE S 57 DEG. 57 MIN. 51 SEC. E A DISTANCE OF 988.79 FEET TO A POINT; THENCE S 60 DEG. 54 MIN. 26 SEC. E A DISTANCE OF 878.30 FEET TO A POINT; SAID POINT BEING S 33 DEG. 51 MIN. 02 SEC. E A DISTANCE OF 469.85 FEET FROM P. R. M. 46-76-B38.

THENCE S 63 DEG. 33 MIN. 18 SEC. E A DISTANCE OF 956.53 FEET TO A POINT; THENCE S 63 DEG. 08 MIN. 27 SEC. E A DISTANCE OF 981.72 FEET TO A POINT; THENCE S 64 DEG. 33 MIN. 34 SEC. E A DISTANCE OF 965.13 FEET TO A POINT; SAID POINT BEING S 62 DEG. 44 MIN. 45 SEC. W A DISTANCE OF 28.76 FEET FROM P. R. M. R121 BAY 96.

THENCE S 64 DEG. 33 MIN. 34 SEC. E TO THE INTERSECTION WITH THE WESTERLY BOUNDARY OF TYNDALL AIR

FORCE BASE ON SHELL ISLAND.

RECOMMENCE AT P. R. M. 46-76-A11 THENCE S 70 DEG. 44 MIN. 49 SEC. E A DISTANCE OF 60.70 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 66 DEG. 45 MIN. 53 SEC. W TO THE POINT OF INTERSECTION WITH THE EASTERLY BOUNDARY OF TYNDALL AIR FORCE BASE ON CROOKED ISLAND; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 70 DEG. 44 MIN. 49 SEC. E A DISTANCE OF 60.70 FEET FROM P. R. M. 46-76-A11.

THENCE S 66 DEG. 45 MIN. 53 SEC. E A DISTANCE OF 1047.72 FEET TO A POINT; THENCE S 67 DEG. 12 MIN. 44 SEC. E A DISTANCE OF 1054.73 FEET TO A POINT; SAID POINT BEING N 49 DEG. 16 MIN. 53 SEC. W A DISTANCE OF 628.05 FEET FROM P. R. M. 46-76-A10.

THENCE S 64 DEG. 02 MIN. 57 SEC. E A DISTANCE OF 983.47 FEET TO A POINT; THENCE S 74 DEG. 29 MIN. 01 SEC. E A DISTANCE OF 1015.82 FEET TO A POINT; THENCE S 84 DEG. 57 MIN. 07 SEC. E A DISTANCE OF 990.90 FEET TO A POINT; SAID POINT BEING N 32 DEG. 41 MIN. 52 SEC. W A DISTANCE OF 494.98 FEET FROM P. R. M. 46-76-A09.

THENCE S 73 DEG. 50 MIN. 54 SEC. E TO THE POINT OF INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE WESTERN BANK OF A CANAL; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING N 32 DEG. 41 MIN. 52 SEC. W A DISTANCE OF 494.98 FEET FROM P. R. M. 46-76-A09.

RECOMMENCE AT P. R. M. 46-76-A09, THENCE S 89 DEG. 38 MIN. 56 SEC. E A DISTANCE OF 1196.21 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 73 DEG. 50 MIN. 54 SEC. W TO THE INTERSECTION WITH THE MEAN HIGH WATER LINE OF THE EASTERN SHORE OF A CANAL; THENCE RETURN ALONG THE SAME COURSE TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING S 89 DEG. 38 MIN. 56 SEC. E A DISTANCE OF 1196.21 FEET FROM P. R. M. 46-76-A09.

THENCE S 73 DEG. 32 MIN. 57 SEC. E A DISTANCE OF 1021.84 FEET TO A POINT; THENCE S 64 DEG. 09 MIN. 31 SEC. E A DISTANCE OF 1060.54 FEET TO A POINT; THENCE S 63 DEG. 05 MIN. 33 SEC. E A DISTANCE OF 1083.07 FEET TO A POINT; SAID POINT BEING S 12 DEG. 16 MIN. 16 SEC. W A DISTANCE OF 288.70 FEET FROM P. R. M. 46-76-A07.

THENCE S 57 DEG. 53 MIN. 43 SEC. E A DISTANCE OF 1003.40 FEET TO A POINT; THENCE S 52 DEG. 20 MIN. 34 SEC. E A DISTANCE OF 1028.00 FEET TO A POINT; THENCE S 58 DEG. 19 MIN. 21 SEC. E A DISTANCE OF 1029.14 FEET TO A POINT; SAID POINT BEING S 65 DEG. 11 MIN. 45 SEC. E A DISTANCE OF 474.66 FEET FROM P. R. M. 46-91-DA03.

THENCE S 51 DEG. 10 MIN. 54 SEC. E A DISTANCE OF 1186.07 FEET TO A POINT; THENCE S 51 DEG. 34 MIN. 45 SEC. E A DISTANCE OF 948.26 FEET TO A POINT; THENCE S 48 DEG. 55 MIN. 53 SEC. E A DISTANCE OF 1034.27 FEET TO A POINT; SAID POINT BEING N 01 DEG. 19 MIN. 07 SEC. W A DISTANCE OF 82.25 FEET FROM P. R. M. 46-91-DA02.

THENCE S 45 DEG. 42 MIN. 24 SEC. E A DISTANCE OF 1021.03 FEET TO A POINT; THENCE S 46 DEG. 19 MIN. 16 SEC. E A DISTANCE OF 984.06 FEET TO A POINT; THENCE S 45 DEG. 25 MIN. 00 SEC. E A DISTANCE OF 1010.24 FEET TO A POINT; SAID POINT BEING S 62 DEG. 44 MIN. 50 SEC. E A DISTANCE OF 287.01 FEET FROM P. R. M. 46-76-A04.

THENCE S 44 DEG. 47 MIN. 00 SEC. E A DISTANCE OF 997.97 FEET TO A POINT; THENCE S 45 DEG. 26 MIN. 10 SEC. E A DISTANCE OF 1000.02 FEET TO A POINT; THENCE S 45 DEG. 17 MIN. 55 SEC. E A DISTANCE OF 935.00 FEET TO A POINT; SAID POINT BEING N 31 DEG. 06 MIN. 37 SEC. W A DISTANCE OF 592.13 FEET FROM P. R. M. 46-91-DA01.

THENCE S 46 DEG. 01 MIN. 18 SEC. E TO THE POINT OF INTERSECTION WITH THE BAY-GULF COUNTY LINE AND THE POINT OF TERMINUS OF THE HEREIN DESCRIBED COASTAL CONSTRUCTION CONTROL LINE FOR BAY COUNTY, FLORIDA.