

---

**CHAPTER 62B-34  
GENERAL PERMITS FOR ACTIVITIES SEAWARD OF THE  
COASTAL CONSTRUCTION CONTROL LINE**

**TABLE OF CONTENTS**

	<b>PAGE</b>	
<b>62B-34.010</b>	<b>Definitions.</b>	<b>3</b>
<b>62B-34.020</b>	<b>Purpose.</b>	<b>4</b>
<b>62B-34.030</b>	<b>Application Procedures.</b>	<b>4</b>
<b>62B-34.040</b>	<b>Application Fees and Information Requirements.</b>	<b>5</b>
<b>62B-34.050</b>	<b>General Conditions.</b>	<b>7</b>
<b>62B-34.060</b> <b>or Activities.</b>	<b>Non-Habitable Major Structures and Associated Minor Structures</b>	<b>10</b>
<b>62B-34.070</b> <b>Activities.</b>	<b>Single Family Dwelling and Associated Minor Structures or</b>	<b>12</b>
<b>62B-34.100</b>	<b>Nassau County.</b>	<b>15</b>
<b>62B-34.110</b>	<b>Duval County.</b>	<b>16</b>
<b>62B-34.120</b>	<b>St. Johns County.</b>	<b>18</b>
<b>62B-34.130</b>	<b>Flagler County.</b>	<b>19</b>
<b>62B-34.140</b>	<b>Volusia County.</b>	<b>21</b>
<b>62B-34.150</b>	<b>Lee County.</b>	<b>26</b>
<b>62B-34.160</b>	<b>Collier County.</b>	<b>31</b>
<b>62B-34.170</b>	<b>Sarasota County.</b>	<b>34</b>
<b>62B-34.180</b>	<b>Manatee County.</b>	<b>40</b>
<b>62B-34.190</b>	<b>Charlotte County.</b>	<b>42</b>
<b>62B-34.200</b>	<b>Bay County.</b>	<b>43</b>
<b>62B-34.210</b>	<b>Escambia County.</b>	<b>47</b>

<b>DEP 2010</b>	<b>GENERAL PERMIT FOR ACTIVITIES SEWARD OF THE COASTAL CONSTRUCTION CONTROL LINE</b>	<b>62B-34</b>
<b>62B-34.220</b>	<b>Franklin County.</b>	<b>48</b>
<b>62B-34.230</b>	<b>Gulf County.</b>	<b>49</b>
<b>62B-34.240</b>	<b>Brevard County.</b>	<b>50</b>
<b>62B-34.250</b>	<b>Indian River County.</b>	<b>56</b>
<b>62B-34.260</b>	<b>Martin County.</b>	<b>59</b>
<b>62B-34.270</b>	<b>Palm Beach County.</b>	<b>61</b>

---

**PART I**  
**GENERAL PROVISIONS**

**62B-34.010 Definitions.**

- (1) "Bluff" is a steep cliff or slope, separating the beach from a generally flat upland area of higher elevation.
- (2) "Bluff Height" is the vertical distance between the toe of bluff and the top of bluff.
- (3) "Bureau" is the Bureau of Beaches and Coastal Systems of the Department of Environmental Protection.
- (4) "Certified Armoring" is a manmade structure designed, constructed and maintained to survive the effects of a thirty-year storm and provide protection to existing or proposed upland structures from erosion, wave attack, and current action associated with that event, and certified by a professional engineer registered in the state of Florida to meet the criteria specified in subparagraphs 62B-33.024(4)(a)1. through 4., F.A.C.
- (5) "First Line of Construction" is a reasonably continuous and uniform line formed by the seaward limit of the foundations or exterior walls of habitable major structures in the immediate area, provided those structures have not been unduly affected by erosion. Decks, balconies, non-habitable major structures, minor structures, armoring and other similar structures shall not be used to determine the line of construction.
- (6) "Footprint" is the area of the foundation supporting a structure.
- (7) "General Permit (GP) Line" is the line that defines the seaward limit where General Permits can be issued for activities authorized by this rule chapter, is established pursuant to the provisions of Section 161.053(19), F.S., and is recorded in the official records of the county.
- (8) "Limit of Construction" is the seaward limit of construction authorized by a General Permit.
- (9) "Major Road" are paved roads designated as public evacuation routes, or meeting the definition of arterial or collector in the Manual of Uniform Minimum Standards for Design, Construction, and Maintenance for Streets and Highways (also referred to as the *Florida Greenbook*) Florida Department of Transportation 2007, which is incorporated by reference. Copies of this document may be obtained by writing to the Department of Environmental Protection, Bureau of Beaches and Coastal Systems, MS 300, 3900 Commonwealth Blvd., Tallahassee, FL 32399-3000; or at the following web site: [www.dep.state.fl.us/beaches](http://www.dep.state.fl.us/beaches).
- (10) "Minor Structures" are designed to be expendable, and to minimize resistance to forces associated with high frequency storms and to break away when subjected to such forces, and which are of such size or design as to have a minor impact on the beach and dune system.
- (11) "Non-habitable Major Structures" are structures, which, as a result of design, location, or size could cause an adverse impact to the beach and dune system

and are designed primarily for uses other than human occupancy. Typically included within this category are roads, bridges, storm water outfalls, bathhouses, cabanas, decks, swimming pools, and garages.

(12) "Primary Dune" is a significant dune which has sufficient alongshore continuity to offer protective value to upland property. The primary dune may be separated from the frontal dune by an interdunal trough; however the primary dune may be considered the frontal dune if located immediately landward of the beach.

(13) "Second Line of Construction" is a reasonably continuous and uniform line formed by the seaward limit of the foundations or exterior walls of habitable major structures situated landward of the structures forming the first line of construction.

(14) "Toe of Bluff" is the location where a distinct change in slope occurs between the beach or berm and the face of the bluff.

(15) "Top of Bluff" is the location where a distinct change in slope occurs between the face of the bluff and the upland area.

(16) "Total Footprint" is the combined area of the footprint of the single-family dwelling, the footprint of any non-habitable major structures and associated minor structures, and all cantilevered areas.

(17) "Vegetation Line" is the seaward most continuous line of native perennial grass or woody coastal grassland and coastal strand vegetation such as sea oats, *Uniola paniculata*, bitter panicum, *Panicum amarum*, saw palmetto, *Serenoa repens*, or sea grape, *Coccoloba uvifera*.

Rulemaking Authority 161.053(21) FS. Law Implemented 161.052, 161.053(5), (19), (22) FS. History—New 3-27-03, Amended 11-21-05, 4-7-10.

#### **62B-34.020 Purpose.**

The purpose of this rule chapter is to implement the provisions of Section 161.053(19), F.S., providing General Permits for activities performed seaward of the Coastal Construction Control Line. Persons wishing to use one or more of the General Permits as set forth in Part II of this rule chapter shall be subject to the notice provisions of subsection 62B-34.030(4), F.A.C., before any activity is conducted as authorized herein. The general conditions provided pursuant to section 62B-34.050, F.A.C., shall apply to all of the General Permits issued under this rule chapter. Strict compliance with all of the terms, conditions, requirements, limitations, and restrictions applicable to a desired General Permit under this rule chapter is required to qualify for such a permit. Specific Authority 161.053 F.S. Law Implemented 161.053(19) F.S. History – New 3-27-03, Amended 11-21-05.

#### **62B-34.030 Application Procedures.**

(1) Any person wishing to use a General Permit shall provide a notice of intent to engage in activities under the General Permit by submitting to the Bureau the appropriate application fee required by section 62B-34.040, F.A.C., along with a completed application, using DEP Form #73-101 (Updated 7/05) entitled "Application for a General Permit for Construction or Other Activities Seaward of the Coastal

Construction Control Line”, which is hereby incorporated by reference. The Bureau must receive the completed application at least thirty (30) days before the applicant begins any work. Copies of the application form may be obtained by contacting the Bureau or by accessing the Department’s website at [www.dep.state.fl.us/beaches](http://www.dep.state.fl.us/beaches).

(a) Each application must be accompanied by the appropriate processing fee. The fee shall be paid by check, payable to the Department of Environmental Protection. The fee is non-refundable except as provided in Section 120.60, F.S., and in this rule chapter. An application received without the required fee shall be returned to the applicant.

(b) Upon receipt of an application and the appropriate fee, the permit processing time, pursuant to the requirements of Section 161.053, F.S., and Chapter 62-4, F.A.C., shall begin.

(c) If an applicant submits an application fee in excess of the required fee, the Department shall refund to the applicant the amount received in excess of the required fee.

(2) Projects undertaken without proof of notice to the Bureau shall be considered as being undertaken without a permit and shall be subject to enforcement pursuant to Section 161.121, F.S.

(3) If the Department determines that the proposed activity does not qualify for the General Permit as set forth in this rule chapter, the Department shall deny the application within thirty (30) days of receiving notice of intent. If the Department does not deny the application within thirty (30) days, the applicant may conduct the activity authorized by the General Permit pursuant to the general conditions and other requirements contained in this rule chapter.

(4) Persons wishing to use a General Permit shall provide notice as required by the applicable local building code where the project will be located. If a building code requires no notice, any person wishing to use a General Permit shall, at a minimum, post on the property at least five (5) days prior to the commencement of construction a sign no smaller than 8 ½ inches by 11 inches, with letters no smaller than one-quarter inch, describing the project.

Specific Authority 161.053 F.S. Law Implemented 161.053(19), 161.0535, 161.121 F.S. History – New 3-27-03, Amended 11-21-05.

#### **62B-34.040 Application Fees and Information Requirements.**

(1) The fee to process an application for a General Permit under section 62B-34.060, F.A.C., is \$300. The fee to process an application for a General Permit under section 62B-34.070, F.A.C., is \$500. The fee shall be in the form of a check made payable to the Department. Fees assessed pursuant to this rule are non-refundable, except fees received for an activity that is exempt or fee payments in excess of the amount required by this rule chapter.

(2) In order to demonstrate that the proposed project qualifies for the requested General Permit, the completed application required by subsection 62B-34.030, F.A.C., shall include the information below and any additional information

specific to the type of General Permit requested as provided in Part II of this rule chapter:

(a) The name, mailing address, and telephone number of the property owner and of any duly authorized agent making the application on behalf of the owner, and the signature of the applicant.

(b) An e-mail address or a fax number of the property owner and of any duly authorized agent making the application on behalf of the owner so the Department can notify the applicant of the agency's decision within thirty (30) days of receiving the notice.

(c) Evidence of ownership including the legal description of the property for which the permit is requested. Evidence of ownership may include a copy of an executed warranty deed bearing evidence of appropriate recordation or a copy of a property tax receipt bearing the name and address of the current owner. If the applicant is not the property owner, the applicant shall complete section 3 on the application form, authorizing the applicant to act as the owner's agent for the purpose of applying for a permit, and to act on behalf of the owner in other matters pertaining to the permit.

(d) Written evidence from the appropriate local governmental agency having jurisdiction over the activity stating that the proposed activity, as submitted to the Bureau, does not contravene local setback requirements or zoning codes.

(e) A statement describing the proposed work, activity, or construction.

(f) A signed and sealed survey of the subject property performed within six (6) months of the permit application date, depicting the Coastal Construction Control Line, the General Permit Line (if established across the property), the nearest two Department reference monuments, and the remainder of the information required under paragraph 62B-33.008(3)(f), F.A.C., and section 62B-33.0081, F.A.C.

(g) Two copies of a dimensioned site and grading plan and a cross sectional drawing drawn to a scale no smaller than 1" = 30'. The drawings shall be signed and sealed by an architect, engineer, landscape architect, or surveyor, as appropriate, licensed in the state of Florida, and shall show:

1. The location and dimensions of the property boundaries and rights of way.
2. Site topography, including the 0-foot contour, if applicable.
3. The location of the Coastal Construction Control Line and the General Permit Line (if established across the property).

4. Accurate dimensions and locations of the foundation outlines and exterior walls of any existing structures in the immediate contiguous or adjacent areas that the applicant contends have established a reasonably continuous and uniform first line of construction.

5. The locations of all potential and applicable limits of construction, including: major road, second line of construction, first line of construction, seasonal high water line, 30-year erosion projection, line of mean high water, erosion control line, certified armoring, landward limit of the primary dune structure, top of bluff greater than 15 feet high, and vegetation line.

6. The locations, dimensions, and square footage of any existing construction on the property.

7. The locations and perpendicular distances with respect to the Coastal Construction Control Line of any proposed construction, including the seaward most location of any foundation element, exterior wall, roofline, and deck, and the locations of any stairs providing building access or elevated walkovers to the beach.

8. The locations and volumes of any proposed excavation and fill.

9. All subgrade construction, including pile caps and grade beams, or excavation with elevations referenced to NAVD.

(h) If armoring is used to toll the thirty-year erosion projection, a certification by a professional engineer registered in the state of Florida shall be included with the application. The certification shall state that the armoring:

1. Has been designed, constructed, and maintained to survive the effects of a thirty-year storm,

2. Will provide protection to existing or proposed upland structures from erosion associated with the thirty-year storm event, and

3. Will meet the criteria specified in paragraph 62B-33.024(2)(a), F.A.C.

(i) Two copies of detailed planting plans, including a plant list (with both scientific and common names), the location of proposed plant species, and the location of the existing plant species to be removed. Planting plans shall comply with the requirements set forth in subsection 62B-34.070(5), F.A.C.

(j) Where the proposed activities are landward of a General Permit Line, the applicant is not required to submit information required by subparagraphs 62B-34.040(2)(g)2, 4, and 5, F.A.C.

(k) The Department recognizes that all the informational requirements specified in paragraphs 62B-34.040(2)(f), (g), and (i), F.A.C., may not, due to the project specific circumstances, be applicable or necessary to ensure consistency with the siting criteria of subsections 62B-34.060(2) and 62B-34.070(2), F.A.C. In such cases, the applicant shall, as part of the application, identify those requirements and state the reason why they are inapplicable. The Department shall waive requirements that do not apply.

Specific Authority 161.053, 161.0535 F.S. Law Implemented 161.053, 161.0535 F.S. History – New 3-27-03, Amended 11-21-05.

#### **62B-34.050 General Conditions.**

(1) The terms, conditions, requirements, limitations, and restrictions set forth in this section are general conditions and are binding upon the permittee for all General Permits in this rule chapter. These conditions are enforceable under Chapter 161, F.S.

(2) Prior to commencing construction activities under this rule chapter, which are authorized by this Bureau, a formal notification from the Bureau must be received authorizing the proposed activity. The notice form, DEP Form 73-102 (Updated 7/05), entitled "General Permit Notice to Proceed" is hereby incorporated by reference.

(3) A copy of the Notice to Proceed and the approved plans shall be conspicuously displayed at the project site for the duration of the activity.

(4) A pre-construction conference shall be held at the site between the contractor, the owner or authorized agent, and a staff representative of the Bureau prior to the initiation of any work permitted under this rule chapter. The purpose of this conference is to establish the manner in which the proposed work will be performed to ensure adequate protection of the beach and dune system and native vegetation. The optimum siting of the construction fence and any walkover shall be determined during the pre-construction conference by the staff representative in order to provide maximum protection to the existing vegetation located on the site. The locations of the proposed structures shall be staked out for the pre-construction conference.

(5) A foundation location certification shall be completed by the applicant, signed by a surveyor licensed in the state of Florida, and submitted to the Bureau immediately following installation of the foundation piles for the most seaward major structure authorized by this General Permit. This certification shall be submitted using DEP Form 73-114B (Updated 9/05) entitled "Foundation Location Certification", which is hereby incorporated by reference. The Department shall perform such verification within seven (7) working days of receipt of the certification. If the Department does not respond to the certification within seven (7) working days then construction may proceed. No further work may proceed until the Department has verified the foundation location information and authorized additional work to proceed.

(6) The permittee shall carry out the construction or activity for which the permit was granted in accordance with the plans and specifications that were approved by the Department as part of the permit. No other construction or activities shall be conducted. No modifications to project size, location, or structural design are authorized.

(7) Permits shall be suspended or revoked for good cause, in accordance with Section 161.053(20), F.S. In addition, a permit shall be suspended, revoked or modified by the Department if shoreline changes occurring subsequent to issuance of the permit render the previously authorized activities inconsistent with Chapter 161, F.S., or Chapter 62B-34, F.A.C.

(8) The assessment of civil fines or issuance of an order to alter or remove any work, or both, may result from work performed that was not authorized in the permit, pursuant to Section 161.054, F.S., and Chapter 62B-54, F.A.C.

(9) The permittee shall conduct the construction or activity authorized under the permit using extreme care to prevent any adverse impacts to the beach and dune system, marine turtles and their nests and nesting habitat, and adjacent properties and structures.

(10) The permittee shall allow any duly authorized member of the staff to enter upon the premises associated with the project authorized by the permit for the purpose of ascertaining compliance with the terms of the permit and with the rules of the Department.

(11) The state of Florida, the Department, or its officers and employees shall in no way be liable for any damage, no matter how occasioned and no matter what the amount, to persons or property which might result from the construction or activity authorized under the permit and from any and all claims and judgments resulting from such damage.

(12) The permittee shall not disturb existing beach and dune topography and vegetation except as expressly authorized in Part II of this rule chapter. Before the project is considered complete, any disturbed topography or vegetation shall be restored as prescribed in the permit with suitable fill material or revegetated with appropriate beach and dune vegetation.

(13) No construction, operation, transportation, or storage of equipment or materials is authorized seaward of the dune crest or rigid coastal structure.

(14) All fill material placed seaward of the Coastal Construction Control Line shall be sand that is similar to that already existing on the site in both coloration and grain size. All such fill material shall be free of construction debris, rocks, clay, or other foreign matter, and shall be obtained from a source landward of the Coastal Construction Control Line.

(15) To ensure compliance with this rule, all topographic restoration and revegetation work is subject to the approval and acceptance by the Department staff.

(16) No temporary lighting of the construction area is authorized during the marine turtle-nesting season (May 1 through October 31 of each year for all counties except for Brevard, Indian River, St. Lucie, Martin, Palm Beach and Broward. Nesting season for these counties is the period from March 1 through October 31 of each year.).

(17) This permit is issued to a specified property owner and is not valid for any other person.

(18) This General Permit does not eliminate the necessity to obtain any required federal, state, local, and special district authorizations prior to the start of activity authorized by Part II of this rule chapter.

(19) Elevated walkovers that provide access to the beach shall meet the following design criteria:

(a) The decking of the walkover structure shall be elevated a sufficient distance above the existing vegetation to allow for sand build-up and clearance above the vegetation and not exceed 4 feet in width.

(b) The piles for the walkover structure shall not be greater than 4-inch by 4-inch posts and shall not be encased in concrete.

(c) The walkover shall extend at least up to the existing line of vegetation but not farther than 10 feet seaward of the vegetation.

(d) Where armoring exists and no vegetation line exists seaward of the armoring, the walkover shall extend a maximum of 5 feet seaward of the armoring.

(e) The optimum siting of the walkover structure shall be determined by the staff representative during the pre-construction conference to provide maximum protection to the existing dune topography and vegetation located on the site.

(20) The duration for all permits is two years.

(21) Final certification, by an engineer or architect licensed in the state of Florida, shall be provided to the Department within thirty (30) days following completion of the work on major structures. This certification shall state that all locations and elevations specified by the permit have been verified; all major structures are specifically constructed in accordance with Chapter 62B-34, F.A.C.; other construction and activities authorized by the permit have been performed in compliance with the plans and project description approved as a part of the permit, and all conditions of the permit; or shall describe any deviations from the approved plans, project description or permit conditions, and any work not performed. Such certification shall not relieve the permittee of the provision contained in subsection 62B-34.050(6), F.A.C. The final certification shall be submitted using DEP Form 73-115B (Updated 7/05), entitled "Final Certification", which is hereby incorporated by reference. Specific Authority 161.053, 161.054 F.S. Law Implemented 161.053(5), (19), (22), 161.054 F.S. History – New 3-27-03, Amended 11-21-05.

## PART II GENERAL PERMITS

### **62B-34.060 Non-Habitable Major Structures and Associated Minor Structures or Activities.**

(1) Applicability. The following activities shall be eligible for a General Permit subject to the criteria and conditions set forth in this rule:

(a) New construction of non-habitable major structures. Swimming pools are not eligible for a General Permit pursuant to Section 161.053(19), F.S.

(b) Additions to an existing non-habitable major structure.

(c) Repair or rebuilding of an existing non-habitable major structure.

(d) Minor structures and activities associated with a proposed non-habitable major structure.

(2) Seaward Limit of Construction.

(a) The General Permit Line shall establish the seaward limit of construction if the line is defined in Part III of this rule chapter.

(b) If the General Permit Line is not defined in Part III of this rule chapter, the proposed construction activities shall be situated landward of a major road or the second line of construction.

(c) If the General Permit Line is not defined in Part III of this rule chapter and the proposed construction activities are not situated landward of a major road or the second line of construction, the seaward limit of construction activities allowed under paragraphs 62B-34.060(1)(a) through (d), F.A.C., shall be determined by the following criteria:

1. Construction shall remain a minimum of 25 feet landward of the primary dune feature.

2. Construction shall remain a minimum of 50 feet landward of the top of the bluff, with a bluff height greater than 15 feet.

3. Construction shall remain a minimum of 100 feet landward of the vegetation line, where the profile does not have certified armoring, a primary dune, or a bluff greater than 15 feet high.

4. Construction shall remain a minimum of 250 feet landward of the Erosion Control Line or a minimum of 250 feet landward of the Mean High Water Line, whichever is greater, where conditions contained in this rule, subparagraphs 62B-34.060(2)(a)1., 2., and 3., F.A.C., do not exist.

(d) No construction shall extend seaward of the General Permit Line or the first line of construction, except for elevated walkovers that provide access to the beach and that meet the design criteria contained in subsection 62B-34.050(19), F.A.C. If no General Permit Line has been established and no line of construction exists or can be determined, the proposed activity does not qualify for a General Permit.

(e) No construction shall extend seaward of the thirty-year erosion projection, except for elevated walkovers. The thirty-year erosion projection shall be made in accordance with the procedures stipulated in Rule 62B-33.024, F.A.C.

(f) No construction shall extend seaward of a point 25 feet landward of the existing armoring, except for elevated walkovers.

(3) Prohibitions and Limitations. Activities in paragraphs 62B-34.060(1)(a) through (d), F.A.C., shall be subject to the following prohibitions and limitations:

(a) Excavation shall be limited to the installation of, or repairs to, subgrade residential service utilities (e.g., water and sewer lines, septic tanks and drainfields, gas lines, and electrical, cable television and telephone cables). Minor and temporary excavation shall be allowed under this General Permit that would not result in the lowering of existing general ground elevations. This does not preclude temporary excavation for the installation of foundations.

(b) New construction of decks and additions to decks shall be limited to a total area of 1,500 square feet in size, except for elevated walkovers providing access to the beach. New or expanded decks shall be sited at or landward of the seaward limit of construction established by subsection 62B-34.060(2), F.A.C.

(c) Except where situated landward of a major road or landward of the second line of construction, new non-habitable major structures, and the combined dimensions of any existing single family dwellings, additions, decks, and other non-habitable major structures shall be limited to the following:

1. A total footprint of 6,300 square feet, and

2. A total shore-parallel coverage of 65 percent of the shore-parallel dimension of the parcel measured at the maximum shore-parallel coverage of the construction authorized under this rule chapter.

(d) All work authorized under this General Permit shall comply with the turtle protection requirements of subsection 62B-34.070(4), F.A.C.

(e) All landscape work authorized under this General Permit shall comply with the native vegetation protection requirements of subsection 62B-34.070(5), F.A.C. Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS. History—New 3-27-03, Amended 11-21-05, 4-7-10.

**62B-34.070 Single Family Dwelling and Associated Minor Structures or Activities.**

(1) Applicability. The following activities shall be eligible for a General Permit, subject to the criteria and conditions set forth in Chapter 62B-34, F.A.C.:

(a) New construction of a single-family dwelling.

(b) Minor structures and activities associated with a proposed single-family dwelling.

(c) Rebuilding, as defined by Rule 62B-33.002, F.A.C., of a single family dwelling.

(d) Additions to an existing single family dwelling in the landward or shore-parallel direction, provided the additions do not cause the footprint area and shore-parallel coverage of the combined existing structure and additions to exceed those dimensional limitations set forth in paragraph 62B-34.070(3)(c), F.A.C.

(e) Additions to an existing single family dwelling in the seaward direction, provided:

1. The seaward most part of the addition shall be sited at or landward of the seaward limit of construction established by subsection 62B-34.070(2), F.A.C., and

2. The additions do not cause the footprint area and shore-parallel coverage of the combined existing structure and additions to exceed those dimensional limitations set forth in this rule subsection 62B-34.070(3), F.A.C.

(2) Seaward Limit of Construction.

(a) The General Permit Line shall establish the seaward limit of construction if the line is defined in Part III of this rule chapter.

(b) If the General Permit Line is not defined in Part III of this rule chapter, the proposed construction activities shall be situated landward of a major road or the second line of construction.

(c) If the General Permit Line is not defined in Part III of this rule chapter and the proposed construction activities are not situated landward of a major road or the second line of construction, the seaward limit of construction activities allowed under paragraphs 62B-34.070(1)(a) through (e), F.A.C., shall be determined by the following criteria:

1. Construction shall remain a minimum of 25 feet landward of the primary dune feature.

2. Construction shall remain a minimum of 50 feet landward of the top of the bluff, with a bluff height greater than 15 feet.

3. Construction shall remain a minimum of 100 feet landward of the vegetation line, where the profile does not have certified armoring, a primary dune, or a bluff greater than 15 feet high.

4. Construction shall remain a minimum of 250 feet landward of the Erosion Control Line or a minimum of 250 feet landward of the Mean High Water Line, whichever is greater, where conditions contained in subparagraphs 62B-34.070(2)(c)1., 2., and 3., F.A.C., do not exist.

(d) No construction shall extend seaward of the General Permit Line or the first line of construction, except for elevated walkovers that provide access to the beach and that meet the design criteria contained in subsection 62B-34.050(19), F.A.C. If no General Permit Line has been established and no line of construction exists or can be determined, the proposed activity does not qualify for a General Permit.

(e) No construction shall extend seaward of the 30-year erosion projection, except for elevated walkovers providing access to the beach. The 30-year erosion projection shall be made in accordance with the procedures stipulated in Rule 62B-33.024, F.A.C.

(f) No construction shall extend seaward of a point 25 feet landward of the existing armoring, except for elevated walkovers.

(3) Prohibitions and Limitations. Activities in paragraphs 62B-34.070(1)(a) through (e), F.A.C., shall be subject to the following prohibitions and limitations:

(a) Excavation shall be limited to the installation of or repairs to subgrade residential service utilities (e.g., water and sewer lines, septic tanks and drainfields, gas lines, and electrical, cable television and telephone cables). Minor and temporary excavation shall be allowed that does not result in the lowering of existing general ground elevations. This does not preclude temporary excavation for the installation of foundations.

(b) New construction of decks associated with new or existing single family dwellings shall be limited by this General Permit to a total area of 1,500 square feet, except for elevated walkovers providing access to the beach. New or expanded elevated decks authorized by this General Permit shall be sited landward of the seaward limit of construction established by subsection 62B-34.070(2), F.A.C.

(c) Except where situated landward of a major road or landward of the second line of construction, the total dimensions and coverage of single-family dwellings, additions, and other non-habitable major structures shall be limited to the following:

1. New single-family dwellings and the combined dimensions of other major structures shall be limited to:

a. A total footprint area of 6,300 square feet, and

b. A total shore-parallel coverage of 65 percent of the shore-parallel dimension of the parcel, measured at the maximum shore-parallel coverage of the construction authorized under this General Permit.

2. Rebuilt single-family dwellings and the combined dimensions of other major structures shall be limited to:

a. A total footprint area less than or equal to the existing footprint, or a total footprint area of 6,300 square feet, and

b. A total shore-parallel coverage equal to or less than the existing, or up to a total shore-parallel coverage of 65 percent of the shore-parallel dimension of the parcel, measured at the seaward limit of the construction authorized under this General Permit.

3. Additions to existing single-family dwellings shall not exceed the shore-parallel dimensions of the existing single-family dwelling above 65 percent. The

---

combined footprint of the additions, the existing single-family dwelling, and other non-habitable major structures shall not exceed 6,300 square feet.

(4) Turtle Protection Requirements. All work authorized by this General Permit shall meet the following turtle protection requirements:

(a) All windows and glass doors on the seaward and shore-perpendicular sides of any new dwellings or additions shall be tinted to a transmittance value (light transmission from inside to outside) of 45% or less through the use of tinted glass or window film or screens.

(b) The following types of lighting are authorized under this General Permit. Any departure or deviation from these lighting requirements shall constitute a violation of this General Permit. All exterior lights shall be recessed or otherwise designed and located so as not to be visible from the beach. All exterior lights shall be lamped with long wavelength lamps greater than 580 nanometers such as red or amber LED and Turtle Safe Lighting coated, compact fluorescent lamps with a maximum output of 480 lumens each.

1. Lights at ingress/egress shall be wall mounted cylinder down-light fixtures or louvered wall lights that adhere to the following standards:

a. Cylinder down-light fixtures shall be equipped with interior black baffles, shall be mounted at a maximum height of eight feet above the floor and shall be limited to the ground and first habitable floor levels.

b. Louvered wall lights shall be mounted 12 inches or less above the adjacent floor or deck, shall be equipped with downward directed louvers that completely hide the light source, and shall be limited to no more than one fixture per egress.

2. Underhouse lights for unenclosed or partially enclosed parking and building access areas shall be limited to no more than one fixture per 100 square feet of parking or building access area and consist of either:

a. Cylinder downlight fixtures equipped with interior black baffles, and mounted either with a wall mount on piles or walls or a surface mount to the ceiling, or

b. Recessed ceiling fixtures with black baffles and hex cell louvers.

3. Landscape and pathway lights shall be low profile, full cut-off type fixtures, shall extend no more than 12 inches above the ground, shall extend no farther seaward than the house, and shall be limited to one fixture per 8 feet of path length or 1 fixture per 100 square feet of ground area.

(c) No lights shall be permitted on dune walkovers or elevated walkovers to the beach.

(d) No additional lighting shall be authorized.

(e) No temporary lighting of the construction area is authorized at any time during the marine turtle-nesting season.

(5) Native Vegetation Protection Requirements. All work authorized by this General Permit shall meet the following native vegetation protection requirements:

(a) The applicant shall install landscape plants in a way that minimizes impacts to existing native salt-tolerant vegetation.

(b) Any native salt-tolerant vegetation destroyed during construction shall be replaced with plants of the same species or with other native salt-tolerant vegetation suitable for beach and dune stabilization.

(c) All plants installed in beach and coastal areas used to replace vegetation displaced, damaged, or destroyed during construction or otherwise shall be of species native to Florida beaches and dunes in that part of the state, such as sea oats, sea grape, saw palmetto, panic grass, saltmeadow hay cordgrass, seashore saltgrass, and railroad vine.

(d) Except where situated landward of a major road or within the limits of the second line of construction, landscaping activities shall be limited to 10 feet seaward of the authorized structure. No landscaping activity or other removal of native vegetation shall occur seaward of this point under this rule.

(e) Planting of invasive nuisance plants, such as listed in the Florida Exotic Pest Plant Council's 2007 List of Invasive Plant Species (published Fall 2007), shall not occur if the planting will result in removal or destruction of existing dune-stabilizing native vegetation or if the planting is to occur on or seaward of the dune system. The 2007 List of Invasive Plant Species (published Fall 2007) is incorporated by reference. Copies of this document may be obtained by writing to the Department of Environmental Protection, Bureau of Beaches and Coastal Systems, MS 300, 3900 Commonwealth Blvd., Tallahassee, FL 32399-3000; or at the following web site: [www.dep.state.fl.us/beaches](http://www.dep.state.fl.us/beaches).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS. History—New 3-27-03, Amended 11-21-05, 4-7-10.

### PART III LEGAL DESCRIPTIONS OF GENERAL PERMIT LINE

#### 62B-34.100 Nassau County.

The legal description for the Nassau County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded April 6, 1983 in the "Setback Line Book", pages 10 through 16, of the Public Records of Nassau County, Florida, said General Permit Line being more particularly described as follows:  
COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR] ) PERMANENT REFERENCE MONUMENT (P.R.M.) 74-81-A06 AND RUN THENCE S 77 DEG. 40 MIN. 40 SEC. E A DISTANCE OF 533.381 FEET TO A POINT LOCATED ON THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL S 06 DEG. 00 MIN. 55 SEC. W A DISTANCE OF 746.37 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:  
THENCE S 83 DEG. 59 MIN. 05 SEC. E A DISTANCE OF 56.55 FEET TO A POINT, THENCE S 04 DEG. 58 MIN. 11 SEC. W A DISTANCE OF 207.78 FEET TO A POINT,

THENCE S 01 DEG. 11 MIN. 16 SEC. W A DISTANCE OF 1061.23 FEET TO A POINT,  
THENCE S 01 DEG. 35 MIN. 18 SEC. E A DISTANCE OF 577.22 FEET TO A POINT,  
THENCE S 21 DEG. 10 MIN. 53 SEC. E A DISTANCE OF 171.59 FEET TO A POINT,  
THENCE S 05 DEG. 54 MIN. 39 SEC. W A DISTANCE OF 1252.66 FEET TO A POINT,  
THENCE S 06 DEG. 37 MIN. 04 SEC. W A DISTANCE OF 980.53 FEET TO A POINT,  
THENCE S 06 DEG. 57 MIN. 29 SEC. W A DISTANCE OF 808.96 FEET TO A POINT,  
THENCE S 07 DEG. 23 MIN. 06 SEC. W A DISTANCE OF 956.94 FEET TO A POINT,  
THENCE S 06 DEG. 51 MIN. 39 SEC. W A DISTANCE OF 887.35 FEET TO A POINT,  
THENCE S 07 DEG. 54 MIN. 31 SEC. W A DISTANCE OF 1061.09 FEET TO A POINT,  
THENCE S 08 DEG. 42 MIN. 12 SEC. W A DISTANCE OF 1017.72 FEET TO A POINT,  
THENCE S 08 DEG. 51 MIN. 44 SEC. W A DISTANCE OF 863.31 FEET TO A POINT,  
THENCE S 06 DEG. 43 MIN. 27 SEC. W A DISTANCE OF 939.46 FEET TO A POINT,  
THENCE S 10 DEG. 13 MIN. 12 SEC. W A DISTANCE OF 907.40 FEET TO A POINT,  
THENCE S 09 DEG. 37 MIN. 39 SEC. W A DISTANCE OF 855.04 FEET TO A POINT,  
THENCE S 09 DEG. 33 MIN. 36 SEC. W A DISTANCE OF 385.35 FEET TO A POINT,  
THENCE S 09 DEG. 19 MIN. 38 SEC. W A DISTANCE OF 906.99 FEET TO A POINT,  
THENCE S 06 DEG. 37 MIN. 03 SEC. W A DISTANCE OF 616.10 FEET TO A POINT,  
THENCE S 05 DEG. 30 MIN. 20 SEC. W A DISTANCE OF 166.77 FEET TO A POINT,  
THENCE S 11 DEG. 07 MIN. 29 SEC. W A DISTANCE OF 1031.38 FEET TO A POINT,  
THENCE S 10 DEG. 24 MIN. 19 SEC. W A DISTANCE OF 968.93 FEET TO A POINT,  
THENCE S 11 DEG. 04 MIN. 18 SEC. W A DISTANCE OF 895.67 FEET TO A POINT,  
THENCE S 10 DEG. 57 MIN. 15 SEC. W A DISTANCE OF 694.66 FEET TO A POINT,  
THENCE N 79 DEG. 46 MIN. 23 SEC. W A DISTANCE OF 52.24 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED CCCL AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.  
Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS.  
History – New 11-21-05.

**62B-34.110 Duval County.**

The legal description for the Duval County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded July 23, 1992 in "Map Book C", pages 72 through 72H, of the Public Records of Duval County, Florida, said General Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 72-81-A15 AND RUN THENCE S 79 DEG. 00 MIN. 56 SEC. E A DISTANCE OF 321.68 FEET TO A POINT ON THE CCCL;

THENCE ALONG SAID CCCL S 02 DEG. 03 MIN. 26 SEC. E A DISTANCE OF 975.99 FEET TO A POINT; THENCE S 01 DEG. 48 MIN. 53 SEC. E A DISTANCE OF 885.54 FEET TO A POINT; THENCE S 04 DEG. 20 MIN. 21 SEC. E A DISTANCE OF 794.20 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID CCCL RUN:

THENCE N 85 DEG. 39 MIN. 37 SEC. E A DISTANCE OF 33.00 FEET TO A POINT;  
THENCE S 08 DEG. 33 MIN. 48 SEC. E A DISTANCE OF 261.92 FEET TO A POINT;  
THENCE S 03 DEG. 18 MIN. 31 SEC. E A DISTANCE OF 814.36 FEET TO A POINT;  
THENCE S 05 DEG. 43 MIN. 41 SEC. E A DISTANCE OF 971.85 FEET TO A POINT;  
THENCE S 04 DEG. 51 MIN. 24 SEC. E A DISTANCE OF 921.31 FEET TO A POINT;  
THENCE S 05 DEG. 01 MIN. 43 SEC. E A DISTANCE OF 969.73 FEET TO A POINT;  
THENCE S 06 DEG. 15 MIN. 49 SEC. E A DISTANCE OF 989.91 FEET TO A POINT;  
THENCE S 05 DEG. 40 MIN. 39 SEC. E A DISTANCE OF 1031.06 FEET TO A POINT;  
THENCE S 05 DEG. 02 MIN. 53 SEC. E A DISTANCE OF 920.57 FEET TO A POINT;  
THENCE S 04 DEG. 42 MIN. 26 SEC. E A DISTANCE OF 926.12 FEET TO A POINT;  
THENCE S 04 DEG. 26 MIN. 43 SEC. E A DISTANCE OF 941.83 FEET TO A POINT;  
THENCE S 04 DEG. 53 MIN. 07 SEC. E A DISTANCE OF 1056.84 FEET TO A POINT;  
THENCE S 02 DEG. 49 MIN. 10 SEC. E A DISTANCE OF 935.13 FEET TO A POINT;  
THENCE S 06 DEG. 38 MIN. 39 SEC. E A DISTANCE OF 916.15 FEET TO A POINT;  
THENCE S 06 DEG. 29 MIN. 55 SEC. E A DISTANCE OF 918.90 FEET TO A POINT;  
THENCE S 06 DEG. 40 MIN. 28 SEC. E A DISTANCE OF 946.41 FEET TO A POINT;  
THENCE N 80 DEG. 54 MIN. 35 SEC. E A DISTANCE OF 25.32 FEET TO A POINT;  
THENCE S 09 DEG. 23 MIN. 57 SEC. E A DISTANCE OF 894.00 FEET TO A POINT;  
THENCE S 07 DEG. 42 MIN. 19 SEC. E A DISTANCE OF 991.96 FEET TO A POINT;  
THENCE S 08 DEG. 23 MIN. 20 SEC. E A DISTANCE OF 939.05 FEET TO A POINT;  
THENCE S 08 DEG. 24 MIN. 56 SEC. E A DISTANCE OF 908.78 FEET TO A POINT;  
THENCE S 08 DEG. 12 MIN. 19 SEC. E A DISTANCE OF 1079.05 FEET TO A POINT;  
THENCE S 08 DEG. 33 MIN. 56 SEC. E A DISTANCE OF 892.96 FEET TO A POINT;  
THENCE S 08 DEG. 19 MIN. 32 SEC. E A DISTANCE OF 994.48 FEET TO A POINT;  
THENCE S 08 DEG. 32 MIN. 48 SEC. E A DISTANCE OF 894.94 FEET TO A POINT;  
THENCE S 09 DEG. 30 MIN. 03 SEC. E A DISTANCE OF 981.46 FEET TO A POINT;  
THENCE S 09 DEG. 31 MIN. 10 SEC. E A DISTANCE OF 991.66 FEET TO A POINT;  
THENCE S 09 DEG. 32 MIN. 22 SEC. E A DISTANCE OF 977.52 FEET TO A POINT;  
THENCE S 09 DEG. 37 MIN. 04 SEC. E A DISTANCE OF 969.63 FEET TO A POINT;  
THENCE S 09 DEG. 41 MIN. 15 SEC. E A DISTANCE OF 1045.91 FEET TO A POINT;  
THENCE S 09 DEG. 53 MIN. 06 SEC. E A DISTANCE OF 1025.22 FEET TO A POINT;  
THENCE S 11 DEG. 06 MIN. 06 SEC. E A DISTANCE OF 971.17 FEET TO A POINT;  
THENCE S 11 DEG. 05 MIN. 29 SEC. E A DISTANCE OF 925.28 FEET TO A POINT;  
THENCE S 11 DEG. 37 MIN. 55 SEC. E A DISTANCE OF 1011.78 FEET TO A POINT;  
THENCE S 12 DEG. 07 MIN. 34 SEC. E A DISTANCE OF 894.97 FEET TO A POINT;  
THENCE S 11 DEG. 01 MIN. 03 SEC. E A DISTANCE OF 999.42 FEET TO A POINT;  
THENCE S 10 DEG. 58 MIN. 56 SEC. E A DISTANCE OF 1028.84 FEET TO A POINT;

THENCE S 10 DEG. 46 MIN. 32 SEC. E A DISTANCE OF 925.32 FEET TO A POINT;  
THENCE S 09 DEG. 34 MIN. 00 SEC. E A DISTANCE OF 270.77 FEET TO A POINT;  
THENCE S 80 DEG. 32 MIN. 16 SEC. W A DISTANCE OF 24.33 FEET TO A POINT;  
THENCE S 09 DEG. 32 MIN. 28 SEC. E A DISTANCE OF 597.26 FEET TO A POINT;  
THENCE S 11 DEG. 05 MIN. 22 SEC. E A DISTANCE OF 1019.03 FEET TO A POINT;  
THENCE S 11 DEG. 03 MIN. 15 SEC. E TO A POINT LYING ON THE DUVAL- ST.  
JOHNS COUNTY LINE; THENCE RUN WESTERLY ALONG SAID DUVAL- ST.  
JOHNS COUNTY LINE TO A POINT LOCATED ON THE AFOREMENTIONED CCCL,  
SAID POINT BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED  
GENERAL PERMIT LINE.

Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS.  
History – New 11-21-05.

#### **62B-34.120 St. Johns County.**

The legal description for the St. Johns County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded January 28, 1988 in the "CCCL Book 13B", pages 1 through 15, of the Public Records of St. Johns County, Florida, said General Permit Line being more particularly described as follows:

##### **NORTH SEGMENT:**

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR] )  
PERMANENT REFERENCE MONUMENT (P.R.M.) 78-79-A38 AND RUN THENCE S  
23 DEG. 35 MIN. 12 SEC. E A DISTANCE OF 83.35 FEET TO A POINT LOCATED ON  
THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL RUN S 18 DEG. 35  
MIN. 05 SEC. E A DISTANCE OF 1086.59 FEET TO A POINT, SAID POINT BEING  
THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE,  
THENCE LEAVING SAID CCCL RUN:

THENCE N 70 DEG. 39 MIN. 52 SEC. E A DISTANCE OF 36.41 FEET,  
THENCE S 22 DEG. 32 MIN. 25 SEC. E A DISTANCE OF 1118.48 FEET,  
THENCE S 21 DEG. 49 MIN. 14 SEC. E A DISTANCE OF 1113.80 FEET,  
THENCE S 21 DEG. 13 MIN. 13 SEC. E A DISTANCE OF 1080.25 FEET,  
THENCE S 21 DEG. 12 MIN. 28 SEC. E A DISTANCE OF 1111.26 FEET,  
THENCE S 21 DEG. 05 MIN. 48 SEC. E A DISTANCE OF 347.28 FEET,  
THENCE S 59 DEG. 04 MIN. 06 SEC. W TO THE MEAN HIGH WATER OF ST.  
AUGUSTINE INLET AND POINT OF TERMINUS OF THE HEREIN DESCRIBED  
GENERAL PERMIT LINE.

##### **SOUTH SEGMENT:**

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR] )  
PERMANENT REFERENCE MONUMENT (P.R.M.) 78-86-A45A AND RUN THENCE N  
40 DEG. 10 MIN. 19 SEC. W A DISTANCE OF 189.59 FEET TO A POINT LOCATED  
ON THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL RUN S 11

DEG. 41 MIN. 56 SEC. E A DISTANCE OF 184.02 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:  
THENCE S 89 DEG. 54 MIN. 17 SEC. E A DISTANCE OF 458.75 FEET TO A POINT,  
THENCE S 00 DEG. 05 MIN. 43 SEC. W A DISTANCE OF 1802.00 FEET TO A POINT,  
THENCE S 02 DEG. 13 MIN. 57 SEC. W A DISTANCE OF 1026.78 FEET TO A POINT,  
THENCE S 02 DEG. 00 MIN. 27 SEC. E A DISTANCE OF 1027.63 FEET TO A POINT,  
THENCE S 00 DEG. 55 MIN. 50 SEC. E A DISTANCE OF 985.13 FEET TO A POINT,  
THENCE S 01 DEG. 10 MIN. 42 SEC. W A DISTANCE OF 1021.22 FEET TO A POINT,  
THENCE S 05 DEG. 57 MIN. 06 SEC. E A DISTANCE OF 993.35 FEET TO A POINT,  
THENCE S 05 DEG. 13 MIN. 32 SEC. E A DISTANCE OF 1018.64 FEET TO A POINT,  
THENCE S 83 DEG. 43 MIN. 19 SEC. W A DISTANCE OF 91.14 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED CCCL AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.  
Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), (22), 161.054 FS.  
History – New 11-21-05.

#### **62B-34.130 Flagler County.**

The legal description for the Flagler County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded April 14, 1988 in the "CCCL Book 28", pages 5 through 12, of the Public Records of Flagler County, Florida, said General Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR] ) PERMANENT REFERENCE MONUMENT (P.R.M.) 73-77-A18 AND RUN THENCE N 13 DEG. 13 MIN. 05 SEC. W A DISTANCE OF 573.32 FEET TO A POINT LOCATED ON THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL S 22 DEG. 28 MIN. 12 SEC. E A DISTANCE OF 992.17 FEET, THENCE S 22 DEG. 12 MIN. 35 SEC. E A DISTANCE OF 965.05 FEET TO A POINT, THENCE S 22 DEG. 05 MIN. 38 SEC. E A DISTANCE OF 944.54 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, THENCE LEAVING SAID CCCL RUN:  
THENCE N 67 DEG. 37 MIN. 45 SEC. E A DISTANCE OF 95.27 FEET TO A POINT,  
THENCE S 23 DEG. 01 MIN. 08 SEC. E A DISTANCE OF 1009.27 FEET TO A POINT,  
THENCE S 23 DEG. 42 MIN. 55 SEC. E A DISTANCE OF 917.48 FEET TO A POINT,  
THENCE S 23 DEG. 16 MIN. 59 SEC. E A DISTANCE OF 890.52 FEET TO A POINT,  
THENCE S 23 DEG. 50 MIN. 00 SEC. E A DISTANCE OF 450.41 FEET TO A POINT,  
THENCE S 22 DEG. 24 MIN. 40 SEC. E A DISTANCE OF 802.62 FEET TO A POINT,  
THENCE S 23 DEG. 55 MIN. 22 SEC. E A DISTANCE OF 1028.34 FEET TO A POINT,

---

THENCE S 23 DEG. 52 MIN. 53 SEC. E A DISTANCE OF 859.59 FEET TO A POINT,  
THENCE S 23 DEG. 12 MIN. 32 SEC. E A DISTANCE OF 725.73 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 23 SEC. E A DISTANCE OF 1094.83 FEET TO A POINT,  
THENCE S 22 DEG. 55 MIN. 56 SEC. E A DISTANCE OF 1101.02 FEET TO A POINT,  
THENCE S 23 DEG. 45 MIN. 17 SEC. E A DISTANCE OF 784.46 FEET TO A POINT,  
THENCE S 23 DEG. 52 MIN. 51 SEC. E A DISTANCE OF 926.30 FEET TO A POINT,  
THENCE S 23 DEG. 39 MIN. 09 SEC. E A DISTANCE OF 994.55 FEET TO A POINT,  
THENCE S 23 DEG. 39 MIN. 09 SEC. E A DISTANCE OF 994.55 FEET TO A POINT,  
THENCE S 24 DEG. 26 MIN. 38 SEC. E A DISTANCE OF 882.06 FEET TO A POINT,  
THENCE S 23 DEG. 11 MIN. 28 SEC. E A DISTANCE OF 1003.05 FEET TO A POINT,  
THENCE S 27 DEG. 26 MIN. 01 SEC. E A DISTANCE OF 944.18 FEET TO A POINT,  
THENCE S 23 DEG. 39 MIN. 29 SEC. E A DISTANCE OF 917.07 FEET TO A POINT,  
THENCE S 23 DEG. 13 MIN. 38 SEC. E A DISTANCE OF 1052.29 FEET TO A POINT,  
THENCE S 23 DEG. 09 MIN. 52 SEC. E A DISTANCE OF 882.12 FEET TO A POINT,  
THENCE S 23 DEG. 03 MIN. 01 SEC. E A DISTANCE OF 1065.03 FEET TO A POINT,  
THENCE S 23 DEG. 12 MIN. 23 SEC. E A DISTANCE OF 961.82 FEET TO A POINT,  
THENCE S 22 DEG. 08 MIN. 28 SEC. E A DISTANCE OF 939.26 FEET TO A POINT,  
THENCE S 22 DEG. 15 MIN. 33 SEC. E A DISTANCE OF 953.02 FEET TO A POINT,  
THENCE S 22 DEG. 46 MIN. 41 SEC. E A DISTANCE OF 947.93 FEET TO A POINT,  
THENCE S 23 DEG. 36 MIN. 43 SEC. E A DISTANCE OF 946.22 FEET TO A POINT,  
THENCE S 24 DEG. 12 MIN. 32 SEC. E A DISTANCE OF 968.14 FEET TO A POINT,  
THENCE S 23 DEG. 17 MIN. 02 SEC. E A DISTANCE OF 968.91 FEET TO A POINT,  
THENCE S 22 DEG. 50 MIN. 01 SEC. E A DISTANCE OF 968.93 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 01 SEC. E A DISTANCE OF 958.41 FEET TO A POINT,  
THENCE S 22 DEG. 59 MIN. 56 SEC. E A DISTANCE OF 941.87 FEET TO A POINT,  
THENCE S 23 DEG. 08 MIN. 36 SEC. E A DISTANCE OF 951.58 FEET TO A POINT,  
THENCE S 22 DEG. 38 MIN. 15 SEC. E A DISTANCE OF 1005.46 FEET TO A POINT,  
THENCE S 22 DEG. 26 MIN. 57 SEC. E A DISTANCE OF 903.47 FEET TO A POINT,  
THENCE S 22 DEG. 09 MIN. 25 SEC. E A DISTANCE OF 1047.34 FEET TO A POINT,  
THENCE S 22 DEG. 33 MIN. 14 SEC. E A DISTANCE OF 735.23 FEET TO A POINT,  
THENCE S 22 DEG. 38 MIN. 18 SEC. E A DISTANCE OF 953.46 FEET TO A POINT,  
THENCE S 22 DEG. 10 MIN. 14 SEC. E A DISTANCE OF 951.34 FEET TO A POINT,  
THENCE S 21 DEG. 47 MIN. 22 SEC. E A DISTANCE OF 886.32 FEET TO A POINT,  
THENCE S 20 DEG. 59 MIN. 12 SEC. E A DISTANCE OF 809.71 FEET TO A POINT,  
THENCE S 20 DEG. 54 MIN. 29 SEC. E A DISTANCE OF 952.73 FEET TO A POINT,  
THENCE S 21 DEG. 14 MIN. 27 SEC. E A DISTANCE OF 930.19 FEET TO A POINT,  
THENCE S 21 DEG. 21 MIN. 13 SEC. E A DISTANCE OF 950.23 FEET TO A POINT,  
THENCE S 21 DEG. 18 MIN. 01 SEC. E A DISTANCE OF 955.25 FEET TO A POINT,  
THENCE S 20 DEG. 31 MIN. 14 SEC. E A DISTANCE OF 947.10 FEET TO A POINT,  
THENCE S 18 DEG. 39 MIN. 55 SEC. E A DISTANCE OF 943.63 FEET TO A POINT,  
THENCE S 21 DEG. 36 MIN. 57 SEC. E A DISTANCE OF 860.52 FEET TO A POINT,  
THENCE S 21 DEG. 05 MIN. 18 SEC. E A DISTANCE OF 969.96 FEET TO A POINT,  
THENCE S 23 DEG. 47 MIN. 02 SEC. E A DISTANCE OF 976.97 FEET TO A POINT,

THENCE S 22 DEG. 26 MIN. 21 SEC. E A DISTANCE OF 951.00 FEET TO A POINT,  
THENCE S 22 DEG. 02 MIN. 10 SEC. E A DISTANCE OF 951.51 FEET TO A POINT,  
THENCE S 21 DEG. 45 MIN. 26 SEC. E TO THE INTERSECTION OF THE FLAGLER-  
VOLUSIA COUNTY LINE, THENCE RUN WESTERLY ALONG THE FLAGLER-  
VOLUSIA COUNTY LINE TO A POINT LOCATED ON THE CCCL, SAID POINT BEING  
THE TERMINUS POINT OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.  
Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), and (22), 161.054  
FS. History – New 11-21-05.

#### **62B-34.140 Volusia County.**

The legal description for the Volusia County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded January 24, 1991 in "Map of Record CCCL Book 30", page 20, of the Public Records of Volusia County, Florida, said General Permit Line being more particularly described as follows:

##### **NORTH SEGMENT:**

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR] )  
PERMANENT REFERENCE MONUMENT (P.R.M.) 79-78-A80-2 (1988) AND RUN  
THENCE N 26 DEG. 43 MIN. 16 SEC. W A DISTANCE OF 576.87 FEET TO A POINT  
LOCATED ON THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL  
RUN S 21 DEG. 53 MIN. 37 SEC. E A DISTANCE OF 961.17 FEET TO A POINT,  
THENCE S 21 DEG. 56 MIN. 48 SEC. E 950.59 FEET TO A POINT, THENCE S 21  
DEG. 45 MIN. 20 SEC. E 98.90 FEET TO A POINT, SAID POINT BEING THE POINT  
OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, THENCE  
LEAVING SAID CCCL RUN:

THENCE N 68 DEG. 14 MIN. 40 SEC. E A DISTANCE OF 78.47 FEET TO A POINT,  
THENCE S 21 DEG. 42 MIN. 04 SEC. E A DISTANCE OF 839.96 FEET TO A POINT,  
THENCE S 21 DEG. 37 MIN. 31 SEC. E A DISTANCE OF 419.48 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 549.35 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 941.58 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 960.61 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 909.85 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 920.99 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 942.00 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 00 SEC. E A DISTANCE OF 963.61 FEET TO A POINT,  
THENCE S 21 DEG. 58 MIN. 01 SEC. E A DISTANCE OF 166.86 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 812.59 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 936.66 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 944.05 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 946.33 FEET TO A POINT,  
THENCE S 23 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 402.53 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 547.96 FEET TO A POINT,

---

THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 903.15 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 21 SEC. E A DISTANCE OF 970.78 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 942.66 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 945.69 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 958.45 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 931.19 FEET TO A POINT,  
THENCE S 22 DEG. 39 MIN. 20 SEC. E A DISTANCE OF 947.79 FEET TO A POINT,  
THENCE S 21 DEG. 56 MIN. 25 SEC. E A DISTANCE OF 929.63 FEET TO A POINT,  
THENCE S 21 DEG. 52 MIN. 20 SEC. E A DISTANCE OF 959.19 FEET TO A POINT,  
THENCE S 21 DEG. 52 MIN. 20 SEC. E A DISTANCE OF 941.86 FEET TO A POINT,  
THENCE S 20 DEG. 02 MIN. 59 SEC. E A DISTANCE OF 941.64 FEET TO A POINT,  
THENCE S 20 DEG. 43 MIN. 46 SEC. E A DISTANCE OF 940.04 FEET TO A POINT,  
THENCE S 22 DEG. 40 MIN. 02 SEC. E A DISTANCE OF 1002.45 FEET TO A POINT,  
THENCE S 22 DEG. 30 MIN. 41 SEC. E A DISTANCE OF 899.90 FEET TO A POINT,  
THENCE S 22 DEG. 23 MIN. 04 SEC. E A DISTANCE OF 953.86 FEET TO A POINT,  
THENCE S 22 DEG. 10 MIN. 54 SEC. E A DISTANCE OF 642.78 FEET TO A POINT,  
THENCE S 21 DEG. 57 MIN. 02 SEC. E A DISTANCE OF 1075.84 FEET TO A POINT,  
THENCE S 21 DEG. 39 MIN. 02 SEC. E A DISTANCE OF 424.06 FEET TO A POINT,  
THENCE S 21 DEG. 33 MIN. 19 SEC. E A DISTANCE OF 608.32 FEET TO A POINT,  
THENCE N 89 DEG. 37 MIN. 04 SEC. E A DISTANCE OF 41.36 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 55 SEC. E A DISTANCE OF 989.50 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 55 SEC. E A DISTANCE OF 461.26 FEET TO A POINT,  
THENCE S 65 DEG. 56 MIN. 27 SEC. W A DISTANCE OF 24.00 FEET TO A POINT,  
THENCE S 22 DEG. 56 MIN. 46 SEC. E A DISTANCE OF 520.28 FEET TO A POINT,  
THENCE S 22 DEG. 54 MIN. 46 SEC. E A DISTANCE OF 547.65 FEET TO A POINT,  
THENCE S 23 DEG. 18 MIN. 39 SEC. E A DISTANCE OF 408.14 FEET TO A POINT,  
THENCE S 23 DEG. 05 MIN. 44 SEC. E A DISTANCE OF 544.65 FEET TO A POINT,  
THENCE S 23 DEG. 06 MIN. 40 SEC. E A DISTANCE OF 371.94 FEET TO A POINT,  
THENCE S 23 DEG. 05 MIN. 40 SEC. E A DISTANCE OF 610.37 FEET TO A POINT,  
THENCE S 23 DEG. 28 MIN. 41 SEC. E A DISTANCE OF 368.18 FEET TO A POINT,  
THENCE S 23 DEG. 16 MIN. 35 SEC. E A DISTANCE OF 928.85 FEET TO A POINT,  
THENCE S 24 DEG. 30 MIN. 54 SEC. E A DISTANCE OF 585.09 FEET TO A POINT,  
THENCE S 24 DEG. 09 MIN. 44 SEC. E A DISTANCE OF 417.32 FEET TO A POINT,  
THENCE S 21 DEG. 47 MIN. 36 SEC. E A DISTANCE OF 653.48 FEET TO A POINT,  
THENCE S 21 DEG. 56 MIN. 50 SEC. E A DISTANCE OF 376.86 FEET TO A POINT,  
THENCE S 23 DEG. 33 MIN. 37 SEC. E A DISTANCE OF 438.93 FEET TO A POINT,  
THENCE S 23 DEG. 26 MIN. 21 SEC. E A DISTANCE OF 373.49 FEET TO A POINT,  
THENCE S 22 DEG. 35 MIN. 24 SEC. E A DISTANCE OF 560.94 FEET TO A POINT,  
THENCE S 22 DEG. 37 MIN. 16 SEC. E A DISTANCE OF 390.13 FEET TO A POINT,  
THENCE S 24 DEG. 08 MIN. 37 SEC. E A DISTANCE OF 846.61 FEET TO A POINT,  
THENCE S 23 DEG. 45 MIN. 56 SEC. E A DISTANCE OF 1105.66 FEET TO A POINT,  
THENCE S 21 DEG. 16 MIN. 41 SEC. E A DISTANCE OF 886.24 FEET TO A POINT,  
THENCE S 24 DEG. 07 MIN. 40 SEC. E A DISTANCE OF 889.60 FEET TO A POINT,

---

THENCE S 24 DEG. 13 MIN. 50 SEC. E A DISTANCE OF 1062.39 FEET TO A POINT,  
THENCE S 23 DEG. 39 MIN. 15 SEC. E A DISTANCE OF 942.65 FEET TO A POINT,  
THENCE S 22 DEG. 47 MIN. 14 SEC. E A DISTANCE OF 944.73 FEET TO A POINT,  
THENCE S 22 DEG. 52 MIN. 43 SEC. E A DISTANCE OF 958.14 FEET TO A POINT,  
THENCE S 24 DEG. 05 MIN. 08 SEC. E A DISTANCE OF 1066.79 FEET TO A POINT,  
THENCE S 22 DEG. 53 MIN. 50 SEC. E A DISTANCE OF 881.56 FEET TO A POINT,  
THENCE S 23 DEG. 35 MIN. 31 SEC. E A DISTANCE OF 957.77 FEET TO A POINT,  
THENCE S 23 DEG. 51 MIN. 37 SEC. E A DISTANCE OF 951.41 FEET TO A POINT,  
THENCE S 23 DEG. 09 MIN. 21 SEC. E A DISTANCE OF 849.06 FEET TO A POINT,  
THENCE S 23 DEG. 33 MIN. 25 SEC. E A DISTANCE OF 550.71 FEET TO A POINT,  
THENCE S 23 DEG. 22 MIN. 27 SEC. E A DISTANCE OF 402.42 FEET TO A POINT,  
THENCE S 22 DEG. 49 MIN. 20 SEC. E A DISTANCE OF 1023.96 FEET TO A POINT,  
THENCE S 23 DEG. 33 MIN. 20 SEC. E A DISTANCE OF 913.89 FEET TO A POINT,  
THENCE S 22 DEG. 58 MIN. 50 SEC. E A DISTANCE OF 913.65 FEET TO A POINT,  
THENCE S 24 DEG. 32 MIN. 55 SEC. E A DISTANCE OF 71.53 FEET TO A POINT,  
THENCE S 24 DEG. 30 MIN. 30 SEC. E A DISTANCE OF 759.45 FEET TO A POINT,  
THENCE S 22 DEG. 58 MIN. 06 SEC. E A DISTANCE OF 1121.56 FEET TO A POINT,  
THENCE S 23 DEG. 07 MIN. 06 SEC. E A DISTANCE OF 941.66 FEET TO A POINT,  
THENCE S 23 DEG. 25 MIN. 50 SEC. E A DISTANCE OF 1000.01 FEET TO A POINT,  
THENCE S 20 DEG. 46 MIN. 37 SEC. E A DISTANCE OF 1015.25 FEET TO A POINT,  
THENCE S 24 DEG. 38 MIN. 05 SEC. E A DISTANCE OF 1002.64 FEET TO A POINT,  
THENCE S 26 DEG. 36 MIN. 13 SEC. E A DISTANCE OF 231.15 FEET TO A POINT,  
THENCE S 22 DEG. 30 MIN. 06 SEC. E A DISTANCE OF 732.70 FEET TO A POINT,  
THENCE S 26 DEG. 27 MIN. 15 SEC. E A DISTANCE OF 939.76 FEET TO A POINT,  
THENCE S 25 DEG. 02 MIN. 49 SEC. E A DISTANCE OF 1208.95 FEET TO A POINT,  
THENCE S 21 DEG. 38 MIN. 02 SEC. E A DISTANCE OF 762.29 FEET TO A POINT,  
THENCE S 23 DEG. 49 MIN. 25 SEC. E A DISTANCE OF 859.53 FEET TO A POINT,  
THENCE S 22 DEG. 12 MIN. 41 SEC. E A DISTANCE OF 840.08 FEET TO A POINT,  
THENCE S 21 DEG. 26 MIN. 36 SEC. E A DISTANCE OF 912.37 FEET TO A POINT,  
THENCE S 22 DEG. 05 MIN. 28 SEC. E A DISTANCE OF 1046.16 FEET TO A POINT,  
THENCE S 22 DEG. 50 MIN. 33 SEC. E A DISTANCE OF 968.86 FEET TO A POINT,  
THENCE S 20 DEG. 48 MIN. 29 SEC. E A DISTANCE OF 843.61 FEET TO A POINT,  
THENCE S 23 DEG. 27 MIN. 53 SEC. E A DISTANCE OF 950.17 FEET TO A POINT,  
THENCE S 23 DEG. 16 MIN. 44 SEC. E A DISTANCE OF 787.67 FEET TO A POINT,  
THENCE S 23 DEG. 31 MIN. 52 SEC. E A DISTANCE OF 905.59 FEET TO A POINT,  
THENCE S 23 DEG. 50 MIN. 45 SEC. E A DISTANCE OF 1014.88 FEET TO A POINT,  
THENCE S 24 DEG. 43 MIN. 28 SEC. E A DISTANCE OF 977.67 FEET TO A POINT,  
THENCE S 23 DEG. 55 MIN. 26 SEC. E A DISTANCE OF 959.55 FEET TO A POINT,  
THENCE S 24 DEG. 56 MIN. 22 SEC. E A DISTANCE OF 892.74 FEET TO A POINT,  
THENCE S 24 DEG. 37 MIN. 20 SEC. E A DISTANCE OF 1005.94 FEET TO A POINT,  
THENCE S 24 DEG. 36 MIN. 07 SEC. E A DISTANCE OF 929.64 FEET TO A POINT,  
THENCE S 24 DEG. 02 MIN. 22 SEC. E A DISTANCE OF 940.79 FEET TO A POINT,  
THENCE S 23 DEG. 45 MIN. 43 SEC. E A DISTANCE OF 847.73 FEET TO A POINT,

THENCE S 23 DEG. 28 MIN. 09 SEC. E A DISTANCE OF 1099.63 FEET TO A POINT,  
THENCE S 23 DEG. 02 MIN. 46 SEC. E A DISTANCE OF 932.78 FEET TO A POINT,  
THENCE S 24 DEG. 39 MIN. 31 SEC. E A DISTANCE OF 648.40 FEET TO A POINT,  
THENCE S 63 DEG. 44 MIN. 26 SEC. W A DISTANCE OF 44.27 FEET TO A POINT,  
THENCE S 24 DEG. 34 MIN. 46 SEC. E A DISTANCE OF 410.63 FEET TO A POINT,  
THENCE S 25 DEG. 16 MIN. 06 SEC. E A DISTANCE OF 966.86 FEET TO A POINT,  
THENCE S 24 DEG. 21 MIN. 29 SEC. E A DISTANCE OF 996.09 FEET TO A POINT,  
THENCE S 25 DEG. 06 MIN. 33 SEC. E A DISTANCE OF 231.32 FEET TO A POINT,  
THENCE N 62 DEG. 17 MIN. 57 SEC. E A DISTANCE OF 79.48 FEET TO A POINT,  
THENCE S 24 DEG. 09 MIN. 50 SEC. E A DISTANCE OF 722.11 FEET TO A POINT,  
THENCE S 25 DEG. 48 MIN. 07 SEC. E A DISTANCE OF 966.19 FEET TO A POINT,  
THENCE S 25 DEG. 09 MIN. 48 SEC. E A DISTANCE OF 993.55 FEET TO A POINT,  
THENCE S 24 DEG. 32 MIN. 41 SEC. E A DISTANCE OF 1037.42 FEET TO A POINT,  
THENCE S 25 DEG. 56 MIN. 04 SEC. E A DISTANCE OF 841.94 FEET TO A POINT,  
THENCE S 25 DEG. 14 MIN. 47 SEC. E A DISTANCE OF 899.62 FEET TO A POINT,  
THENCE S 25 DEG. 24 MIN. 36 SEC. E A DISTANCE OF 936.80 FEET TO A POINT,  
THENCE S 24 DEG. 38 MIN. 09 SEC. E A DISTANCE OF 963.79 FEET TO A POINT,  
THENCE S 26 DEG. 03 MIN. 21 SEC. E A DISTANCE OF 1426.34 FEET TO A POINT,  
THENCE S 25 DEG. 43 MIN. 49 SEC. E A DISTANCE OF 593.13 FEET TO A POINT,  
THENCE S 26 DEG. 02 MIN. 54 SEC. E A DISTANCE OF 886.66 FEET TO A POINT,  
THENCE S 25 DEG. 12 MIN. 34 SEC. E A DISTANCE OF 1030.27 FEET TO A POINT,  
THENCE S 26 DEG. 37 MIN. 47 SEC. E A DISTANCE OF 805.38 FEET TO A POINT,  
THENCE S 24 DEG. 57 MIN. 43 SEC. E A DISTANCE OF 1092.17 FEET TO A POINT,  
THENCE S 24 DEG. 08 MIN. 25 SEC. E A DISTANCE OF 848.60 FEET TO A POINT,  
THENCE S 25 DEG. 51 MIN. 01 SEC. E A DISTANCE OF 923.68 FEET TO A POINT,  
THENCE S 26 DEG. 34 MIN. 10 SEC. E A DISTANCE OF 886.07 FEET TO A POINT,  
THENCE S 26 DEG. 57 MIN. 21 SEC. E A DISTANCE OF 1039.29 FEET TO A POINT,  
THENCE S 27 DEG. 20 MIN. 02 SEC. E A DISTANCE OF 995.02 FEET TO A POINT,  
THENCE S 26 DEG. 32 MIN. 13 SEC. E A DISTANCE OF 957.04 FEET TO A POINT,  
THENCE S 28 DEG. 06 MIN. 32 SEC. E A DISTANCE OF 920.78 FEET TO A POINT,  
THENCE S 28 DEG. 35 MIN. 07 SEC. E A DISTANCE OF 963.46 FEET TO A POINT,  
THENCE S 28 DEG. 18 MIN. 30 SEC. E A DISTANCE OF 946.63 FEET TO A POINT,  
THENCE S 28 DEG. 27 MIN. 13 SEC. E A DISTANCE OF 955.71 FEET TO A POINT,  
THENCE S 28 DEG. 30 MIN. 55 SEC. E A DISTANCE OF 51.24 FEET TO A POINT,  
THENCE S 63 DEG. 26 MIN. 06 SEC. W A DISTANCE OF 77.82 FEET TO A POINT,  
THENCE S 30 DEG. 04 MIN. 00 SEC. E A DISTANCE OF 1082.48 FEET TO A POINT,  
THENCE N 64 DEG. 34 MIN. 04 SEC. E A DISTANCE OF 62.07 FEET TO A POINT,  
THENCE S 28 DEG. 08 MIN. 14 SEC. E A DISTANCE OF 841.08 FEET TO A POINT,  
THENCE S 29 DEG. 01 MIN. 16 SEC. E A DISTANCE OF 929.71 FEET TO A POINT,  
THENCE S 29 DEG. 49 MIN. 53 SEC. E A DISTANCE OF 956.45 FEET TO A POINT,  
THENCE S 29 DEG. 43 MIN. 18 SEC. E A DISTANCE OF 937.83 FEET TO A POINT,  
THENCE S 32 DEG. 19 MIN. 34 SEC. E A DISTANCE OF 950.37 FEET TO A POINT,  
THENCE S 31 DEG. 28 MIN. 42 SEC. E A DISTANCE OF 956.36 FEET TO A POINT,

THENCE S 32 DEG. 45 MIN. 52 SEC. E A DISTANCE OF 913.76 FEET TO A POINT,  
THENCE S 32 DEG. 29 MIN. 52 SEC. E A DISTANCE OF 922.28 FEET TO A POINT,  
THENCE S 33 DEG. 43 MIN. 42 SEC. E A DISTANCE OF 807.79 FEET TO A POINT,  
THENCE S 34 DEG. 08 MIN. 53 SEC. E A DISTANCE OF 935.91 FEET TO A POINT,  
THENCE S 33 DEG. 18 MIN. 59 SEC. E A DISTANCE OF 1027.84 FEET TO A POINT,  
THENCE S 33 DEG. 50 MIN. 03 SEC. E A DISTANCE OF 840.32 FEET TO A POINT,  
THENCE S 33 DEG. 45 MIN. 27 SEC. E A DISTANCE OF 1002.43 FEET TO A POINT,  
THENCE S 36 DEG. 43 MIN. 07 SEC. E A DISTANCE OF 878.70 FEET TO A POINT,  
THENCE S 37 DEG. 44 MIN. 39 SEC. E A DISTANCE OF 970.41 FEET TO A POINT,  
THENCE S 53 DEG. 54 MIN. 21 SEC. W A DISTANCE OF 86.10 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE CCCL AND BEING THE POINT OF  
TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE (NORTH  
SEGMENT).

## SOUTH SEGMENT

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR] )  
PERMANENT REFERENCE MONUMENT (P.R.M.) 79-78-A17 AND RUN THENCE N  
29 DEG. 23 MIN. 07 SEC. E A DISTANCE OF 350.74 FEET TO A POINT LOCATED  
ON THE ABOVE REFERENCED CCCL; THENCE ALONG SAID CCCL RUN S 29  
DEG. 19 MIN. 06 SEC. E A DISTANCE OF 1102.33 FEET TO A POINT, SAID POINT  
BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL  
PERMIT LINE, THENCE LEAVING SAID CCCL RUN:

THENCE N 60 DEG. 24 MIN. 06 SEC. E A DISTANCE OF 70.18 FEET TO A POINT,  
THENCE S 29 DEG. 17 MIN. 41 SEC. E A DISTANCE OF 697.93 FEET TO A POINT,  
THENCE S 30 DEG. 31 MIN. 39 SEC. E A DISTANCE OF 900.14 FEET TO A POINT,  
THENCE S 29 DEG. 13 MIN. 19 SEC. E A DISTANCE OF 980.44 FEET TO A POINT,  
THENCE S 31 DEG. 08 MIN. 36 SEC. E A DISTANCE OF 962.78 FEET TO A POINT,  
THENCE S 30 DEG. 57 MIN. 13 SEC. E A DISTANCE OF 889.94 FEET TO A POINT,  
THENCE S 30 DEG. 26 MIN. 50 SEC. E A DISTANCE OF 990.55 FEET TO A POINT,  
THENCE S 30 DEG. 02 MIN. 28 SEC. E A DISTANCE OF 536.50 FEET TO A POINT,  
THENCE S 30 DEG. 03 MIN. 37 SEC. E A DISTANCE OF 1281.75 FEET TO A POINT,  
THENCE S 30 DEG. 49 MIN. 16 SEC. E A DISTANCE OF 944.31 FEET TO A POINT,  
THENCE S 31 DEG. 37 MIN. 44 SEC. E A DISTANCE OF 979.80 FEET TO A POINT,  
THENCE N 58 DEG. 20 MIN. 31 SEC. E A DISTANCE OF 14.15 FEET TO A POINT,  
THENCE S 31 DEG. 51 MIN. 04 SEC. E A DISTANCE OF 777.37 FEET TO A POINT,  
THENCE S 31 DEG. 30 MIN. 21 SEC. E A DISTANCE OF 993.30 FEET TO A POINT,  
THENCE S 28 DEG. 36 MIN. 12 SEC. E A DISTANCE OF 934.82 FEET TO A POINT,  
THENCE S 31 DEG. 45 MIN. 28 SEC. E A DISTANCE OF 946.20 FEET TO A POINT,  
THENCE S 31 DEG. 44 MIN. 06 SEC. E A DISTANCE OF 942.61 FEET TO A POINT,  
THENCE S 31 DEG. 19 MIN. 36 SEC. E A DISTANCE OF 998.47 FEET TO A POINT,  
THENCE S 31 DEG. 20 MIN. 53 SEC. E A DISTANCE OF 976.11 FEET TO A POINT,  
THENCE S 31 DEG. 02 MIN. 25 SEC. E A DISTANCE OF 956.83 FEET TO A POINT,  
THENCE S 36 DEG. 20 MIN. 53 SEC. E A DISTANCE OF 351.60 FEET TO A POINT,

THENCE S 32 DEG. 12 MIN. 31 SEC. E A DISTANCE OF 668.77 FEET TO A POINT,  
THENCE S 30 DEG. 29 MIN. 32 SEC. E A DISTANCE OF 847.84 FEET TO A POINT,  
THENCE S 30 DEG. 29 MIN. 32 SEC. E A DISTANCE OF 957.18 FEET TO A POINT,  
THENCE S 32 DEG. 48 MIN. 27 SEC. E A DISTANCE OF 948.09 FEET TO A POINT,  
THENCE S 31 DEG. 35 MIN. 42 SEC. E A DISTANCE OF 959.47 FEET TO A POINT,  
THENCE S 32 DEG. 25 MIN. 06 SEC. E A DISTANCE OF 772.17 FEET TO A POINT,  
THENCE S 58 DEG. 43 MIN. 52 SEC. W A DISTANCE OF 118.89 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED CCCL AND BEING THE  
POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE  
(SOUTH SEGMENT).

Specific Authority 161.053 FS. Law Implemented 161.053(5), (19), and (22), 161.054  
FS. History – New 11-21-05.

#### **62B-34.150 Lee County.**

The legal description for the Lee County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded May 30, 1991 in "O.R. book 2224, Pages 10 through 1041" and in "Plat book 48, Pages 15 through 34" of the public records of Lee County, Florida, said General Permit Line being more particularly described as follows:

SEGMENT 1: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 12-81-A11-2 1988 AND RUN THENCE N 26 DEG. 03 MIN. 00 SEC. W A DISTANCE OF 753.90 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 03 DEG. 20 MIN. 58 SEC. E A DISTANCE OF 1289.28 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 85 DEG. 15 MIN. 20 SEC. W A DISTANCE OF 46.68 FEET TO A POINT, THENCE S 01 DEG. 51 MIN. 32 SEC. W A DISTANCE OF 230.87 FEET TO A POINT, THENCE S 07 DEG. 48 MIN. 09 SEC. E A DISTANCE OF 1869.62 FEET TO A POINT, THENCE S 09 DEG. 37 MIN. 17 SEC. E A DISTANCE OF 789.82 FEET TO A POINT, THENCE S 00 DEG. 43 MIN. 17 SEC. E A DISTANCE OF 1544.72 FEET TO A POINT, THENCE S 04 DEG. 13 MIN. 59 SEC. E A DISTANCE OF 446.38 FEET TO A POINT, THENCE S 00 DEG. 29 MIN. 02 SEC. E A DISTANCE OF 1371.57 FEET TO A POINT, THENCE S 33 DEG. 44 MIN. 23 SEC. E A DISTANCE OF 244.52 FEET TO A POINT THENCE N 85 DEG. 00 MIN. 00 SEC. E A DISTANCE OF 98.89 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 1 (LEE COUNTY).  
SEGMENT 2: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 12-81-A49 AND RUN

THENCE S 34 DEG. 10 MIN. 38 SEC. W A DISTANCE OF 657.57 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 87 DEG. 16 MIN. 30 SEC. W A DISTANCE OF 162.96 FEET TO A POINT,  
THENCE S 10 DEG. 49 MIN. 30 SEC. E A DISTANCE OF 928.30 FEET TO A POINT,  
THENCE S 10 DEG. 01 MIN. 02 SEC. E A DISTANCE OF 1025.12 FEET TO A POINT,  
THENCE S 12 DEG. 14 MIN. 05 SEC. E A DISTANCE OF 907.85 FEET TO A POINT,  
THENCE S 11 DEG. 14 MIN. 00 SEC. E A DISTANCE OF 1068.52 FEET TO A POINT,  
THENCE S 11 DEG. 52 MIN. 18 SEC. E A DISTANCE OF 916.62 FEET TO A POINT,  
THENCE S 10 DEG. 05 MIN. 06 SEC. E A DISTANCE OF 1074.96 FEET TO A POINT,  
THENCE S 10 DEG. 51 MIN. 58 SEC. E A DISTANCE OF 1294.71 FEET TO A POINT,  
THENCE S 88 DEG. 10 MIN. 24 SEC. E A DISTANCE OF 79.16 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 2 (LEE COUNTY).  
SEGMENT 3: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 12-81-A63 AND RUN  
THENCE N 61 DEG. 08 MIN. 53 SEC. E A DISTANCE OF 785.67 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 57 DEG. 45 MIN. 24 SEC. E A DISTANCE OF 1118.89 FEET TO A POINT, THENCE S 49 DEG. 16 MIN. 19 SEC. E A DISTANCE OF 552.97 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 34 DEG. 52 MIN. 07 SEC. W A DISTANCE OF 202.00 FEET TO A POINT,  
THENCE S 59 DEG. 22 MIN. 19 SEC. E A DISTANCE OF 472.48 FEET TO A POINT,  
THENCE S 54 DEG. 55 MIN. 29 SEC. E A DISTANCE OF 1349.02 FEET TO A POINT,  
THENCE S 47 DEG. 31 MIN. 32 SEC. E A DISTANCE OF 1044.08 FEET TO A POINT,  
THENCE S 44 DEG. 18 MIN. 39 SEC. E A DISTANCE OF 961.19 FEET TO A POINT,  
THENCE S 43 DEG. 36 MIN. 54 SEC. E A DISTANCE OF 699.87 FEET TO A POINT,  
THENCE S 45 DEG. 00 MIN. 00 SEC. W A DISTANCE OF 15.00 FEET TO A POINT,  
THENCE S 43 DEG. 36 MIN. 54 SEC. E A DISTANCE OF 669.70 FEET TO A POINT,  
THENCE S 42 DEG. 42 MIN. 25 SEC. E A DISTANCE OF 428.11 FEET TO A POINT,  
THENCE N 40 DEG. 00 MIN. 00 SEC. E A DISTANCE OF 15.12 FEET TO A POINT,  
THENCE S 42 DEG. 42 MIN. 25 SEC. E A DISTANCE OF 504.22 FEET TO A POINT,  
THENCE S 41 DEG. 11 MIN. 51 SEC. E A DISTANCE OF 1155.85 FEET TO A POINT,  
THENCE S 41 DEG. 41 MIN. 17 SEC. E A DISTANCE OF 1074.46 FEET TO A POINT,  
THENCE S 44 DEG. 49 MIN. 54 SEC. E A DISTANCE OF 920.56 FEET TO A POINT,  
THENCE S 47 DEG. 33 MIN. 48 SEC. E A DISTANCE OF 922.82 FEET TO A POINT,  
THENCE S 58 DEG. 43 MIN. 21 SEC. E A DISTANCE OF 997.04 FEET TO A POINT,  
THENCE S 62 DEG. 54 MIN. 06 SEC. E A DISTANCE OF 986.27 FEET TO A POINT,  
THENCE S 65 DEG. 32 MIN. 15 SEC. E A DISTANCE OF 883.15 FEET TO A POINT,

THENCE S 64 DEG. 02 MIN. 27 SEC. E A DISTANCE OF 1176.98 FEET TO A POINT,  
THENCE S 65 DEG. 12 MIN. 05 SEC. E A DISTANCE OF 854.14 FEET TO A POINT,  
THENCE S 67 DEG. 03 MIN. 10 SEC. E A DISTANCE OF 1094.91 FEET TO A POINT,  
THENCE S 67 DEG. 16 MIN. 01 SEC. E A DISTANCE OF 938.93 FEET TO A POINT,  
THENCE S 68 DEG. 38 MIN. 28 SEC. E A DISTANCE OF 978.72 FEET TO A POINT,  
THENCE S 68 DEG. 32 MIN. 42 SEC. E A DISTANCE OF 1039.71 FEET TO A POINT,  
THENCE S 68 DEG. 13 MIN. 53 SEC. E A DISTANCE OF 1007.18 FEET TO A POINT,  
THENCE S 67 DEG. 19 MIN. 12 SEC. E A DISTANCE OF 898.43 FEET TO A POINT,  
THENCE S 71 DEG. 29 MIN. 59 SEC. E A DISTANCE OF 987.57 FEET TO A POINT,  
THENCE S 71 DEG. 59 MIN. 02 SEC. E A DISTANCE OF 1021.65 FEET TO A POINT,  
THENCE S 76 DEG. 16 MIN. 52 SEC. E A DISTANCE OF 1046.82 FEET TO A POINT,  
THENCE S 76 DEG. 55 MIN. 57 SEC. E A DISTANCE OF 1034.29 FEET TO A POINT,  
THENCE S 88 DEG. 19 MIN. 25 SEC. E A DISTANCE OF 967.57 FEET TO A POINT,  
THENCE S 88 DEG. 58 MIN. 11 SEC. E A DISTANCE OF 946.25 FEET TO A POINT,  
THENCE N 87 DEG. 41 MIN. 58 SEC. E A DISTANCE OF 1094.52 FEET TO A POINT,  
THENCE N 85 DEG. 29 MIN. 03 SEC. E A DISTANCE OF 836.29 FEET TO A POINT,  
THENCE N 77 DEG. 02 MIN. 45 SEC. E A DISTANCE OF 1128.01 FEET TO A POINT,  
THENCE N 71 DEG. 34 MIN. 15 SEC. E A DISTANCE OF 321.81 FEET TO A POINT,  
THENCE N 01 DEG. 53 MIN. 19 SEC. W A DISTANCE OF 178.04 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 3 (LEE COUNTY).  
SEGMENT 4: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 12-83-A13 AND RUN  
THENCE N 81 DEG. 10 MIN. 28 SEC. W A DISTANCE OF 533.71 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 57 DEG. 49 MIN.  
26 SEC. E A DISTANCE OF 955.01 FEET TO A POINT, THENCE N 67 DEG. 53 MIN.  
25 SEC. E A DISTANCE OF 999.83 FEET TO A POINT, THENCE N 63 DEG. 40 MIN.  
14 SEC. E A DISTANCE OF 754.81 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 26 DEG. 19 MIN. 46 SEC. E A DISTANCE OF 260.51 FEET TO A POINT,  
THENCE N 66 DEG. 22 MIN. 10 SEC. E A DISTANCE OF 189.94 FEET TO A POINT,  
THENCE N 67 DEG. 09 MIN. 16 SEC. E A DISTANCE OF 957.65 FEET TO A POINT,  
THENCE N 65 DEG. 27 MIN. 08 SEC. E A DISTANCE OF 1033.81 FEET TO A POINT,  
THENCE N 60 DEG. 44 MIN. 10 SEC. E A DISTANCE OF 860.18 FEET TO A POINT,  
THENCE N 58 DEG. 19 MIN. 27 SEC. E A DISTANCE OF 1033.83 FEET TO A POINT,  
THENCE N 58 DEG. 09 MIN. 48 SEC. E A DISTANCE OF 1019.60 FEET TO A POINT,  
THENCE N 55 DEG. 36 MIN. 20 SEC. E A DISTANCE OF 752.96 FEET TO A POINT,  
THENCE N 58 DEG. 36 MIN. 12 SEC. E A DISTANCE OF 1223.92 FEET TO A POINT,  
THENCE N 58 DEG. 35 MIN. 51 SEC. E A DISTANCE OF 749.52 FEET TO A POINT,  
THENCE N 58 DEG. 05 MIN. 56 SEC. E A DISTANCE OF 1221.47 FEET TO A POINT,

THENCE N 58 DEG. 24 MIN. 25 SEC. E A DISTANCE OF 978.34 FEET TO A POINT,  
THENCE N 59 DEG. 25 MIN. 29 SEC. E A DISTANCE OF 983.30 FEET TO A POINT,  
THENCE N 60 DEG. 22 MIN. 06 SEC. E A DISTANCE OF 995.94 FEET TO A POINT,  
THENCE N 55 DEG. 53 MIN. 32 SEC. E DISTANCE OF 1077.25 FEET TO A POINT,  
THENCE N 56 DEG. 26 MIN. 53 SEC. E A DISTANCE OF 1106.81 FEET TO A POINT,  
THENCE N 56 DEG. 44 MIN. 04 SEC. E A DISTANCE OF 876.55 FEET TO A POINT,  
THENCE N 54 DEG. 24 MIN. 10 SEC. E A DISTANCE OF 272.84 FEET TO A POINT,  
THENCE N 30 DEG. 00 MIN. 00 SEC. W A DISTANCE OF 264.15 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 4 (LEE COUNTY).  
SEGMENT 5: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 12-83-A23 AND RUN  
THENCE S 77 DEG. 50 MIN. 42 SEC. E A DISTANCE OF 152.22 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 3 DEG. 49 MIN.  
56 SEC. W DISTANCE OF 93.22 FEET TO A POINT, SAID POINT BEING THE POINT  
OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE  
LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 72  
DEG. 46 MIN. 19 SEC. W A DISTANCE OF 181.99 FEET TO A POINT, THENCE S 19  
DEG. 20 MIN. 29 SEC. E A DISTANCE OF 640.15 FEET TO A POINT, THENCE S 40  
DEG. 26 MIN. 45 SEC. E A DISTANCE OF 951.41 FEET TO A POINT, THENCE S 51  
DEG. 46 MIN. 12 SEC. E A DISTANCE OF 602.67 FEET TO A POINT, THENCE S 44  
DEG. 07 MIN. 43 SEC. E A DISTANCE OF 804.31 FEET TO A POINT, THENCE S 51  
DEG. 14 MIN. 24 SEC. E A DISTANCE OF 1115.72 FEET TO A POINT, THENCE S 56  
DEG. 25 MIN. 43 SEC. E A DISTANCE OF 985.65 FEET TO A POINT, THENCE S 65  
DEG. 54 MIN. 10 SEC. E A DISTANCE OF 1004.61 FEET TO A POINT, THENCE S 68  
DEG. 27 MIN. 03 SEC. E A DISTANCE OF 844.38 FEET TO A POINT, THENCE S 67  
DEG. 38 MIN. 48 SEC. E A DISTANCE OF 520.08 FEET TO A POINT, THENCE S 67  
DEG. 38 MIN. 48 SEC. E A DISTANCE OF 800.90 FEET TO A POINT, THENCE S 66  
DEG. 16 MIN. 39 SEC. E A DISTANCE OF 1457.00 FEET TO A POINT, THENCE S 66  
DEG. 07 MIN. 47 SEC. E A DISTANCE OF 1403.11 FEET TO A POINT, THENCE S 61  
DEG. 00 MIN. 39 SEC. E A DISTANCE OF 1060.83 FEET TO A POINT, THENCE S 60  
DEG. 14 MIN. 34 SEC. E A DISTANCE OF 880.10 FEET TO A POINT, THENCE S 58  
DEG. 50 MIN. 33 SEC. E A DISTANCE OF 1009.56 FEET TO A POINT, THENCE S 58  
DEG. 04 MIN. 04 SEC. E A DISTANCE OF 1008.87 FEET TO A POINT, THENCE S 55  
DEG. 18 MIN. 39 SEC. E A DISTANCE OF 382.94 FEET TO A POINT, THENCE S 56  
DEG. 54 MIN. 54 SEC. E A DISTANCE OF 594.24 FEET TO A POINT, THENCE S 53  
DEG. 46 MIN. 54 SEC. E A DISTANCE OF 1058.44 FEET TO A POINT, THENCE S 50  
DEG. 58 MIN. 03 SEC. E A DISTANCE OF 804.56 FEET TO A POINT, THENCE S 50  
DEG. 41 MIN. 17 SEC. E A DISTANCE OF 1306.51 FEET TO A POINT, THENCE S 48  
DEG. 28 MIN. 33 SEC. E A DISTANCE OF 949.33 FEET TO A POINT, THENCE S 49  
DEG. 57 MIN. 50 SEC. E A DISTANCE OF 914.13 FEET TO A POINT, THENCE S 39

DEG. 44 MIN. 19 SEC. E A DISTANCE OF 914.80 FEET TO A POINT, THENCE S 43  
DEG. 33 MIN. 54 SEC. E A DISTANCE OF 593.85 FEET TO A POINT THENCE S 45  
DEG. 11 MIN. 48 SEC. E A DISTANCE OF 447.46 FEET TO A POINT, THENCE S 43  
DEG. 26 MIN. 32 SEC. E A DISTANCE OF 780.56 FEET TO A POINT, THENCE S 39  
DEG. 14 MIN. 12 SEC. E A DISTANCE OF 1281.62 FEET TO A POINT, THENCE S 29  
DEG. 22 MIN. 44 SEC. E A DISTANCE OF 1109.45 FEET TO A POINT, THENCE S 27  
DEG. 33 MIN. 26 SEC. E A DISTANCE OF 918.53 FEET TO A POINT, THENCE S 13  
DEG. 32 MIN. 40 SEC. E A DISTANCE OF 670.84 FEET TO A POINT, THENCE S 08  
DEG. 05 MIN. 44 SEC. E A DISTANCE OF 676.86 FEET TO A POINT, THENCE S 13  
DEG. 58 MIN. 51 SEC. E A DISTANCE OF 1012.95 FEET TO A POINT, THENCE S 49  
DEG. 47 MIN. 45 SEC. E A DISTANCE OF 1003.61 FEET TO A POINT, THENCE S 40  
DEG. 19 MIN. 08 SEC. E A DISTANCE OF 1842.60 FEET TO A POINT, THENCE S 77  
DEG. 43 MIN. 42 SEC. E A DISTANCE OF 1365.50 FEET TO A POINT, THENCE S 86  
DEG. 10 MIN. 53 SEC. E A DISTANCE OF 1009.50 FEET TO A POINT, THENCE N 88  
DEG. 43 MIN. 47 SEC. E A DISTANCE OF 919.75 FEET TO A POINT, THENCE N 68  
DEG. 39 MIN. 47 SEC. E A DISTANCE OF 597.68 FEET TO A POINT, THENCE N 00  
DEG. 32 MIN. 23 SEC. W A DISTANCE OF 155.80 FEET TO A POINT, SAID POINT  
BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION  
CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN  
DESCRIBED GENERAL PERMIT LINE SEGMENT 5 (LEE COUNTY). SEGMENT 6:  
COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR])  
PERMANENT REFERENCE MONUMENT (PRM) 12-83-A45 AND RUN THENCE S 41  
DEG. 32 MIN. 01 SEC. W A DISTANCE OF 779.57 FEET TO A POINT ON THE  
COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF  
BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE  
LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 64  
DEG. 28 MIN. 32 SEC. W A DISTANCE OF 206.22 FEET TO A POINT, THENCE S 30  
DEG. 41 MIN. 00 SEC. E A DISTANCE OF 303.65 FEET TO A POINT, THENCE S 30  
DEG. 41 MIN. 00 SEC. E A DISTANCE OF 478.35 FEET TO A POINT, THENCE S 29  
DEG. 07 MIN. 15 SEC. E A DISTANCE OF 539.82 FEET TO A POINT, THENCE S 29  
DEG. 06 MIN. 47 SEC. E A DISTANCE OF 541.64 FEET TO A POINT, THENCE S 26  
DEG. 08 MIN. 05 SEC. E A DISTANCE OF 347.63 FEET TO A POINT, THENCE S 30  
DEG. 19 MIN. 18 SEC. E A DISTANCE OF 407.71 FEET TO A POINT, THENCE S 27  
DEG. 06 MIN. 31 SEC. E A DISTANCE OF 1005.15 FEET TO A POINT, THENCE S 24  
DEG. 52 MIN. 13 SEC. E A DISTANCE OF 1355.66 FEET TO A POINT, THENCE S 23  
DEG. 19 MIN. 50 SEC. E A DISTANCE OF 458.65 FEET TO A POINT, THENCE S 19  
DEG. 59 MIN. 06 SEC. E A DISTANCE OF 494.59 FEET TO A POINT, THENCE S 24  
DEG. 31 MIN. 16 SEC. E A DISTANCE OF 137.13 FEET TO A POINT, THENCE S 22  
DEG. 34 MIN. 13 SEC. E A DISTANCE OF 894.45 FEET TO A POINT, THENCE S 22  
DEG. 10 MIN. 30 SEC. E A DISTANCE OF 1155.99 FEET TO A POINT, THENCE S 21  
DEG. 09 MIN. 25 SEC. E A DISTANCE OF 940.06 FEET TO A POINT, THENCE S 20  
DEG. 55 MIN. 29 SEC. E A DISTANCE OF 987.94 FEET TO A POINT, THENCE S 22

DEG. 55 MIN. 29 SEC. E A DISTANCE OF 751.08 FEET TO A POINT, THENCE S 22 DEG. 55 MIN. 49 SEC. E TO THE INTERSECTION OF THE LEE-COLLIER COUNTY LINE, THENCE RUN EASTERLY ALONG THE LEE-COLLIER COUNTY LINE TO A POINT LOCATED ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID POINT BEING THE TERMINUS POINT OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 6 (LEE COUNTY).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5),(19),(22) FS.  
History—New 4-7-10.

#### **62B-34.160 Collier County.**

The legal description for the Collier County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded June 29, 1989 in "Construction Setback Line book 1, Pages 26 through 36" and in "O.R. Book 1452, Pages 258 through 275 Doc. #01293533, Map reference Page 276, Doc. 1293534" of the public records of Collier County, Florida, said General Permit Line being more particularly described as follows:

SEGMENT 1: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) WIGGINS AND RUN THENCE S 75 DEG. 47 MIN. 04 SEC. E A DISTANCE OF 998.74 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 89 DEG. 07 MIN. 25 SEC. E A DISTANCE OF 832.13 FEET TO A POINT, THENCE S 16 DEG. 06 MIN. 23 SEC. E A DISTANCE OF 979.83 FEET TO A POINT, THENCE S 19 DEG. 05 MIN. 23 SEC. E A DISTANCE OF 1023.63 FEET TO A POINT, THENCE S 19 DEG. 21 MIN. 34 SEC. E A DISTANCE OF 1019.69 FEET TO A POINT, THENCE S 18 DEG. 55 MIN. 58 SEC. E A DISTANCE OF 1020.25 FEET TO A POINT, THENCE S 19 DEG. 06 MIN. 23 SEC. E A DISTANCE OF 149.89 FEET TO A POINT, THENCE N 78 DEG. 22 MIN. 10 SEC. E A DISTANCE OF 647.04 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 1 (COLLIER COUNTY).  
SEGMENT 2: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 64-78-A04 AND RUN THENCE N 45 DEG. 28 MIN. 08 SEC. E A DISTANCE OF 564.67 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 10 DEG. 38 MIN. 21 SEC. E A DISTANCE OF 1025.93 FEET TO A POINT, THENCE S 11 DEG. 32 MIN. 24 SEC. E A DISTANCE OF 1039.81 FEET TO A POINT, THENCE S 09 DEG. 53 MIN. 26 SEC. E A DISTANCE OF 257.20 FEET TO A POINT, THENCE S 59 DEG. 47 MIN. 14 SEC. E A DISTANCE OF 115.37 FEET TO A POINT, SAID POINT BEING THE

POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE N 88 DEG. 58 MIN. 02 SEC. W A DISTANCE OF 273.84 FEET TO A POINT,  
THENCE S 12 DEG. 07 MIN. 22 SEC. E A DISTANCE OF 672.47 FEET TO A POINT,  
THENCE S 12 DEG. 09 MIN. 03 SEC. E A DISTANCE OF 1002.44 FEET TO A POINT,  
THENCE S 77 DEG. 50 MIN. 57 SEC. W A DISTANCE OF 100.00 FEET TO A POINT,  
THENCE S 13 DEG. 23 MIN. 53 SEC. E A DISTANCE OF 1044.42 FEET TO A POINT,  
THENCE S 11 DEG. 39 MIN. 00 SEC. E A DISTANCE OF 1025.12 FEET TO A POINT,  
THENCE S 10 DEG. 51 MIN. 15 SEC. E A DISTANCE OF 961.21 FEET TO A POINT,  
THENCE S 08 DEG. 11 MIN. 33 SEC. E A DISTANCE OF 1045.67 FEET TO A POINT,  
THENCE S 08 DEG. 49 MIN. 48 SEC. E A DISTANCE OF 1042.35 FEET TO A POINT,  
THENCE S 80 DEG. 53 MIN. 00 SEC. E A DISTANCE OF 655.74 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 2 (COLLIER COUNTY).  
SEGMENT 3: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 64-78-A11 AND RUN  
THENCE S 71 DEG. 12 MIN. 27 SEC. E A DISTANCE OF 881.24 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 25 DEG. 47 MIN.  
39 SEC. W A DISTANCE OF 974.66 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 89 DEG. 30 MIN. 45 SEC. E A DISTANCE OF 223.34 FEET TO A POINT,  
THENCE S 05 DEG. 44 MIN. 36 SEC. E A DISTANCE OF 1049.39 FEET TO A POINT,  
THENCE S 05 DEG. 11 MIN. 58 SEC. E A DISTANCE OF 1071.42 FEET TO A POINT,  
THENCE S 01 DEG. 03 MIN. 18 SEC. E A DISTANCE OF 1032.67 FEET TO A POINT,  
THENCE S 02 DEG. 53 MIN. 21 SEC. E A DISTANCE OF 971.05 FEET TO A POINT,  
THENCE S 06 DEG. 29 MIN. 48 SEC. E A DISTANCE OF 737.48 FEET TO A POINT,  
THENCE S 89 DEG. 59 MIN. 55 SEC. E A DISTANCE OF 175.87 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 3 (COLLIER COUNTY).  
SEGMENT 4: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 67-78-A12 AND RUN  
THENCE S 83 DEG. 33 MIN. 23 SEC. E A DISTANCE OF 560.55 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 71 DEG. 34 MIN. 12 SEC. W A DISTANCE OF 268.50 FEET TO A POINT  
THENCE S 17 DEG. 42 MIN. 00 SEC. E A DISTANCE OF 1085.64 FEET TO A POINT,  
THENCE S 16 DEG. 59 MIN. 55 SEC. E A DISTANCE OF 1009.69 FEET TO A POINT,

THENCE S 13 DEG. 40 MIN. 11 SEC. E A DISTANCE OF 1074.90 FEET TO A POINT,  
THENCE S 10 DEG. 06 MIN. 42 SEC. E A DISTANCE OF 1059.46 FEET TO A POINT,  
THENCE S 08 DEG. 22 MIN. 31 SEC. E A DISTANCE OF 1039.93 FEET TO A POINT,  
THENCE S 09 DEG. 35 MIN. 13 SEC. E A DISTANCE OF 984.07 FEET TO A POINT,  
THENCE S 11 DEG. 09 MIN. 16 SEC. E A DISTANCE OF 935.79 FEET TO A POINT,  
THENCE S 09 DEG. 18 MIN. 32 SEC. E A DISTANCE OF 798.21 FEET TO A POINT,  
THENCE S 09 DEG. 31 MIN. 57 SEC. E A DISTANCE OF 809.98 FEET TO A POINT,  
THENCE S 07 DEG. 26 MIN. 50 SEC. E A DISTANCE OF 797.48 FEET TO A POINT,  
THENCE S 03 DEG. 09 MIN. 38 SEC. E A DISTANCE OF 818.41 FEET TO A POINT,  
THENCE S 02 DEG. 29 MIN. 01 SEC. E A DISTANCE OF 805.89 FEET TO A POINT,  
THENCE S 07 DEG. 26 MIN. 17 SEC. E A DISTANCE OF 793.71 FEET TO A POINT,  
THENCE S 07 DEG. 01 MIN. 43 SEC. E A DISTANCE OF 809.44 FEET TO A POINT,  
THENCE S 06 DEG. 36 MIN. 05 SEC. E A DISTANCE OF 800.30 FEET TO A POINT,  
THENCE S 07 DEG. 02 MIN. 43 SEC. E A DISTANCE OF 799.03 FEET TO A POINT,  
THENCE S 06 DEG. 35 MIN. 44 SEC. E A DISTANCE OF 818.47 FEET TO A POINT,  
THENCE S 06 DEG. 56 MIN. 15 SEC. E A DISTANCE OF 794.43 FEET TO A POINT,  
THENCE S 07 DEG. 29 MIN. 26 SEC. E A DISTANCE OF 797.00 FEET TO A POINT,  
THENCE S 08 DEG. 47 MIN. 27 SEC. E A DISTANCE OF 787.32 FEET TO A POINT,  
THENCE S 02 DEG. 40 MIN. 50 SEC. E A DISTANCE OF 771.30 FEET TO A POINT,  
THENCE S 05 DEG. 27 MIN. 20 SEC. E A DISTANCE OF 1092.74 FEET TO A POINT,  
THENCE S 05 DEG. 19 MIN. 37 SEC. E A DISTANCE OF 1572.76 FEET TO A POINT,  
THENCE S 05 DEG. 18 MIN. 30 SEC. E A DISTANCE OF 665.63 FEET TO A POINT,  
THENCE S 09 DEG. 12 MIN. 47 SEC. E A DISTANCE OF 869.76 FEET TO A POINT,  
THENCE S 50 DEG. 39 MIN. 03 SEC. E A DISTANCE OF 1047.72 FEET TO A POINT,  
THENCE S 05 DEG. 26 MIN. 55 SEC. E A DISTANCE OF 1021.32 FEET TO A POINT,  
THENCE S 06 DEG. 19 MIN. 36 SEC. E A DISTANCE OF 916.41 FEET TO A POINT,  
THENCE S 05 DEG. 50 MIN. 47 SEC. E A DISTANCE OF 884.64 FEET TO A POINT,  
THENCE S 03 DEG. 55 MIN. 47 SEC. E A DISTANCE OF 2013.49 FEET TO A POINT,  
THENCE S 06 DEG. 23 MIN. 27 SEC. E A DISTANCE OF 365.57 FEET TO A POINT,  
THENCE S 30 DEG. 32 MIN. 03 SEC. E A DISTANCE OF 583.74 FEET TO A POINT,  
THENCE N 53 DEG. 14 MIN. 59 SEC. E A DISTANCE OF 196.90 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 4 (COLLIER COUNTY).  
SEGMENT 5: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 67-78-A24 AND RUN  
THENCE N 37 DEG. 08 MIN. 48 SEC. E A DISTANCE OF 742.59 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 57 DEG. 01 MIN.  
28 SEC. E A DISTANCE OF 982.92 FEET TO A POINT, THENCE S 42 DEG. 27 MIN.  
19 SEC. E A DISTANCE OF 1370.41 FEET TO A POINT, THENCE S 28 DEG. 24 MIN.  
52 SEC. E A DISTANCE OF 937.42 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;

THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 61 DEG. 33 MIN. 39 SEC. W A DISTANCE OF 100.00 FEET TO A POINT,  
THENCE S 28 DEG. 26 MIN. 21 SEC. E A DISTANCE OF 995.61 FEET TO A POINT,  
THENCE S 30 DEG. 40 MIN. 54 SEC. E A DISTANCE OF 1240.00 FEET TO A POINT,  
THENCE S 30 DEG. 28 MIN. 19 SEC. E A DISTANCE OF 217.80 FEET TO A POINT,  
THENCE S 29 DEG. 06 MIN. 03 SEC. E A DISTANCE OF 2021.34 FEET TO A POINT,  
THENCE S 23 DEG. 23 MIN. 26 SEC. E A DISTANCE OF 433.81 FEET TO A POINT,  
THENCE S 18 DEG. 32 MIN. 10 SEC. E A DISTANCE OF 1179.69 FEET TO A POINT,  
THENCE S 20 DEG. 52 MIN. 01 SEC. E A DISTANCE OF 997.26 FEET TO A POINT,  
THENCE S 11 DEG. 40 MIN. 08 SEC. E A DISTANCE OF 1161.47 FEET TO A POINT,  
THENCE S 02 DEG. 08 MIN. 00 SEC. E A DISTANCE OF 1033.35 FEET TO A POINT,  
THENCE S 01 DEG. 48 MIN. 13 SEC. E A DISTANCE OF 1042.75 FEET TO A POINT,  
THENCE S 00 DEG. 33 MIN. 53 SEC. W A DISTANCE OF 923.84 FEET TO A POINT,  
THENCE S 00 DEG. 16 MIN. 24 SEC. W A DISTANCE OF 1006.04 FEET TO A  
POINT, THENCE S 17 DEG. 24 MIN. 32 SEC. E A DISTANCE OF 745.33 FEET TO A  
POINT, THENCE N 72 DEG. 35 MIN. 28 SEC. E A DISTANCE OF 100.00 FEET TO A  
POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 5 (COLLIER COUNTY).  
Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5),(19),(22) FS.  
History—New 4-7-10.

#### **62B-34.170 Sarasota County.**

The legal description for the Sarasota County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded March 2, 1989 in "O.R. Book 2102, Pages 2632 through 2650" and in "Control Line Book 2" of the public records of Sarasota County, Florida, said General Permit Line being more particularly described as follows:

SEGMENT 1: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 17-84-A01 AND RUN  
THENCE N 53 DEG. 31 MIN. 14 SEC. W A DISTANCE OF 156.72 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 58 DEG. 27 MIN. 09 SEC. W A DISTANCE OF 149.81 FEET TO A POINT,  
THENCE S 29 DEG. 55 MIN. 24 SEC. E A DISTANCE OF 947.44 FEET TO A POINT,  
THENCE S 29 DEG. 24 MIN. 12 SEC. E A DISTANCE OF 951.80 FEET TO A POINT,  
THENCE S 26 DEG. 07 MIN. 18 SEC. E A DISTANCE OF 1032.71 FEET TO A POINT,  
THENCE S 28 DEG. 44 MIN. 42 SEC. E A DISTANCE OF 1004.82 FEET TO A POINT,  
THENCE S 30 DEG. 11 MIN. 08 SEC. E A DISTANCE OF 762.66 FEET TO A POINT,  
THENCE S 31 DEG. 42 MIN. 48 SEC. E A DISTANCE OF 1176.05 FEET TO A POINT,

THENCE S 34 DEG. 25 MIN. 39 SEC. E A DISTANCE OF 937.89 FEET TO A POINT,  
THENCE S 34 DEG. 43 MIN. 45 SEC. E A DISTANCE OF 1050.43 FEET TO A POINT,  
THENCE S 34 DEG. 20 MIN. 30 SEC. E A DISTANCE OF 977.97 FEET TO A  
POINT, THENCE S 34 DEG. 17 MIN. 55 SEC. E A DISTANCE OF 1072.69 FEET TO A  
POINT, THENCE S 33 DEG. 23 MIN. 27 SEC. E A DISTANCE OF 998.29 FEET TO A  
POINT, THENCE S 32 DEG. 52 MIN. 54 SEC. E A DISTANCE OF 1037.83 FEET TO A  
POINT, THENCE S 40 DEG. 29 MIN. 08 SEC. E A DISTANCE OF 565.13 FEET TO A  
POINT, THENCE S 54 DEG. 07 MIN. 51 SEC. E A DISTANCE OF 421.78 FEET TO A  
POINT, THENCE S 41 DEG. 34 MIN. 38 SEC. E A DISTANCE OF 1001.86 FEET TO A  
POINT, THENCE S 38 DEG. 49 MIN. 05 SEC. E A DISTANCE OF 1034.88 FEET TO A  
POINT, THENCE S 38 DEG. 47 MIN. 30 SEC. E A DISTANCE OF 1236.22 FEET TO A  
POINT, THENCE S 38 DEG. 30 MIN. 09 SEC. E A DISTANCE OF 677.11 FEET TO A  
POINT, THENCE S 46 DEG. 39 MIN. 47 SEC. E A DISTANCE OF 1000.03 FEET TO A  
POINT, THENCE S 40 DEG. 50 MIN. 34 SEC. E A DISTANCE OF 722.32 FEET TO A  
POINT, THENCE N 47 DEG. 15 MIN. 25 SEC. E A DISTANCE OF 25.01 FEET TO A  
POINT, THENCE S 40 DEG. 55 MIN. 08 SEC. E A DISTANCE OF 287.66 FEET TO A  
POINT, THENCE S 41 DEG. 31 MIN. 03 SEC. E A DISTANCE OF 915.60 FEET TO A  
POINT, THENCE S 42 DEG. 05 MIN. 07 SEC. E A DISTANCE OF 1146.74 FEET TO A  
POINT, THENCE S 43 DEG. 22 MIN. 54 SEC. E A DISTANCE OF 932.97 FEET TO A  
POINT, THENCE S 40 DEG. 14 MIN. 55 SEC. E A DISTANCE OF 1217.55 FEET TO A  
POINT, THENCE S 39 DEG. 31 MIN. 16 SEC. E A DISTANCE OF 771.48 FEET TO A  
POINT, THENCE S 39 DEG. 17 MIN. 49 SEC. E A DISTANCE OF 971.96 FEET TO A  
POINT, THENCE N 47 DEG. 07 MIN. 19 SEC. E A DISTANCE OF 25.08 FEET TO A  
POINT, THENCE S 38 DEG. 32 MIN. 22 SEC. E A DISTANCE OF 976.35 FEET TO A  
POINT, THENCE S 43 DEG. 29 MIN. 59 SEC. E A DISTANCE OF 968.83 FEET TO A  
POINT, THENCE S 50 DEG. 47 MIN. 36 SEC. E A DISTANCE OF 826.18 FEET TO A  
POINT, THENCE N 28 DEG. 22 MIN. 29 SEC. E A DISTANCE OF 356.77 FEET TO A  
POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 1 (SARASOTA COUNTY).  
SEGMENT 2: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 17-84-A16 AND RUN  
THENCE S 46 DEG. 36 MIN. 13 SEC. W A DISTANCE OF 1284.21 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 66 DEG. 35 MIN.  
38 SEC. E A DISTANCE OF 296.94 FEET TO A POINT, THENCE S 30 DEG. 24 MIN.  
18 SEC. E A DISTANCE OF 112.10 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 59 DEG. 35 MIN. 42 SEC. W A DISTANCE OF 200.88 FEET TO A POINT,  
THENCE S 30 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 604.24 FEET TO A POINT,  
THENCE S 30 DEG. 24 MIN. 18 SEC. E A DISTANCE OF 1013.44 FEET TO A POINT,  
THENCE S 41 DEG. 49 MIN. 28 SEC. E A DISTANCE OF 992.42 FEET TO A POINT,

THENCE S 39 DEG. 39 MIN. 59 SEC. E A DISTANCE OF 952.57 FEET TO A POINT,  
THENCE S 32 DEG. 39 MIN. 40 SEC. E A DISTANCE OF 1022.68 FEET TO A POINT,  
THENCE S 29 DEG. 09 MIN. 51 SEC. E A DISTANCE OF 1021.56 FEET TO A POINT,  
THENCE S 23 DEG. 48 MIN. 54 SEC. E A DISTANCE OF 989.01 FEET TO A POINT,  
THENCE S 23 DEG. 54 MIN. 18 SEC. E A DISTANCE OF 924.34 FEET TO A POINT,  
THENCE S 36 DEG. 47 MIN. 58 SEC. E A DISTANCE OF 975.05 FEET TO A POINT,  
THENCE S 49 DEG. 01 MIN. 56 SEC. E A DISTANCE OF 140.41 FEET TO A POINT,  
THENCE N 51 DEG. 37 MIN. 15 SEC. E A DISTANCE OF 260.86 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 2 (SARASOTA COUNTY).  
SEGMENT 3: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 17-84-A25 AND RUN  
THENCE N 71 DEG. 13 MIN. 43 SEC. W A DISTANCE OF 1400.48 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 18 DEG. 03 MIN.  
30 SEC. E A DISTANCE OF 692.29 FEET TO A POINT, THENCE S 17 DEG. 50 MIN.  
33 SEC. E A DISTANCE OF 767.53 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 44 DEG. 47 MIN. 41 SEC. W A DISTANCE OF 273.41 FEET TO A POINT,  
THENCE S 53 DEG. 47 MIN. 24 SEC. E A DISTANCE OF 930.55 FEET TO A POINT,  
THENCE S 53 DEG. 39 MIN. 40 SEC. E A DISTANCE OF 925.63 FEET TO A POINT,  
THENCE S 58 DEG. 04 MIN. 34 SEC. E A DISTANCE OF 1126.54 FEET TO A POINT,  
THENCE S 62 DEG. 13 MIN. 32 SEC. E A DISTANCE OF 966.32 FEET TO A POINT,  
THENCE S 59 DEG. 18 MIN. 20 SEC. E A DISTANCE OF 1006.29 FEET TO A POINT,  
THENCE S 69 DEG. 13 MIN. 06 SEC. E A DISTANCE OF 1073.29 FEET TO A POINT,  
THENCE S 74 DEG. 13 MIN. 13 SEC. E A DISTANCE OF 71.44 FEET TO A POINT,  
THENCE S 56 DEG. 14 MIN. 40 SEC. E A DISTANCE OF 1023.08 FEET TO A POINT,  
THENCE S 46 DEG. 58 MIN. 50 SEC. E A DISTANCE OF 1034.95 FEET TO A POINT,  
THENCE S 46 DEG. 47 MIN. 41 SEC. E A DISTANCE OF 1101.37 FEET TO A POINT,  
THENCE S 37 DEG. 26 MIN. 00 SEC. E A DISTANCE OF 454.10 FEET TO A POINT,  
THENCE S 43 DEG. 47 MIN. 59 SEC. E A DISTANCE OF 586.90 FEET TO A POINT,  
THENCE S 36 DEG. 27 MIN. 50 SEC. E A DISTANCE OF 961.51 FEET TO A POINT,  
THENCE S 34 DEG. 19 MIN. 42 SEC. E A DISTANCE OF 102.58 FEET TO A POINT,  
THENCE S 29 DEG. 28 MIN. 37 SEC. E A DISTANCE OF 902.27 FEET TO A POINT,  
THENCE S 29 DEG. 37 MIN. 32 SEC. E A DISTANCE OF 1083.05 FEET TO A POINT,  
THENCE S 23 DEG. 35 MIN. 26 SEC. E A DISTANCE OF 590.03 FEET TO A POINT,  
THENCE S 22 DEG. 54 MIN. 26 SEC. E A DISTANCE OF 498.83 FEET TO A POINT,  
THENCE S 21 DEG. 02 MIN. 22 SEC. E A DISTANCE OF 437.94 FEET TO A POINT,  
THENCE S 21 DEG. 02 MIN. 23 SEC. E A DISTANCE OF 54.21 FEET TO A POINT,  
THENCE S 06 DEG. 19 MIN. 17 SEC. W A DISTANCE OF 707.48 FEET TO A POINT,  
THENCE S 72 DEG. 48 MIN. 34 SEC. W A DISTANCE OF 167.36 FEET TO A POINT,

THENCE S 31 DEG. 43 MIN. 40 SEC. E A DISTANCE OF 835.48 FEET TO A POINT,  
THENCE S 36 DEG. 36 MIN. 53 SEC. E A DISTANCE OF 930.52 FEET TO A POINT,  
THENCE S 77 DEG. 35 MIN. 24 SEC. E A DISTANCE OF 377.21 FEET TO A POINT,  
THENCE S 47 DEG. 02 MIN. 46 SEC. E A DISTANCE OF 390.27 FEET TO A POINT,  
THENCE S 46 DEG. 27 MIN. 43 SEC. E A DISTANCE OF 221.08 FEET TO A POINT,  
THENCE S 30 DEG. 57 MIN. 16 SEC. E A DISTANCE OF 878.52 FEET TO A POINT,  
THENCE S 48 DEG. 39 MIN. 12 SEC. E A DISTANCE OF 1095.15 FEET TO A POINT,  
THENCE N 60 DEG. 56 MIN. 40 SEC. E A DISTANCE OF 152.92 FEET TO A POINT,  
AID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 3 (SARASOTA COUNTY)  
SEGMENT 4: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 17-84-B07 AND RUN  
THENCE N 75 DEG. 29 MIN. 50 SEC. E A DISTANCE OF 386.34 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 21 DEG. 31 MIN.  
36 SEC. E A DISTANCE OF 771.57 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 68 DEG. 28 MIN. 24 SEC. W A DISTANCE OF 41.52 FEET TO A POINT,  
THENCE S 21 DEG. 51 MIN. 51 SEC. E A DISTANCE OF 393.15 FEET TO A POINT,  
THENCE S 15 DEG. 41 MIN. 16 SEC. E A DISTANCE OF 968.29 FEET TO A POINT,  
THENCE S 20 DEG. 31 MIN. 21 SEC. E A DISTANCE OF 997.77 FEET TO A POINT,  
THENCE S 18 DEG. 53 MIN. 07 SEC. E A DISTANCE OF 1019.08 FEET TO A POINT,  
THENCE S 22 DEG. 34 MIN. 45 SEC. E A DISTANCE OF 844.05 FEET TO A POINT,  
THENCE S 22 DEG. 29 MIN. 46 SEC. E A DISTANCE OF 1019.82 FEET TO A POINT,  
THENCE S 16 DEG. 34 MIN. 37 SEC. E A DISTANCE OF 1103.32 FEET TO A POINT,  
THENCE S 17 DEG. 41 MIN. 04 SEC. E A DISTANCE OF 812.56 FEET TO A POINT,  
THENCE S 17 DEG. 45 MIN. 20 SEC. E A DISTANCE OF 1150.93 FEET TO A POINT,  
THENCE S 11 DEG. 40 MIN. 25 SEC. W A DISTANCE OF 204.89 FEET TO A POINT,  
THENCE S 18 DEG. 41 MIN. 26 SEC. E A DISTANCE OF 813.06 FEET TO A POINT,  
THENCE S 21 DEG. 27 MIN. 45 SEC. E A DISTANCE OF 1127.11 FEET TO A POINT,  
THENCE S 23 DEG. 58 MIN. 18 SEC. E A DISTANCE OF 1186.60 FEET TO A POINT,  
THENCE S 28 DEG. 24 MIN. 42 SEC. E A DISTANCE OF 941.34 FEET TO A POINT,  
THENCE S 29 DEG. 05 MIN. 00 SEC. E A DISTANCE OF 1093.03 FEET TO A POINT,  
THENCE S 29 DEG. 27 MIN. 19 SEC. E A DISTANCE OF 780.51 FEET TO A POINT,  
THENCE N 65 DEG. 53 MIN. 07 SEC. E A DISTANCE OF 50.22 FEET TO A POINT,  
THENCE S 29 DEG. 39 MIN. 21 SEC. E A DISTANCE OF 487.20 FEET TO A POINT,  
THENCE S 29 DEG. 48 MIN. 17 SEC. E A DISTANCE OF 706.82 FEET TO A POINT,  
THENCE S 28 DEG. 52 MIN. 04 SEC. E A DISTANCE OF 972.81 FEET TO A POINT,  
THENCE S 28 DEG. 36 MIN. 54 SEC. E A DISTANCE OF 1120.17 FEET TO A POINT,  
THENCE S 29 DEG. 40 MIN. 36 SEC. E A DISTANCE OF 1120.60 FEET TO A POINT,  
THENCE S 29 DEG. 36 MIN. 28 SEC. E A DISTANCE OF 1042.69 FEET TO A POINT,

---

THENCE S 26 DEG. 51 MIN. 38 SEC. E A DISTANCE OF 2440.71 FEET TO A POINT,  
THENCE S 25 DEG. 05 MIN. 36 SEC. E A DISTANCE OF 1613.64 FEET TO A POINT,  
THENCE S 21 DEG. 48 MIN. 49 SEC. E A DISTANCE OF 787.70 FEET TO A POINT,  
THENCE S 21 DEG. 36 MIN. 52 SEC. E A DISTANCE OF 1208.51 FEET TO A POINT,  
THENCE S 19 DEG. 04 MIN. 43 SEC. E A DISTANCE OF 1039.12 FEET TO A POINT,  
THENCE S 17 DEG. 00 MIN. 06 SEC. E A DISTANCE OF 1074.59 FEET TO A POINT,  
THENCE S 16 DEG. 23 MIN. 13 SEC. E A DISTANCE OF 1030.38 FEET TO A POINT,  
THENCE S 14 DEG. 31 MIN. 39 SEC. E A DISTANCE OF 1319.98 FEET TO A POINT,  
THENCE S 15 DEG. 09 MIN. 38 SEC. E A DISTANCE OF 487.83 FEET TO A POINT,  
THENCE S 14 DEG. 31 MIN. 40 SEC. E A DISTANCE OF 1029.82 FEET TO A POINT,  
THENCE S 13 DEG. 52 MIN. 00 SEC. E A DISTANCE OF 733.64 FEET TO A POINT,  
THENCE S 13 DEG. 38 MIN. 14 SEC. E A DISTANCE OF 1285.82 FEET TO A POINT,  
THENCE S 12 DEG. 54 MIN. 36 SEC. E A DISTANCE OF 1086.54 FEET TO A POINT,  
THENCE N 79 DEG. 49 MIN. 57 SEC. E A DISTANCE OF 204.87 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 4 (SARASOTA COUNTY).  
SEGMENT 5 COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 17-84-B16 AND RUN  
THENCE S 71 DEG. 44 MIN. 11 SEC. E A DISTANCE OF 1812.04 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 27 DEG. 44 MIN.  
19 SEC. W A DISTANCE OF 126.28 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE N 66 DEG. 52 MIN. 49 SEC. W A DISTANCE OF 438.08 FEET TO A POINT,  
THENCE S 35 DEG. 50 MIN. 45 SEC. E A DISTANCE OF 482.64 FEET TO A POINT,  
THENCE S 30 DEG. 37 MIN. 02 SEC. E A DISTANCE OF 1016.77 FEET TO A POINT,  
THENCE S 23 DEG. 52 MIN. 14 SEC. E A DISTANCE OF 838.51 FEET TO A POINT,  
THENCE S 21 DEG. 24 MIN. 41 SEC. E A DISTANCE OF 805.62 FEET TO A POINT,  
THENCE S 20 DEG. 10 MIN. 55 SEC. E A DISTANCE OF 617.30 FEET TO A POINT,  
THENCE S 19 DEG. 10 MIN. 53 SEC. E A DISTANCE OF 659.49 FEET TO A POINT,  
THENCE S 18 DEG. 53 MIN. 24 SEC. E A DISTANCE OF 977.87 FEET TO A POINT,  
THENCE S 36 DEG. 33 MIN. 23 SEC. W A DISTANCE OF 89.29 FEET TO A POINT,  
THENCE S 08 DEG. 58 MIN. 42 SEC. E A DISTANCE OF 89.61 FEET TO A POINT,  
THENCE S 15 DEG. 21 MIN. 09 SEC. E A DISTANCE OF 943.16 FEET TO A POINT,  
THENCE S 17 DEG. 01 MIN. 02 SEC. E A DISTANCE OF 890.63 FEET TO A POINT,  
THENCE S 16 DEG. 43 MIN. 48 SEC. E A DISTANCE OF 935.16 FEET TO A POINT,  
THENCE S 15 DEG. 21 MIN. 46 SEC. E A DISTANCE OF 960.35 FEET TO A POINT,  
THENCE S 28 DEG. 20 MIN. 33 SEC. E A DISTANCE OF 1000.94 FEET TO A POINT,  
THENCE S 15 DEG. 48 MIN. 50 SEC. E A DISTANCE OF 988.24 FEET TO A POINT,  
THENCE S 15 DEG. 14 MIN. 30 SEC. E A DISTANCE OF 1009.54 FEET TO A POINT,  
THENCE N 69 DEG. 20 MIN. 11 SEC. E A DISTANCE OF 244.38 FEET TO A POINT,

SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 5 (SARASOTA COUNTY). SEGMENT 6: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 17-84-C10 AND RUN THENCE S 54 DEG. 52 MIN. 51 SEC. E A DISTANCE OF 193.81 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 31 DEG. 53 MIN. 59 SEC. E A DISTANCE OF 1024.53 FEET TO A POINT, THENCE S 31 DEG. 41 MIN. 56 SEC. E A DISTANCE OF 996.69 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 60 DEG. 54 MIN. 05 SEC. W A DISTANCE OF 60.01 FEET TO A POINT, THENCE S 30 DEG. 00 MIN. 45 SEC. E A DISTANCE OF 1012.93 FEET TO A POINT, THENCE S 30 DEG. 38 MIN. 01 SEC. E A DISTANCE OF 867.38 FEET TO A POINT, THENCE S 29 DEG. 46 MIN. 23 SEC. E A DISTANCE OF 1132.40 FEET TO A POINT, THENCE S 28 DEG. 30 MIN. 01 SEC. E A DISTANCE OF 1021.00 FEET TO A POINT, THENCE S 29 DEG. 40 MIN. 50 SEC. E A DISTANCE OF 923.02 FEET TO A POINT, THENCE S 30 DEG. 01 MIN. 15 SEC. E A DISTANCE OF 945.96 FEET TO A POINT, THENCE S 29 DEG. 01 MIN. 04 SEC. E A DISTANCE OF 1134.82 FEET TO A POINT, THENCE S 28 DEG. 06 MIN. 07 SEC. E A DISTANCE OF 1018.48 FEET TO A POINT, THENCE S 25 DEG. 55 MIN. 17 SEC. E A DISTANCE OF 983.50 FEET TO A POINT, THENCE S 26 DEG. 35 MIN. 58 SEC. E A DISTANCE OF 972.71 FEET TO A POINT, THENCE S 25 DEG. 58 MIN. 43 SEC. E A DISTANCE OF 1029.98 FEET TO A POINT, THENCE S 24 DEG. 18 MIN. 34 SEC. E A DISTANCE OF 903.55 FEET TO A POINT, THENCE S 22 DEG. 40 MIN. 38 SEC. E A DISTANCE OF 979.82 FEET TO A POINT, THENCE S 22 DEG. 52 MIN. 25 SEC. E A DISTANCE OF 997.60 FEET TO A POINT, THENCE S 23 DEG. 37 MIN. 14 SEC. E A DISTANCE OF 1017.71 FEET TO A POINT, THENCE S 24 DEG. 28 MIN. 23 SEC. E A DISTANCE OF 994.42 FEET TO A POINT, THENCE S 23 DEG. 47 MIN. 56 SEC. E A DISTANCE OF 901.23 FEET TO A POINT, THENCE S 23 DEG. 09 MIN. 55 SEC. E A DISTANCE OF 1045.38 FEET TO A POINT, THENCE S 24 DEG. 33 MIN. 22 SEC. E A DISTANCE OF 1053.41 FEET TO A POINT, THENCE S 25 DEG. 13 MIN. 05 SEC. E A DISTANCE OF 995.98 FEET TO A POINT, THENCE S 27 DEG. 01 MIN. 43 SEC. E A DISTANCE OF 999.37 FEET TO A POINT, THENCE S 29 DEG. 47 MIN. 03 SEC. E A DISTANCE OF 937.06 FEET TO A POINT, THENCE S 32 DEG. 31 MIN. 29 SEC. E A DISTANCE OF 1060.01 FEET TO A POINT, THENCE S 28 DEG. 13 MIN. 54 SEC. E A DISTANCE OF 924.83 FEET TO A POINT, THENCE S 35 DEG. 57 MIN. 40 SEC. E A DISTANCE OF 1023.67 FEET TO A POINT, THENCE S 31 DEG. 56 MIN. 29 SEC. E A DISTANCE OF 961.50 FEET TO A POINT, THENCE S 33 DEG. 20 MIN. 51 SEC. E A DISTANCE OF 960.68 FEET TO A POINT, THENCE S 31 DEG. 48 MIN. 49 SEC. E A DISTANCE OF 912.00 FEET TO A POINT, THENCE S 30 DEG. 46 MIN. 14 SEC. E A DISTANCE OF 1114.75 FEET TO A POINT, THENCE S 30 DEG. 27 MIN. 27 SEC. E A DISTANCE OF 916.92 FEET TO A POINT,

THENCE S 31 DEG. 27 MIN. 39 SEC. E A DISTANCE OF 1017.82 FEET TO A POINT,  
THENCE S 30 DEG. 03 MIN. 54 SEC. E A DISTANCE OF 989.78 FEET TO A POINT,  
THENCE S 29 DEG. 24 MIN. 10 SEC. E A DISTANCE OF 897.84 FEET TO A POINT,  
THENCE S 29 DEG. 25 MIN. 50 SEC. E A DISTANCE OF 1009.15 FEET TO A POINT,  
THENCE S 29 DEG. 13 MIN. 26 SEC. E A DISTANCE OF 1034.13 FEET TO A POINT,  
THENCE S 27 DEG. 28 MIN. 59 SEC. E A DISTANCE OF 757.84 FEET TO A POINT,  
THENCE S 27 DEG. 28 MIN. 59 SEC. E TO THE INTERSECTION OF THE  
SARASOTA-CHARLOTTE COUNTY LINE, THENCE RUN EASTERLY ALONG THE  
SARASOTA-CHARLOTTE COUNTY LINE TO A POINT LOCATED ON THE COASTAL  
CONSTRUCTION CONTROL LINE, SAID POINT BEING THE TERMINUS POINT OF  
THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 6 (SARASOTA  
COUNTY).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS.  
History—New 4-7-10.

#### **62B-34.180 Manatee County.**

The legal description for the Manatee County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded August 6, 1987 in “record Plat Book #10. Pages 1 through 7”, of the public records of Manatee County, Florida, said General Permit Line being more particularly described as follows:

NORTH SEGMENT: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 13-85-A04 AND RUN THENCE N 82 DEG. 42 MIN. 50 SEC. E A DISTANCE OF 172.73 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 70 DEG. 25 MIN. 06 SEC. W A DISTANCE OF 109.47 FEET TO A POINT, THENCE S 35 DEG. 30 MIN. 32 SEC. E A DISTANCE OF 898.30 FEET TO A POINT, THENCE S 39 DEG. 32 MIN. 58 SEC. W A DISTANCE OF 52.11 FEET TO A POINT, THENCE S 35 DEG. 25 MIN. 46 SEC. E A DISTANCE OF 1186.59 FEET TO A POINT, THENCE S 54 DEG. 33 MIN. 19 SEC. W A DISTANCE OF 25.09 FEET TO A POINT, THENCE S 35 DEG. 25 MIN. 08 SEC. E A DISTANCE OF 913.10 FEET TO A POINT, THENCE S 48 DEG. 16 MIN. 03 SEC. E A DISTANCE OF 1078.28 FEET TO A POINT, THENCE N 58 DEG. 14 MIN. 42 SEC. E A DISTANCE OF 25.71 FEET TO A POINT, THENCE S 44 DEG. 09 MIN. 33 SEC. E A DISTANCE OF 922.18 FEET TO A POINT, THENCE S 45 DEG. 39 MIN. 10 SEC. E A DISTANCE OF 1070.64 FEET TO A POINT, THENCE S 42 DEG. 19 MIN. 51 SEC. E A DISTANCE OF 1102.52 FEET TO A POINT, THENCE S 34 DEG. 04 MIN. 22 SEC. W A DISTANCE OF 25.74 FEET TO A POINT, THENCE S 41 DEG. 56 MIN. 56 SEC. E A DISTANCE OF 1009.28 FEET TO A POINT, THENCE S 37 DEG. 12 MIN. 02 SEC. E A DISTANCE OF 992.41 FEET TO A POINT, THENCE S 35 DEG. 57 MIN. 02 SEC. E A DISTANCE OF 1228.76 FEET

TO A POINT, THENCE S 35 DEG. 37 MIN. 39 SEC. E A DISTANCE OF 842.57 FEET  
TO A POINT, THENCE S 32 DEG. 18 MIN. 51 SEC. E A DISTANCE OF 1039.25 FEET  
TO A POINT, THENCE S 33 DEG. 22 MIN. 49 SEC. E A DISTANCE OF 922.22 FEET  
TO A POINT, THENCE S 28 DEG. 05 MIN. 57 SEC. E A DISTANCE OF 1059.36 FEET  
TO A POINT, THENCE S 28 DEG. 23 MIN. 32 SEC. E A DISTANCE OF 955.03 FEET  
TO A POINT, THENCE S 27 DEG. 53 MIN. 20 SEC. E A DISTANCE OF 1134.66 FEET  
TO A POINT, THENCE S 23 DEG. 42 MIN. 57 SEC. E A DISTANCE OF 967.80 FEET  
TO A POINT, THENCE S 21 DEG. 13 MIN. 29 SEC. E A DISTANCE OF 935.82 FEET  
TO A POINT, THENCE S 24 DEG. 44 MIN. 56 SEC. E A DISTANCE OF 1028.07 FEET  
TO A POINT, THENCE S 69 DEG. 34 MIN. 32 SEC. W A DISTANCE OF 24.96 FEET  
TO A POINT, THENCE S 22 DEG. 35 MIN. 35 SEC. E A DISTANCE OF 965.92 FEET  
TO A POINT, THENCE S 20 DEG. 23 MIN. 50 SEC. E A DISTANCE OF 1221.69 FEET  
TO A POINT, THENCE S 16 DEG. 21 MIN. 48 SEC. E A DISTANCE OF 805.42 FEET  
TO A POINT, THENCE S 15 DEG. 01 MIN. 26 SEC. E A DISTANCE OF 997.14 FEET  
TO A POINT, THENCE S 23 DEG. 17 MIN. 15 SEC. E A DISTANCE OF 1410.18 FEET  
TO A POINT, THENCE S 19 DEG. 27 MIN. 57 SEC. E A DISTANCE OF 882.78 FEET  
TO A POINT, THENCE S 17 DEG. 23 MIN. 22 SEC. E A DISTANCE OF 1110.86 FEET  
TO A POINT, THENCE S 16 DEG. 17 MIN. 49 SEC. E A DISTANCE OF 928.75 FEET  
TO A POINT, THENCE S 16 DEG. 32 MIN. 40 SEC. E A DISTANCE OF 920.64 FEET  
TO A POINT, THENCE S 17 DEG. 07 MIN. 20 SEC. E A DISTANCE OF 1095.23 FEET  
TO A POINT, THENCE S 17 DEG. 56 MIN. 48 SEC. E A DISTANCE OF 961.83 FEET  
TO A POINT, THENCE S 12 DEG. 47 MIN. 39 SEC. E A DISTANCE OF 492.34 FEET  
TO A POINT, THENCE S 29 DEG. 51 MIN. 05 SEC. E A DISTANCE OF 439.05 FEET  
TO A POINT, THENCE N 69 DEG. 47 MIN. 42 SEC. E A DISTANCE OF 207.15 FEET  
TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED  
COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF  
TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE (NORTH  
SEGMENT). SOUTH SEGMENT: COMMENCE AT FLORIDA DEPARTMENT OF  
ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF  
NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 13-  
84-B06 AND RUN THENCE S 77 DEG. 53 MIN. 23 SEC. W A DISTANCE OF 1194.68  
FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE  
S 26 DEG. 12 MIN. 28 SEC. E A DISTANCE OF 1157.06 FEET TO A POINT, SAID  
POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL  
PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL  
LINE RUN: THENCE S 29 DEG. 52 MIN. 36 SEC. W A DISTANCE OF 190.04 FEET  
TO A POINT, THENCE S 55 DEG. 12 MIN. 01 SEC. E A DISTANCE OF 914.35 FEET  
TO A POINT, THENCE S 46 DEG. 58 MIN. 54 SEC. E A DISTANCE OF 1096.50 FEET  
TO A POINT, THENCE S 41 DEG. 04 MIN. 55 SEC. E A DISTANCE OF 833.80 FEET  
TO A POINT, THENCE S 44 DEG. 58 MIN. 27 SEC. E A DISTANCE OF 1556.75 FEET  
TO A POINT, THENCE S 52 DEG. 08 MIN. 20 SEC. E A DISTANCE OF 955.55 FEET  
TO A POINT, THENCE S 60 DEG. 47 MIN. 52 SEC. E A DISTANCE OF 996.98 FEET  
TO A POINT, THENCE S 54 DEG. 43 MIN. 19 SEC. E A DISTANCE OF 916.23 FEET

TO A POINT, THENCE S 46 DEG. 38 MIN. 23 SEC. E A DISTANCE OF 1156.33 FEET  
TO A POINT, THENCE S 38 DEG. 11 MIN. 30 SEC. E A DISTANCE OF 927.87 FEET  
TO A POINT, THENCE S 36 DEG. 04 MIN. 22 SEC. E A DISTANCE OF 472.39 FEET  
TO A POINT, THENCE S 43 DEG. 34 MIN. 08 SEC. E A DISTANCE OF 1490.35 FEET  
TO A POINT, THENCE S 41 DEG. 46 MIN. 26 SEC. E A DISTANCE OF 782.64 FEET  
TO A POINT, THENCE S 41 DEG. 45 MIN. 32 SEC. E A DISTANCE OF 985.17 FEET  
TO A POINT, THENCE S 39 DEG. 45 MIN. 28 SEC. E A DISTANCE OF 917.80 FEET  
TO A POINT, THENCE S 38 DEG. 26 MIN. 33 SEC. E A DISTANCE OF 991.54 FEET  
TO A POINT, THENCE S 34 DEG. 38 MIN. 54 SEC. E A DISTANCE OF 1017.28 FEET  
TO A POINT, THENCE S 32 DEG. 57 MIN. 07 SEC. E A DISTANCE OF 1221.01 FEET  
TO A POINT, THENCE S 31 DEG. 26 MIN. 48 SEC. E A DISTANCE OF 944.75 FEET  
TO A POINT, THENCE S 34 DEG. 15 MIN. 18 SEC. E A DISTANCE OF 1087.07 FEET  
TO A POINT, THENCE S 35 DEG. 31 MIN. 29 SEC. E A DISTANCE OF 975.52 FEET  
TO A POINT, THENCE S 34 DEG. 03 MIN. 58 SEC. E A DISTANCE OF 1090.87 FEET  
TO A POINT, THENCE S 33 DEG. 39 MIN. 59 SEC. E A DISTANCE OF 861.93 FEET  
TO A POINT, THENCE S 31 DEG. 18 MIN. 06 SEC. E A DISTANCE OF 544.61 FEET  
TO A POINT, THENCE S 31 DEG. 18 MIN. 06 SEC. E TO THE INTERSECTION OF  
THE MANATEE-SARASOTA COUNTY LINE, THENCE RUN EASTERLY ALONG THE  
MANATEE-SARASOTA COUNTY LINE TO A POINT LOCATED ON THE COASTAL  
CONSTRUCTION CONTROL LINE, SAID POINT BEING THE TERMINUS POINT OF  
THE HEREIN DESCRIBED GENERAL PERMIT LINE (NORTH SEGMENT).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5),(19),(22) FS.

History—New 4-7-10.

#### **62B-34.190 Charlotte County.**

The legal description for the Charlotte County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded January 29, 1985 in “setback Book 1, Pages 1A through 1G” of the public records of Charlotte County, Florida, said General Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR])  
PERMANENT REFERENCE MONUMENT (PRM) 01-82-A01 AND RUN THENCE S 18  
DEG. 09 MIN. 56 SEC. W A DISTANCE OF 244.71 FEET TO A POINT ON THE  
COASTAL CONSTRUCTION CONTROL LINE; THENCE N 27 DEG. 16 MIN. 46 SEC.  
W TO THE INTERSECTION OF THE CHARLOTTE-SARASOTA COUNTY LINE, SAID  
POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL  
PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL  
LINE RUN: WESTERLY ALONG THE CHARLOTTE-SARASOTA COUNTYLINE TO A  
POINT, THENCE S 26 DEG. 18 MIN. 22 SEC. E TO A POINT, SAID POINT BEING S  
03 DEG. 38 MIN. 55 SEC. E A DISTANCE OF 823.63 FEET FROM PRM 01-82-A01.  
THENCE S 68 DEG. 12 MIN. 52 SEC. W A DISTANCE OF 25.06 FEET TO A POINT,  
THENCE S 25 DEG. 35 MIN. 18 DEC. E A DISTANCE OF 1009.86 FEET TO A POINT,

THENCE S 28 DEG. 30 MIN. 19 SEC. E A DISTANCE OF 1022.79 FEET TO A POINT,  
THENCE S 27 DEG. 28 MIN. 19 SEC. E A DISTANCE OF 982.43 FEET TO A POINT,  
THENCE N 65 DEG. 51 MIN. 08 SEC. E A DISTANCE OF 25.04 FEET TO A POINT,  
THENCE S 27 DEG. 49 MIN. 58 SEC. E A DISTANCE OF 960.27 FEET TO A POINT,  
THENCE S 27 DEG. 57 MIN. 03 SEC. E A DISTANCE OF 946.03 FEET TO A POINT,  
THENCE S 29 DEG. 11 MIN. 15 SEC. E A DISTANCE OF 1016.05 FEET TO A POINT,  
THENCE S 29 DEG. 09 MIN. 25 SEC. E A DISTANCE OF 877.72 FEET TO A POINT,  
THENCE S 29 DEG. 52 MIN. 38 SEC. E A DISTANCE OF 1130.05 FEET TO A POINT,  
THENCE S 26 DEG. 41 MIN. 55 SEC. E A DISTANCE OF 991.32 FEET TO A POINT,  
THENCE S 27 DEG. 43 MIN. 00 SEC. E A DISTANCE OF 1070.94 FEET TO A POINT,  
THENCE S 26 DEG. 51 MIN. 45 SEC. E A DISTANCE OF 1024.00 FEET TO A POINT,  
THENCE S 29 DEG. 32 MIN. 19 SEC. E A DISTANCE OF 1080.49 FEET TO A POINT,  
THENCE N 63 DEG. 02 MIN. 33 SEC. E A DISTANCE OF 77.87 FEET TO A POINT,  
THENCE S 22 DEG. 43 MIN. 00 SEC. E A DISTANCE OF 986.10 FEET TO A POINT,  
THENCE S 38 DEG. 38 MIN. 23 SEC. E A DISTANCE OF 327.67 FEET TO A POINT,  
THENCE N 58 DEG. 59 MIN. 32 SEC. E A DISTANCE OF 18.53 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE (CHARLOTTE COUNTY).  
Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS.  
History—New 4-7-10.

#### **62B-34.200 Bay County.**

The legal description for the Bay County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded February 7, 1997 in "O.R. book 1687, Pages 1048 through 1065", and in "Coastal Construction Control Line Book 2, Pages 1 through 12", of the public records of Bay County, Florida, said General Permit Line being more particularly described as follows:

SEGMENT 1: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-76-B03 AND RUN  
THENCE S 51 DEG. 17 MIN. 40 SEC. E A DISTANCE OF 404.71 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 63 DEG. 42 MIN. 18 SEC. W A DISTANCE OF 500.53 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 26 DEG. 17 MIN. 42 SEC. W A DISTANCE OF 28.83 FEET TO A POINT,  
THENCE S 63 DEG. 23 MIN. 14 SEC. E A DISTANCE OF 493.90 FEET TO A POINT,  
THENCE S 61 DEG. 04 MIN. 12 SEC. E A DISTANCE OF 860.30 FEET TO A POINT,  
THENCE S 65 DEG. 01 MIN. 52 SEC. E A DISTANCE OF 993.55 FEET TO A POINT,  
THENCE S 62 DEG. 41 MIN. 01 SEC. E A DISTANCE OF 996.14 FEET TO A POINT,  
THENCE S 63 DEG. 44 MIN. 00 SEC. E A DISTANCE OF 436.13 FEET TO A POINT,

THENCE N 27 DEG. 06 MIN. 21 SEC. E A DISTANCE OF 42.51 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 1 (BAY COUNTY).

SEGMENT 2: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-91-DA16 AND RUN THENCE S 60 DEG. 03 MIN. 31 SEC. E A DISTANCE OF 575.74 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 61 DEG. 22 MIN. 35 SEC. W A DISTANCE OF 673.00 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 28 DEG. 37 MIN. 25 SEC. W A DISTANCE OF 102.13 FEET TO A POINT, THENCE S 61 DEG. 57 MIN. 41 SEC. E A DISTANCE OF 668.59 FEET TO A POINT, THENCE S 61 DEG. 22 MIN. 14 SEC. E A DISTANCE OF 911.20 FEET TO A POINT, THENCE S 62 DEG. 58 MIN. 23 SEC. E A DISTANCE OF 1006.41 FEET TO A POINT, THENCE S 60 DEG. 42 MIN. 07 SEC. E A DISTANCE OF 762.07 FEET TO A POINT, THENCE N 27 DEG. 32 MIN. 07 SEC. E A DISTANCE OF 114.45 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, SEGMENT 2 (BAY COUNTY).

SEGMENT 3: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-91-DA14 AND RUN THENCE N 68 DEG. 36 MIN. 06 SEC. W A DISTANCE OF 118.52 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 58 DEG. 23 MIN. 48 SEC. W A DISTANCE OF 64.06 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 31 DEG. 36 MIN. 12 SEC. W A DISTANCE OF 94.05 FEET TO A POINT, THENCE S 58 DEG. 04 MIN. 48 SEC. E A DISTANCE OF 1036.71 FEET TO A POINT, THENCE S 57 DEG. 54 MIN. 03 SEC. E A DISTANCE OF 650.15 FEET TO A POINT, THENCE N 32 DEG. 58 MIN. 17 SEC. E A DISTANCE OF 88.70 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, SEGMENT 3 (BAY COUNTY).

SEGMENT 4: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-76-B16 AND RUN THENCE S 55 DEG. 45 MIN. 19 SEC. E A DISTANCE OF 615.75 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 56 DEG. 25 MIN. 35 SEC. E A DISTANCE OF 1042.34 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;

THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 36 DEG. 07 MIN. 15 SEC. W A DISTANCE OF 105.07 FEET TO A POINT,  
THENCE S 57 DEG. 06 MIN. 51 SEC. E A DISTANCE OF 1000.02 FEET TO A POINT,  
THENCE S 56 DEG. 30 MIN. 43 SEC. E A DISTANCE OF 1000.63 FEET TO A POINT,  
THENCE N 31 DEG. 51 MIN. 14 SEC. E A DISTANCE OF 67.76 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE, SEGMENT 4 (BAY COUNTY).  
SEGMENT 5: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-76-B23 AND RUN  
THENCE S 06 DEG. 12 MIN. 52 SEC. W A DISTANCE OF 236.84 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 55 DEG. 07 MIN.  
58 SEC. E A DISTANCE OF 771.85 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 34 DEG. 52 MIN. 02 SEC. W A DISTANCE OF 61.33 FEET TO A POINT,  
THENCE S 55 DEG. 13 MIN. 31 SEC. E A DISTANCE OF 1097.33 FEET TO A POINT,  
THENCE N 53 DEG. 18 MIN. 32 SEC. E A DISTANCE OF 53.80 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE, SEGMENT 5, (BAY COUNTY).  
SEGMENT 6: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-91-DA12 AND RUN  
THENCE S 00 DEG. 02 MIN. 01 SEC. W A DISTANCE OF 78.03 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 53 DEG. 54 MIN.  
23 SEC. E A DISTANCE OF 858.37 FEET TO A POINT, THENCE S 53 DEG. 01 MIN.  
32 SEC. E A DISTANCE OF 317.30 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 36 DEG. 58 MIN. 28 SEC. W A DISTANCE OF 60.32 FEET TO A POINT,  
THENCE S 52 DEG. 06 MIN. 52 SEC. E A DISTANCE OF 842.76 FEET TO A POINT,  
THENCE S 52 DEG. 20 MIN. 04 SEC. E A DISTANCE OF 406.06 FEET TO A POINT,  
THENCE N 37 DEG. 26 MIN. 22 SEC. E A DISTANCE OF 75.15 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 6 (BAY COUNTY).  
SEGMENT 7: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-91-DA09 AND RUN  
THENCE S 88 DEG. 42 MIN. 41 SEC. W A DISTANCE OF 1181.49 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 51 DEG. 09 MIN.

08 SEC. W A DISTANCE OF 68.71 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 38 DEG. 50 MIN. 52 SEC. W A DISTANCE OF 114.18 FEET TO A POINT, THENCE S 51 DEG. 43 MIN. 32 SEC. E A DISTANCE OF 84.36 FEET TO A POINT, THENCE S 48 DEG. 59 MIN. 08 SEC. E A DISTANCE OF 918.97 FEET TO A POINT, THENCE N 40 DEG. 02 MIN. 12 SEC. E A DISTANCE OF 128.67 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, SEGMENT 7 (BAY COUNTY).  
SEGMENT 8: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-91-DA07 AND RUN THENCE S 87 DEG. 30 MIN. 41 SEC. W A DISTANCE OF 949.57 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 49 DEG. 06 MIN. 57 SEC. E A DISTANCE OF 283.80 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 40 DEG. 53 MIN. 03 SEC. W A DISTANCE OF 61.10 FEET TO A POINT, THENCE S 47 DEG. 46 MIN. 24 SEC. E A DISTANCE OF 530.34 FEET TO A POINT THENCE S 46 DEG. 59 MIN. 54 SEC. E A DISTANCE OF 1066.87 FEET TO A POINT, THENCE S 47 DEG. 02 MIN. 07 SEC. E A DISTANCE OF 863.22 FEET TO A POINT, THENCE S 46 DEG. 14 MIN. 07 SEC. E A DISTANCE OF 1860.34 FEET TO A POINT, THENCE N 43 DEG. 31 MIN. 52 SEC. E A DISTANCE OF 68.87 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE, SEGMENT 8 (BAY COUNTY).  
SEGMENT 9: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-76-A09 AND RUN THENCE N 32 DEG. 41 MIN. 52 SEC. W A DISTANCE OF 494.98 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 73 DEG. 50 MIN. 54 SEC. E A DISTANCE OF 828.60 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 16 DEG. 09 MIN. 06 SEC. W A DISTANCE OF 129.75 FEET TO A POINT, THENCE S 76 DEG. 55 MIN. 51 SEC. E A DISTANCE OF 694.76 FEET TO A POINT, THENCE S 70 DEG. 27 MIN. 41 SEC. E A DISTANCE OF 1007.84 FEET TO A POINT, THENCE S 63 DEG. 38 MIN. 27 SEC. E A DISTANCE OF 1060.55 FEET TO A POINT, THENCE S 63 DEG. 38 MIN. 27 SEC. E A DISTANCE OF 261.00 FEET TO A POINT, THENCE S 59 DEG. 13 MIN. 25 SEC. E A DISTANCE OF 769.54 FEET TO A POINT, THENCE S 56 DEG. 37 MIN. 10 SEC. E A DISTANCE OF 1016.66 FEET TO A POINT, THENCE S 56 DEG. 51 MIN. 40 SEC. E A DISTANCE OF 1027.45 FEET TO A POINT,

THENCE S 55 DEG. 35 MIN. 00 SEC. E A DISTANCE OF 51.83 FEET TO A POINT,  
THENCE N 34 DEG. 19 MIN. 25 SEC. E A DISTANCE OF 24.70 FEET TO A POINT,  
THENCE S 55 DEG. 32 MIN. 13 SEC. E A DISTANCE OF 955.81 FEET TO A POINT,  
THENCE S 36 DEG. 08 MIN. 38 SEC. W A DISTANCE OF 25.01 FEET TO A POINT,  
THENCE S 52 DEG. 10 MIN. 02 SEC. E A DISTANCE OF 1187.53 FEET TO A POINT,  
THENCE S 52 DEG. 20 MIN. 24 SEC. E A DISTANCE OF 949.44 FEET TO A POINT,  
THENCE S 50 DEG. 09 MIN. 07 SEC. E A DISTANCE OF 1034.47 FEET TO A POINT,  
THENCE S 48 DEG. 20 MIN. 33 SEC. E A DISTANCE OF 995.57 FEET TO A POINT,  
THENCE S 46 DEG. 51 MIN. 16 SEC. E A DISTANCE OF 992.54 FEET TO A POINT,  
THENCE S 46 DEG. 02 MIN. 31 SEC. E A DISTANCE OF 1010.53 FEET TO A POINT,  
THENCE S 45 DEG. 45 MIN. 57 SEC. E A DISTANCE OF 998.22 FEET TO A POINT,  
THENCE S 44 DEG. 20 MIN. 13 SEC. E A DISTANCE OF 1005.10 FEET TO A POINT,  
THENCE S 43 DEG. 09 MIN. 24 SEC. E A DISTANCE OF 935.59 FEET TO A POINT,  
THENCE S 42 DEG. 52 MIN. 00 SEC. E A DISTANCE OF 492.61 FEET TO A POINT,  
THENCE S 42 DEG. 52 MIN. 00 SEC. E TO THE INTERSECTION OF THE BAY-GULF  
COUNTY LINE, THENCE RUN NORTHERLY ALONG THE BAY-GULF COUNTY LINE  
TO A POINT LOCATED ON THE COASTAL CONSTRUCTION CONTROL LINE, SAID  
POINT BEING THE TERMINUS POINT OF THE HEREIN DESCRIBED GENERAL  
PERMIT LINE, SEGMENT 9 (BAY COUNTY).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS.  
History—New 4-7-10.

#### **62B-34.210 Escambia County.**

The legal description for the Escambia County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded June 19, 1986 in "Plat book 13, Page 23, sheets A through O, inclusive", of the public records of Escambia County, Florida, said General Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR])  
PERMANENT REFERENCE MONUMENT (PRM) 48-84-B17 AND RUN THENCE S 18  
DEG. 12 MIN. 25 SEC. W A DISTANCE OF 605.80 FEET TO A POINT ON THE  
COASTAL CONSTRUCTION CONTROL LINE; THENCE N 79 DEG. 06 MIN. 05 SEC.  
E A DISTANCE OF 615.00 FEET TO A POINT, SAID POINT BEING THE POINT OF  
BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE  
LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 09  
DEG. 44 MIN. 27 SEC. E A DISTANCE OF 101.78 FEET TO A POINT, THENCE N 79  
DEG. 40 MIN. 33 SEC. E A DISTANCE OF 1977.20 FEET TO A POINT, THENCE S 10  
DEG. 11 MIN. 35 SEC. E A DISTANCE OF 25.00 FEET TO A POINT, THENCE N 79  
DEG. 23 MIN. 06 SEC. E A DISTANCE OF 1069.52 FEET TO A POINT, THENCE N 82  
DEG. 23 MIN. 25 SEC. E A DISTANCE OF 853.09 FEET TO A POINT, THENCE N 80  
DEG. 05 MIN. 29 SEC. E A DISTANCE OF 950.36 FEET TO A POINT, THENCE N 79

DEG. 25 MIN. 53 SEC. E A DISTANCE OF 1984.01 FEET TO A POINT, THENCE N 76 DEG. 37 MIN. 33 SEC. E A DISTANCE OF 944.05 FEET TO A POINT, THENCE N 79 DEG. 12 MIN. 36 SEC. E A DISTANCE OF 1013.13 FEET TO A POINT, THENCE N 79 DEG. 08 MIN. 06 SEC. E A DISTANCE OF 1693.07 FEET TO A POINT, THENCE N 08 DEG. 49 MIN. 00 SEC. W A DISTANCE OF 25.02 FEET TO A POINT, THENCE N 79 DEG. 01 MIN. 38 SEC. E A DISTANCE OF 200.66 FEET TO A POINT, THENCE N 79 DEG. 04 MIN. 30 SEC. E A DISTANCE OF 1122.57 FEET TO A POINT, THENCE N 78 DEG. 05 MIN. 53 SEC. E A DISTANCE OF 755.95 FEET TO A POINT, THENCE S 14 DEG. 16 MIN. 06 SEC. E A DISTANCE OF 25.02 FEET TO A POINT, THENCE N 78 DEG. 05 MIN. 53 SEC. E A DISTANCE OF 175.73 FEET TO A POINT, THENCE N 78 DEG. 11 MIN. 47 SEC. E A DISTANCE OF 1018.19 FEET TO A POINT, THENCE N 78 DEG. 00 MIN. 31 SEC. E A DISTANCE OF 925.54 FEET TO A POINT, THENCE N 08 DEG. 40 MIN. 43 SEC. W A DISTANCE OF 143.47 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS. History—New 4-7-10.

#### **62B-34.220 Franklin County.**

The legal description for the Franklin County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded April 30, 1984 in the "CCCL Book", Pages 1 through 10, of the public records of Franklin County, Florida, said General Permit Line being more particularly described as follows:

COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 49-80-B12 AND RUN THENCE S 60 DEG. 51 MIN. 46 SEC. E A DISTANCE OF 369.12 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 64 DEG. 42 MIN. 53 SEC. E A DISTANCE OF 968.27 FEET TO A POINT, THENCE N 65 DEG. 22 MIN. 40 SEC. E A DISTANCE OF 1130.82 FEET TO A POINT, THENCE N 67 DEG. 33 MIN. 16 SEC. E A DISTANCE OF 530.25 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 22 DEG. 26 MIN. 46 SEC. E A DISTANCE OF 139.40 FEET TO A POINT, THENCE N 67 DEG. 19 MIN. 01 SEC. E A DISTANCE OF 585.74 FEET TO A POINT, THENCE N 67 DEG. 45 MIN. 25 SEC. E A DISTANCE OF 991.53 FEET TO A POINT, THENCE N 68 DEG. 31 MIN. 40 SEC. E A DISTANCE OF 1042.20 FEET TO A POINT, THENCE N 70 DEG. 38 MIN. 56 SEC. E A DISTANCE OF 1065.53 FEET TO A POINT, THENCE N 70 DEG. 07 MIN. 00 SEC. E A DISTANCE OF 1021.05 FEET TO A POINT, THENCE N 72 DEG. 04 MIN. 17 SEC. E A DISTANCE OF 1017.10 FEET TO A POINT, THENCE N 72 DEG. 38 MIN. 48 SEC. E A DISTANCE OF 1040.36 FEET TO A POINT, THENCE N 70

DEG. 42 MIN. 49 SEC. E A DISTANCE OF 980.46 FEET TO A POINT, THENCE N 72 DEG. 27 MIN. 48 SEC. E A DISTANCE OF 715.05 FEET TO A POINT, THENCE N 17 DEG. 36 MIN. 40 SEC. W A DISTANCE OF 126.20 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE.

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS.  
History—New 4-7-10.

#### **62B-34.230 Gulf County.**

The legal description for the Gulf County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded February 5, 1986 in the "Misc. Plat Book 1, Pp 12, Pages 1 through 13", of the public records of Gulf County, Florida, said General Permit Line being more particularly described as follows:

NORTH SEGMENT: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 46-76-A03 AND RUN THENCE N 46 DEG. 32 MIN. 52 SEC. E A DISTANCE OF 139.81 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 42 DEG. 20 MIN. 13 SEC. W TO THE GULF-BAY COUNTY LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE SOUTHERLY ALONG THE GULF-BAY COUNTY LINE TO A POINT, THENCE S 42 DEG. 38 MIN. 14 SEC. E TO A POINT, SAID POINT BEING S 42 DEG. 54 MIN. 32 SEC. E A DISTANCE OF 995.98 FEET FROM P.R.M. 46-76-A03, THENCE S 43 DEG. 03 MIN. 17 SEC. E A DISTANCE OF 1021.95 FEET TO A POINT, THENCE S 41 DEG. 33 MIN. 12 SEC. E A DISTANCE OF 1018.28 FEET TO A POINT, THENCE S 39 DEG. 58 MIN. 58 SEC. E A DISTANCE OF 1022.51 FEET TO A POINT, THENCE S 40 DEG. 11 MIN. 01 SEC. E A DISTANCE OF 1005.36 FEET TO A POINT, THENCE S 40 DEG. 09 MIN. 04 SEC. E A DISTANCE OF 986.56 FEET TO A POINT, THENCE S 39 DEG. 15 MIN. 27 SEC. E A DISTANCE OF 1020.99 FEET TO A POINT, THENCE S 39 DEG. 33 MIN. 44 SEC. E A DISTANCE OF 1016.62 FEET TO A POINT, THENCE S 39 DEG. 17 MIN. 50 SEC. E A DISTANCE OF 997.29 FEET TO A POINT, THENCE S 38 DEG. 26 MIN. 59 SEC. E A DISTANCE OF 1003.32 FEET TO A POINT, THENCE S 36 DEG. 26 MIN. 40 SEC. E A DISTANCE OF 977.19 FEET TO A POINT, THENCE S 35 DEG. 46 MIN. 08 SEC. E A DISTANCE OF 1000.45 FEET TO A POINT, THENCE S 36 DEG. 50 MIN. 13 SEC. E A DISTANCE OF 1004.02 FEET TO A POINT, THENCE S 32 DEG. 06 MIN. 44 SEC. E A DISTANCE OF 996.49 FEET TO A POINT, THENCE S 31 DEG. 11 MIN. 16 SEC. E A DISTANCE OF 911.37 FEET TO A POINT, THENCE N 58 DEG. 54 MIN. 17 SEC. E A DISTANCE OF 150.50 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE

HEREIN DESCRIBED GENERAL PERMIT LINE, NORTH SEGMENT (GULF COUNTY). SOUTH SEGMENT: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 51-83-B33 AND RUN THENCE S 10 DEG. 31 MIN. 17 SEC. E A DISTANCE OF 770.35 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 59 DEG. 08 MIN. 27 SEC. E A DISTANCE OF 1048.58 FEET TO A POINT, THENCE N 67 DEG. 01 MIN. 56 SEC. E A DISTANCE OF 998.66 FEET TO A POINT, THENCE N 66 DEG. 51 MIN. 52 SEC. E A DISTANCE OF 1037.78 FEET TO A POINT, THENCE N 71 DEG. 48 MIN. 29 SEC. E A DISTANCE OF 391.80 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 18 DEG. 11 MIN. 31 SEC. E A DISTANCE OF 73.43 FEET TO A POINT, THENCE N 71 DEG. 21 MIN. 19 SEC. E A DISTANCE OF 736.39 FEET TO A POINT, THENCE N 72 DEG. 33 MIN. 59 SEC. E A DISTANCE OF 939.41 FEET TO A POINT, THENCE N 76 DEG. 13 MIN. 16 SEC. E A DISTANCE OF 1001.91 FEET TO A POINT, THENCE N 77 DEG. 04 MIN. 17 SEC. E A DISTANCE OF 1072.96 FEET TO A POINT, THENCE N 78 DEG. 39 MIN. 10 SEC. E A DISTANCE OF 1069.79 FEET TO A POINT, THENCE N 80 DEG. 08 MIN. 04 SEC. E A DISTANCE OF 1009.83 FEET TO A POINT, THENCE N 82 DEG. 54 MIN. 01 SEC. E A DISTANCE OF 131.45 FEET TO A POINT, THENCE N 08 DEG. 10 MIN. 02 SEC. W A DISTANCE OF 102.82 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE , SOUTH SEGMENT (GULF COUNTY).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS. History—New 4-7-10.

#### **62B-34.240 Brevard County.**

The legal description for the Brevard County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded December 4, 1986 in "Survey Book 2A, Pages 29 through 42". Of the public records of Brevard County, Florida, said General Permit Line being more particularly described as follows:  
SEGMENT 1: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 70-80-A03 AND RUN THENCE S 45 DEG. 21 MIN. 31 SEC. W A DISTANCE OF 417.78 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 13 DEG. 23 MIN. 54 SEC. W A DISTANCE OF 387.82 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 76 DEG. 36 MIN. 06 SEC. E A DISTANCE OF 109.79 FEET TO A POINT,

THENCE S 13 DEG. 27 MIN. 05 SEC. W A DISTANCE OF 487.57 FEET TO A POINT,  
THENCE S 13 DEG. 02 MIN. 37 SEC. W A DISTANCE OF 959.33 FEET TO A POINT,  
THENCE S 14 DEG. 18 MIN. 03 SEC. W A DISTANCE OF 939.49 FEET TO A POINT,  
THENCE S 13 DEG. 35 MIN. 24 SEC. W A DISTANCE OF 993.71 FEET TO A POINT,  
THENCE S 12 DEG. 29 MIN. 25 SEC. W A DISTANCE OF 966.67 FEET TO A POINT,  
THENCE S 12 DEG. 10 MIN. 05 SEC. W A DISTANCE OF 982.29 FEET TO A POINT,  
THENCE S 11 DEG. 27 MIN. 15 SEC. W A DISTANCE OF 934.49 FEET TO A POINT,  
THENCE S 10 DEG. 22 MIN. 30 SEC. W A DISTANCE OF 996.11 FEET TO A POINT,  
THENCE S 10 DEG. 28 MIN. 05 SEC. W A DISTANCE OF 1016.11 FEET TO A  
POINT, THENCE S 11 DEG. 14 MIN. 16 SEC. W A DISTANCE OF 957.15 FEET TO A  
POINT, THENCE S 09 DEG. 14 MIN. 47 SEC. W A DISTANCE OF 822.08 FEET TO A  
POINT, THENCE S 09 DEG. 09 MIN. 44 SEC. W A DISTANCE OF 989.25 FEET TO A  
POINT, THENCE S 08 DEG. 38 MIN. 28 SEC. W A DISTANCE OF 975.21 FEET TO A  
POINT, THENCE S 08 DEG. 29 MIN. 33 SEC. W A DISTANCE OF 1040.29 FEET TO  
A POINT, THENCE S 04 DEG. 39 MIN. 43 SEC. W A DISTANCE OF 885.87 FEET TO  
A POINT, THENCE S 06 DEG. 43 MIN. 56 SEC. W A DISTANCE OF 859.33 FEET TO  
A POINT, THENCE S 88 DEG. 00 MIN. 13 SEC. W A DISTANCE OF 103.03 FEET TO  
A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 1 (BREVARD COUNTY).  
SEGMENT 2: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 70-80-A11 AND RUN  
THENCE S 83 DEG. 02 MIN. 01 SEC. E A DISTANCE OF 896.25 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 06 DEG. 40 MIN.  
02 SEC. W A DISTANCE OF 772.90 FEET TO A POINT, THENCE S 03 DEG. 51 MIN.  
42 SEC. W A DISTANCE OF 958.36 FEET TO A POINT, THENCE S 04 DEG. 33 MIN.  
18 SEC. W A DISTANCE OF 969.56 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE N 87 DEG. 53 MIN. 19 SEC. E A DISTANCE OF 102.13 FEET TO A POINT,  
THENCE S 04 DEG. 14 MIN. 39 SEC. W A DISTANCE OF 1019.51 FEET TO A  
POINT, THENCE S 02 DEG. 34 MIN. 51 SEC. W A DISTANCE OF 973.06 FEET TO A  
POINT, THENCE S 01 DEG. 26 MIN. 40 SEC. W A DISTANCE OF 991.81 FEET TO A  
POINT, THENCE S 02 DEG. 37 MIN. 31 SEC. W A DISTANCE OF 971.62 FEET TO A  
POINT, THENCE S 00 DEG. 57 MIN. 37 SEC. W A DISTANCE OF 805.57 FEET TO A  
POINT, THENCE S 02 DEG. 46 MIN. 56 SEC. W A DISTANCE OF 930.29 FEET TO A  
POINT, THENCE S 01 DEG. 08 MIN. 08 SEC. W A DISTANCE OF 905.31 FEET TO A  
POINT, THENCE S 00 DEG. 17 MIN. 50 SEC. E A DISTANCE OF 877.53 FEET TO A  
POINT, THENCE S 00 DEG. 07 MIN. 52 SEC. W A DISTANCE OF 1075.89 FEET TO  
A POINT, THENCE S 02 DEG. 03 MIN. 20 SEC. E A DISTANCE OF 1007.95 FEET TO  
A POINT, THENCE S 01 DEG. 21 MIN. 38 SEC. E A DISTANCE OF 941.70 FEET TO  
A POINT, THENCE S 01 DEG. 37 MIN. 42 SEC. E A DISTANCE OF 954.02 FEET TO

A POINT, THENCE S 02 DEG. 51 MIN. 53 SEC. E A DISTANCE OF 998.51 FEET TO  
A POINT, THENCE S 01 DEG. 54 MIN. 19 SEC. E A DISTANCE OF 962.35 FEET TO  
A POINT, THENCE S 01 DEG. 02 MIN. 45 SEC. E A DISTANCE OF 987.45 FEET TO  
A POINT, THENCE S 02 DEG. 30 MIN. 44 SEC. E A DISTANCE OF 991.91 FEET TO  
A POINT, THENCE S 02 DEG. 01 MIN. 51 SEC. E A DISTANCE OF 960.29 FEET TO  
A POINT, THENCE S 06 DEG. 17 MIN. 00 SEC. E A DISTANCE OF 1000.77 FEET TO  
A POINT, THENCE S 03 DEG. 13 MIN. 38 SEC. E A DISTANCE OF 940.96 FEET TO  
A POINT, THENCE S 03 DEG. 53 MIN. 15 SEC. E A DISTANCE OF 1028.50 FEET TO  
A POINT, THENCE S 04 DEG. 00 MIN. 36 SEC. E A DISTANCE OF 954.23 FEET TO  
A POINT, THENCE S 05 DEG. 14 MIN. 43 SEC. E A DISTANCE OF 912.64 FEET TO  
A POINT, THENCE S 03 DEG. 09 MIN. 48 SEC. E A DISTANCE OF 945.63 FEET TO  
A POINT, THENCE S 03 DEG. 56 MIN. 01 SEC. E A DISTANCE OF 720.06 FEET TO  
A POINT, THENCE S 86 DEG. 12 MIN. 00 SEC. W A DISTANCE OF 116.31 FEET TO  
A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 2 (BREVARD COUNTY).  
SEGMENT 3: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 70-80-A25 AND RUN  
THENCE N 7 DEG. 29 MIN. 47 SEC. W A DISTANCE OF 315.43 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 06 DEG. 55 MIN.  
12 SEC. E A DISTANCE OF 369.26 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE N 89 DEG. 49 MIN. 38 SEC. E A DISTANCE OF 231.16 FEET TO A POINT,  
THENCE S 06 DEG. 51 MIN. 31 SEC. E A DISTANCE OF 635.87 FEET TO A POINT,  
THENCE S 06 DEG. 53 MIN. 49 SEC. E A DISTANCE OF 847.78 FEET TO A POINT,  
THENCE S 08 DEG. 04 MIN. 36 SEC. E A DISTANCE OF 1007.33 FEET TO A POINT,  
THENCE S 07 DEG. 06 MIN. 16 SEC. E A DISTANCE OF 994.76 FEET TO A POINT,  
THENCE S 08 DEG. 21 MIN. 20 SEC. E A DISTANCE OF 1021.59 FEET TO A POINT,  
THENCE S 09 DEG. 41 MIN. 11 SEC. E A DISTANCE OF 877.69 FEET TO A POINT,  
THENCE N 88 DEG. 44 MIN. 33 SEC. W A DISTANCE OF 169.16 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 3 (BREVARD COUNTY).  
SEGMENT 4: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) JLR 532 1965 AND RUN  
THENCE S 11 DEG. 46 MIN. 12 SEC. E A DISTANCE OF 147.49 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 11 DEG. 40 MIN.  
10 SEC. E A DISTANCE OF 994.27 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:

THENCE N 81 DEG. 10 MIN. 36 SEC. E A DISTANCE OF 177.55 FEET TO A POINT,  
THENCE S 11 DEG. 56 MIN. 40 SEC. E A DISTANCE OF 734.60 FEET TO A POINT,  
THENCE S 12 DEG. 29 MIN. 40 SEC. E A DISTANCE OF 991.72 FEET TO A POINT,  
THENCE S 13 DEG. 29 MIN. 36 SEC. E A DISTANCE OF 872.88 FEET TO A POINT,  
THENCE S 12 DEG. 28 MIN. 50 SEC. E A DISTANCE OF 1134.17 FEET TO A POINT,  
THENCE S 12 DEG. 54 MIN. 39 SEC. E A DISTANCE OF 886.13 FEET TO A POINT,  
THENCE S 10 DEG. 49 MIN. 39 SEC. E A DISTANCE OF 623.18 FEET TO A POINT,  
THENCE S 11 DEG. 56 MIN. 22 SEC. E A DISTANCE OF 893.94 FEET TO A POINT,  
THENCE S 13 DEG. 44 MIN. 06 SEC. E A DISTANCE OF 893.98 FEET TO A POINT,  
THENCE S 13 DEG. 32 MIN. 12 SEC. E A DISTANCE OF 997.00 FEET TO A POINT,  
THENCE S 12 DEG. 44 MIN. 09 SEC. E A DISTANCE OF 997.21 FEET TO A POINT,  
THENCE S 15 DEG. 14 MIN. 04 SEC. E A DISTANCE OF 772.10 FEET TO A POINT,  
THENCE S 12 DEG. 21 MIN. 24 SEC. E A DISTANCE OF 940.77 FEET TO A POINT,  
THENCE S 13 DEG. 18 MIN. 47 SEC. E A DISTANCE OF 931.99 FEET TO A POINT,  
THENCE S 12 DEG. 45 MIN. 23 SEC. E A DISTANCE OF 1002.85 FEET TO A POINT,  
THENCE S 11 DEG. 57 MIN. 54 SEC. E A DISTANCE OF 960.21 FEET TO A POINT,  
THENCE S 12 DEG. 40 MIN. 04 SEC. E A DISTANCE OF 994.45 FEET TO A POINT,  
THENCE S 12 DEG. 59 MIN. 52 SEC. E A DISTANCE OF 997.53 FEET TO A POINT,  
THENCE S 12 DEG. 47 MIN. 56 SEC. E A DISTANCE OF 977.41 FEET TO A POINT,  
THENCE S 14 DEG. 09 MIN. 22 SEC. E A DISTANCE OF 998.28 FEET TO A POINT,  
THENCE S 13 DEG. 45 MIN. 37 SEC. E A DISTANCE OF 902.76 FEET TO A POINT,  
THENCE S 13 DEG. 10 MIN. 13 SEC. E A DISTANCE OF 672.64 FEET TO A POINT,  
THENCE S 13 DEG. 16 MIN. 32 SEC. E A DISTANCE OF 1297.01 FEET TO A POINT,  
THENCE S 13 DEG. 24 MIN. 57 SEC. E A DISTANCE OF 955.41 FEET TO A POINT,  
THENCE S 13 DEG. 30 MIN. 32 SEC. E A DISTANCE OF 917.03 FEET TO A POINT,  
THENCE S 14 DEG. 20 MIN. 06 SEC. E A DISTANCE OF 2082.05 FEET TO A POINT,  
THENCE S 14 DEG. 33 MIN. 34 SEC. E A DISTANCE OF 836.12 FEET TO A POINT,  
THENCE S 13 DEG. 13 MIN. 37 SEC. E A DISTANCE OF 1017.14 FEET TO A POINT,  
THENCE S 15 DEG. 43 MIN. 05 SEC. E A DISTANCE OF 894.60 FEET TO A POINT,  
THENCE S 15 DEG. 38 MIN. 40 SEC. E A DISTANCE OF 897.43 FEET TO A POINT,  
THENCE S 15 DEG. 09 MIN. 50 SEC. E A DISTANCE OF 1146.42 FEET TO A POINT,  
THENCE S 15 DEG. 17 MIN. 23 SEC. E A DISTANCE OF 753.36 FEET TO A POINT,  
THENCE S 16 DEG. 02 MIN. 49 SEC. E A DISTANCE OF 939.80 FEET TO A POINT,  
THENCE S 16 DEG. 13 MIN. 34 SEC. E A DISTANCE OF 970.24 FEET TO A POINT,  
THENCE S 16 DEG. 04 MIN. 07 SEC. E A DISTANCE OF 964.56 FEET TO A POINT,  
THENCE S 16 DEG. 38 MIN. 52 SEC. E A DISTANCE OF 910.01 FEET TO A POINT,  
THENCE S 17 DEG. 15 MIN. 38 SEC. E A DISTANCE OF 1055.90 FEET TO A POINT,  
THENCE S 17 DEG. 08 MIN. 21 SEC. E A DISTANCE OF 834.76 FEET TO A POINT,  
THENCE S 16 DEG. 09 MIN. 04 SEC. E A DISTANCE OF 945.26 FEET TO A POINT,  
THENCE S 16 DEG. 45 MIN. 15 SEC. E A DISTANCE OF 1020.29 FEET TO A POINT,  
THENCE S 17 DEG. 36 MIN. 43 SEC. E A DISTANCE OF 996.32 FEET TO A POINT,  
THENCE S 18 DEG. 18 MIN. 38 SEC. E A DISTANCE OF 994.26 FEET TO A POINT,  
THENCE S 18 DEG. 39 MIN. 27 SEC. E A DISTANCE OF 841.17 FEET TO A POINT,

THENCE S 19 DEG. 33 MIN. 53 SEC. E A DISTANCE OF 843.76 FEET TO A POINT,  
THENCE S 19 DEG. 33 MIN. 15 SEC. E A DISTANCE OF 1067.27 FEET TO A POINT,  
THENCE S 19 DEG. 26 MIN. 58 SEC. E A DISTANCE OF 984.44 FEET TO A POINT,  
THENCE S 20 DEG. 08 MIN. 16 SEC. E A DISTANCE OF 895.95 FEET TO A POINT,  
THENCE S 20 DEG. 13 MIN. 41 SEC. E A DISTANCE OF 780.98 FEET TO A POINT,  
THENCE S 21 DEG. 55 MIN. 34 SEC. E A DISTANCE OF 1096.69 FEET TO A POINT,  
THENCE S 21 DEG. 09 MIN. 03 SEC. E A DISTANCE OF 1031.42 FEET TO A POINT,  
THENCE S 21 DEG. 26 MIN. 16 SEC. E A DISTANCE OF 968.97 FEET TO A POINT,  
THENCE S 21 DEG. 45 MIN. 15 SEC. E A DISTANCE OF 1009.44 FEET TO A POINT,  
THENCE S 22 DEG. 09 MIN. 00 SEC. E A DISTANCE OF 734.96 FEET TO A POINT,  
THENCE S 22 DEG. 23 MIN. 01 SEC. E A DISTANCE OF 1175.38 FEET TO A POINT,  
THENCE S 22 DEG. 23 MIN. 17 SEC. E A DISTANCE OF 1117.72 FEET TO A POINT,  
THENCE S 21 DEG. 23 MIN. 29 SEC. E A DISTANCE OF 756.24 FEET TO A POINT,  
THENCE S 22 DEG. 13 MIN. 08 SEC. E A DISTANCE OF 1021.45 FEET TO A POINT,  
THENCE S 21 DEG. 05 MIN. 15 SEC. E A DISTANCE OF 777.41 FEET TO A POINT,  
THENCE S 22 DEG. 17 MIN. 09 SEC. E A DISTANCE OF 987.92 FEET TO A POINT,  
THENCE S 23 DEG. 20 MIN. 12 SEC. E A DISTANCE OF 947.71 FEET TO A POINT,  
THENCE S 23 DEG. 08 MIN. 38 SEC. E A DISTANCE OF 875.26 FEET TO A POINT,  
THENCE S 22 DEG. 43 MIN. 21 SEC. E A DISTANCE OF 992.73 FEET TO A POINT,  
THENCE S 25 DEG. 32 MIN. 02 SEC. E A DISTANCE OF 985.76 FEET TO A POINT,  
THENCE S 23 DEG. 28 MIN. 01 SEC. E A DISTANCE OF 1127.34 FEET TO A POINT,  
THENCE S 67 DEG. 35 MIN. 10 SEC. W A DISTANCE OF 163.53 FEET TO A POINT,  
CCCL SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 4 (BREVARD COUNTY).  
SEGMENT 5: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 70 80 A51 AND RUN  
THENCE S 24 DEG. 18 MIN. 54 SEC. E A DISTANCE OF 198.46 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 24 DEG. 04 MIN.  
50 SEC. E A DISTANCE OF 1222.67 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE N 67 DEG. 34 MIN. 58 SEC. E A DISTANCE OF 144.60 FEET TO A POINT,  
THENCE S 23 DEG. 40 MIN. 52 SEC. E A DISTANCE OF 956.48 FEET TO A POINT,  
THENCE S 24 DEG. 06 MIN. 12 SEC. E A DISTANCE OF 1150.53 FEET TO A POINT,  
THENCE S 24 DEG. 45 MIN. 16 SEC. E A DISTANCE OF 825.97 FEET TO A POINT,  
THENCE S 24 DEG. 38 MIN. 04 SEC. E A DISTANCE OF 1021.71 FEET TO A POINT,  
THENCE S 23 DEG. 46 MIN. 56 SEC. E A DISTANCE OF 941.31 FEET TO A POINT,  
THENCE S 24 DEG. 49 MIN. 21 SEC. E A DISTANCE OF 1006.33 FEET TO A POINT,  
THENCE S 25 DEG. 34 MIN. 05 SEC. E A DISTANCE OF 1025.52 FEET TO A POINT,  
THENCE S 25 DEG. 37 MIN. 51 SEC. E A DISTANCE OF 924.78 FEET TO A POINT,  
THENCE S 25 DEG. 50 MIN. 35 SEC. E A DISTANCE OF 918.63 FEET TO A POINT,

THENCE S 27 DEG. 20 MIN. 29 SEC. E A DISTANCE OF 1050.72 FEET TO A POINT,  
THENCE S 27 DEG. 34 MIN. 00 SEC. E A DISTANCE OF 989.36 FEET TO A POINT,  
THENCE S 27 DEG. 32 MIN. 31 SEC. E A DISTANCE OF 205.85 FEET TO A POINT,  
THENCE S 61 DEG. 56 MIN. 17 SEC. W A DISTANCE OF 153.27 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 5 (BREVARD COUNTY).  
SEGMENT 6: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES  
[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 70-80-A57 AND RUN  
THENCE S 44 DEG. 16 MIN. 12 SEC. E A DISTANCE OF 460.11 FEET TO A POINT  
ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 26 DEG. 41 MIN.  
30 SEC. W A DISTANCE OF 1060.95 FEET TO A POINT, SAID POINT BEING THE  
POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE N 70 DEG. 40 MIN. 25 SEC. E A DISTANCE OF 154.10 FEET TO A POINT,  
THENCE S 26 DEG. 30 MIN. 35 SEC. E A DISTANCE OF 1037.46 FEET TO A POINT,  
THENCE S 25 DEG. 37 MIN. 15 SEC. E A DISTANCE OF 926.75 FEET TO A  
POINT, THENCE S 25 DEG. 53 MIN. 18 SEC. E A DISTANCE OF 922.93 FEET TO A  
POINT, THENCE S 25 DEG. 38 MIN. 53 SEC. E A DISTANCE OF 1061.18 FEET TO A  
POINT, THENCE S 26 DEG. 16 MIN. 7 SEC. E A DISTANCE OF 995.69 FEET TO A  
POINT, THENCE S 26 DEG. 18 MIN. 29 SEC. E A DISTANCE OF 1019.75 FEET TO A  
POINT, THENCE S 27 DEG. 39 MIN. 0 SEC. E A DISTANCE OF 704.20 FEET TO A  
POINT, THENCE S 26 DEG. 45 MIN. 41 SEC. E A DISTANCE OF 940.50 FEET TO A  
POINT, THENCE S 26 DEG. 42 MIN. 13 SEC. E A DISTANCE OF 982.49 FEET TO A  
POINT, THENCE S 27 DEG. 22 MIN. 50 SEC. E A DISTANCE OF 1026.15 FEET TO A  
POINT, THENCE S 25 DEG. 59 MIN. 8 SEC. E A DISTANCE OF 944.95 FEET TO A  
POINT, THENCE S 27 DEG. 34 MIN. 14 SEC. E A DISTANCE OF 995.75 FEET TO A  
POINT, THENCE S 27 DEG. 36 MIN. 38 SEC. E A DISTANCE OF 1039.09 FEET TO A  
POINT, THENCE S 27 DEG. 17 MIN. 58 SEC. E A DISTANCE OF 982.87 FEET TO A  
POINT, THENCE S 27 DEG. 28 MIN. 37 SEC. E A DISTANCE OF 979.11 FEET TO A  
POINT, THENCE S 27 DEG. 7 MIN. 1 SEC. E A DISTANCE OF 1014.91 FEET TO A  
POINT, THENCE S 27 DEG. 39 MIN. 37 SEC. E A DISTANCE OF 1016.40 FEET TO A  
POINT, THENCE S 28 DEG. 4 MIN. 55 SEC. E A DISTANCE OF 1062.69 FEET TO A  
POINT, THENCE S 27 DEG. 17 MIN. 11 SEC. E A DISTANCE OF 863.69 FEET TO A  
POINT, THENCE S 28 DEG. 21 MIN. 20 SEC. E A DISTANCE OF 1100.18 FEET TO A  
POINT, THENCE S 28 DEG. 30 MIN. 50 SEC. E A DISTANCE OF 604.49 FEET TO A  
POINT, THENCE S 61 DEG. 43 MIN. 21 SEC. W A DISTANCE OF 176.33 FEET TO A  
POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 6 (BREVARD COUNTY).  
SEGMENT 7: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL  
PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES

[DNR]) PERMANENT REFERENCE MONUMENT (PRM) 70-80-A63 AND RUN THENCE S 50 DEG. 16 MIN. 08 SEC. E A DISTANCE OF 377.45 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 28 DEG. 05 MIN. 09 SEC. W A DISTANCE OF 701.63 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 61 DEG. 54 MIN. 51 SEC. E A DISTANCE OF 142.58 FEET TO A POINT, THENCE S 27 DEG. 33 MIN. 51 SEC. E A DISTANCE OF 677.26 FEET TO A POINT, THENCE S 27 DEG. 20 MIN. 59 SEC. E A DISTANCE OF 1021.50 FEET TO A POINT, THENCE S 27 DEG. 37 MIN. 10 SEC. E A DISTANCE OF 984.19 FEET TO A POINT, THENCE S 26 DEG. 26 MIN. 50 SEC. E A DISTANCE OF 1009.82 FEET TO A POINT, THENCE S 26 DEG. 50 MIN. 27 SEC. E A DISTANCE OF 936.55 FEET TO A POINT, THENCE S 26 DEG. 53 MIN. 48 SEC. E A DISTANCE OF 1123.70 FEET TO A POINT, THENCE S 25 DEG. 19 MIN. 44 SEC. E A DISTANCE OF 1033.42 FEET TO A POINT, THENCE S 27 DEG. 10 MIN. 35 SEC. E A DISTANCE OF 614.61 FEET TO A POINT, THENCE S 26 DEG. 21 MIN. 43 SEC. E A DISTANCE OF 604.47 FEET TO A POINT, THENCE S 68 DEG. 27 MIN. 29 SEC. W A DISTANCE OF 145.33 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 7 (BREVARD COUNTY). Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS. History—New 4-7-10.

#### **62B-34.250 Indian River County.**

The legal description for the Indian River County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded March 5, 1987 in "Plat Book 12, pages 32 through 32H" of the public records of Indian River County, Florida, said General Permit Line being more particularly described as follows: SEGMENT 1: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 88-78-A06 AND RUN THENCE S 76 DEG. 45 MIN. 35 SEC. E A DISTANCE OF 174.25 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 26 DEG. 04 MIN. 41 SEC. E A DISTANCE OF 312.85 FEET TO A POINT SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 63 DEG. 55 MIN. 19 SEC. E A DISTANCE OF 54.05 FEET TO A POINT, THENCE S 25 DEG. 33 MIN. 52 SEC. E A DISTANCE OF 501.02 FEET TO A POINT, THENCE S 24 DEG. 53 MIN. 45 SEC. E A DISTANCE OF 998.91 FEET TO A POINT, THENCE S 25 DEG. 15 MIN. 38 SEC. E A DISTANCE OF 987.87 FEET TO A POINT, THENCE S 24 DEG. 05 MIN. 55 SEC. E A DISTANCE OF 973.78 FEET TO A POINT, THENCE S 23 DEG. 38 MIN. 48 SEC. E A DISTANCE OF 1012.33 FEET TO A POINT,

THENCE S 24 DEG. 38 MIN. 11 SEC. E A DISTANCE OF 915.92 FEET TO A POINT, THENCE S 44 DEG. 18 MIN. 56 SEC. W A DISTANCE OF 86.84 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 1 (INDIAN RIVER COUNTY). SEGMENT 2: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 88-78-A15 AND RUN THENCE N 76 DEG. 54 MIN. 42 SEC. E A DISTANCE OF 265.38 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 20 DEG. 16 MIN. 31 SEC. E A DISTANCE OF 1033.97 FEET TO A POINT, THENCE S 20 DEG. 26 MIN. 25 SEC. E A DISTANCE OF 342.99 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 69 DEG. 33 MIN 36 SEC. E A DISTANCE OF 90.16 FEET TO A POINT, THENCE S 19 DEG. 49 MIN. 20 SEC. E A DISTANCE OF 676.02 FEET TO A POINT, THENCE S 18 DEG. 10 MIN. 30 SEC. E A DISTANCE OF 983.64 FEET TO A POINT, THENCE S 17 DEG. 12 MIN. 18 SEC. E A DISTANCE OF 1036.45 FEET TO A POINT, THENCE S 11 DEG. 32 MIN. 42 SEC. E A DISTANCE OF 1006.61 FEET TO A POINT, THENCE S 13 DEG. 14 MIN. 48 SEC. E A DISTANCE OF 971.92 FEET TO A POINT, THENCE S 15 DEG. 31 MIN. 11 SEC. E A DISTANCE OF 997.22 FEET TO A POINT, THENCE S 17 DEG. 48 MIN. 15 SEC. E A DISTANCE OF 928.23 FEET TO A POINT, THENCE S 14 DEG. 37 MIN. 08 SEC. E A DISTANCE OF 985.71 FEET TO A POINT, THENCE S 15 DEG. 06 MIN. 52 SEC. E A DISTANCE OF 991.77 FEET TO A POINT, THENCE S 18 DEG. 50 MIN. 41 SEC. E A DISTANCE OF 1159.82 FEET TO A POINT, THENCE S 21 DEG. 18 MIN. 22 SEC. E A DISTANCE OF 961.40 FEET TO A POINT, THENCE S 16 DEG. 51 MIN. 46 SEC. E A DISTANCE OF 1002.21 FEET TO A POINT, THENCE S 15 DEG. 36 MIN. 30 SEC. E A DISTANCE OF 982.26 FEET TO A POINT, THENCE S 16 DEG. 08 MIN. 21 SEC. E A DISTANCE OF 1103.92 FEET TO A POINT, THENCE S 18 DEG. 46 MIN. 40 SEC. E A DISTANCE OF 495.74 FEET TO A POINT, THENCE S 18 DEG. 46 MIN. 40 SEC. E A DISTANCE OF 436.34 FEET TO A POINT, THENCE S 18 DEG. 02 MIN. 41 SEC. E A DISTANCE OF 1026.61 FEET TO A POINT, THENCE S 19 DEG. 48 MIN. 40 SEC. E A DISTANCE OF 922.91 FEET TO A POINT, THENCE S 17 DEG. 48 MIN. 27 SEC. E A DISTANCE OF 979.34 FEET TO A POINT, THENCE S 19 DEG. 18 MIN. 16 SEC. E A DISTANCE OF 1138.25 FEET TO A POINT, THENCE S 19 DEG. 53 MIN. 42 SEC. E A DISTANCE OF 1031.58 FEET TO A POINT, THENCE S 13 DEG. 54 MIN. 00 SEC. E A DISTANCE OF 1102.98 FEET TO A POINT, THENCE S 12 DEG. 01 MIN. 21 SEC. E A DISTANCE OF 986.38 FEET TO A POINT, THENCE S 16 DEG. 22 MIN. 57 SEC. E A DISTANCE OF 942.41 FEET TO A POINT, THENCE S 15 DEG. 32 MIN. 29 SEC. E A DISTANCE OF 1066.92 FEET TO A POINT, THENCE S 14 DEG. 46 MIN. 13 SEC. E A DISTANCE OF 649.06 FEET TO A POINT, THENCE N 78 DEG. 46 MIN. 28 SEC. E A DISTANCE OF 25.38 FEET TO A POINT, THENCE S 14 DEG. 43 MIN. 58 SEC. E A DISTANCE OF 500.19 FEET TO A

POINT, THENCE S 17 DEG. 39 MIN. 15 SEC. E A DISTANCE OF 888.60 FEET TO A POINT, THENCE S 18 DEG. 14 MIN. 52 SEC. E A DISTANCE OF 992.95 FEET TO A POINT, THENCE S 10 DEG. 21 MIN. 07 SEC. E A DISTANCE OF 1029.75 FEET TO A POINT, THENCE S 11 DEG. 50 MIN. 19 SEC. E A DISTANCE OF 936.75 FEET TO A POINT, THENCE S 18 DEG. 13 MIN. 27 SEC. E A DISTANCE OF 1183.42 FEET TO A POINT, THENCE S 16 DEG. 41 MIN. 16 SEC. E A DISTANCE OF 892.59 FEET TO A POINT, THENCE S 14 DEG. 20 MIN. 12 SEC. E A DISTANCE OF 979.55 FEET TO A POINT, THENCE S 15 DEG. 00 MIN. 01 SEC. E A DISTANCE OF 947.30 FEET TO A POINT, THENCE S 14 DEG. 32 MIN. 48 SEC. E A DISTANCE OF 1138.23 FEET TO A POINT, THENCE S 15 DEG. 52 MIN. 55 SEC. E A DISTANCE OF 812.58 FEET TO A POINT, THENCE S 15 DEG. 34 MIN. 51 SEC. E A DISTANCE OF 994.58 FEET TO A POINT, THENCE N 89 DEG. 52 MIN. 39 SEC. W A DISTANCE OF 115.31 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 2 (INDIAN RIVER COUNTY). SEGMENT 3: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 88-86-A28-2 AND RUN THENCE N 77 DEG. 44 MIN. 17 SEC. E A DISTANCE OF 1559.34 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 13 DEG. 41 MIN. 53 SEC. E A DISTANCE OF 32.87 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 80 DEG. 50 MIN. 54 SEC. E A DISTANCE OF 83.63 FEET TO A POINT, THENCE S 12 DEG. 56 MIN. 35 SEC. E A DISTANCE OF 928.70 FEET TO A POINT, THENCE S 16 DEG. 58 MIN. 05 SEC. E A DISTANCE OF 1078.52 FEET TO A POINT, THENCE S 20 DEG. 42 MIN. 52 SEC. E A DISTANCE OF 974.91 FEET TO A POINT, THENCE S 22 DEG. 33 MIN. 49 SEC. E A DISTANCE OF 1033.31 FEET TO A POINT, THENCE S 24 DEG. 18 MIN. 55 SEC. E A DISTANCE OF 974.49 FEET TO A POINT, THENCE S 28 DEG. 01 MIN. 09 SEC. E A DISTANCE OF 963.61 FEET TO A POINT, THENCE S 33 DEG. 41 MIN. 27 SEC. E A DISTANCE OF 392.17 FEET TO A POINT, THENCE S 58 DEG. 16 MIN. 27 SEC. W A DISTANCE OF 99.85 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 3 (INDIAN RIVER COUNTY). SEGMENT 4: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 88-78-A37 AND RUN THENCE N 85 DEG. 07 MIN. 00 SEC. E A DISTANCE OF 743.08 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 88 DEG. 00 MIN. 52 SEC. E A

DISTANCE OF 196.88 FEET TO A POINT, THENCE S 10 DEG. 44 MIN. 51 SEC. E A DISTANCE OF 1020.90 FEET TO A POINT, THENCE S 11 DEG. 09 MIN. 24 SEC. E A DISTANCE OF 964.88 FEET TO A POINT, THENCE S 09 DEG. 20 MIN. 49 SEC. E A DISTANCE OF 1172.84 FEET TO A POINT, THENCE S 10 DEG. 52 MIN. 29 SEC. E A DISTANCE OF 698.61 FEET TO A POINT, THENCE S 11 DEG. 21 MIN. 40 SEC. E A DISTANCE OF 1324.00 FEET TO A POINT, THENCE S 14 DEG. 21 MIN. 44 SEC. E A DISTANCE OF 413.41 FEET TO A POINT, THENCE S 89 DEG. 07 MIN. 41 SEC. W A DISTANCE OF 200.12 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 4 (INDIAN RIVER COUNTY).

Rulemaking Authority 161.053(21) F.S. Law Implemented 161.053(5), (19), (22) F.S. History—New 4-7-10.

#### **62B-34.260 Martin County.**

The legal description for the Martin County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded July 9, 1985 in "Plat Book 9, Page 99" of the public records of Martin County, Florida, said General Permit Line being more particularly described as follows:

NORTH SEGMENT: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) MI 103 1984 AND RUN THENCE N 73 DEG. 11 MIN. 19 SEC. E A DISTANCE OF 93.65 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 26 DEG. 12 MIN. 17 SEC. W A DISTANCE OF 163.34 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 63 DEG. 47 MIN. 43 SEC. E A DISTANCE OF 56.13 FEET TO A POINT, THENCE S 26 DEG. 36 MIN. 56 SEC. E A DISTANCE OF 512.75 FEET TO A POINT, THENCE S 26 DEG. 16 MIN. 27 SEC. E A DISTANCE OF 900.38 FEET TO A POINT, THENCE S 26 DEG. 12 MIN. 11 SEC. E A DISTANCE OF 899.83 FEET TO A POINT, THENCE S 27 DEG. 35 MIN. 10 SEC. E A DISTANCE OF 368.21 FEET TO A POINT, THENCE S 26 DEG. 45 MIN. 04 SEC. E A DISTANCE OF 568.86 FEET TO A POINT, THENCE S 26 DEG. 51 MIN. 35 SEC. E A DISTANCE OF 838.68 FEET TO A POINT, THENCE S 26 DEG. 19 MIN. 52 SEC. E A DISTANCE OF 935.81 FEET TO A POINT, THENCE S 25 DEG. 33 MIN. 48 SEC. E A DISTANCE OF 917.00 FEET TO A POINT, THENCE S 27 DEG. 13 MIN. 42 SEC. E A DISTANCE OF 910.22 FEET TO A POINT, THENCE S 24 DEG. 43 MIN. 27 SEC. E A DISTANCE OF 906.48 FEET TO A POINT, THENCE S 27 DEG. 14 MIN. 37 SEC. E A DISTANCE OF 894.50 FEET TO A POINT, THENCE S 29 DEG. 37 MIN. 07 SEC. E A DISTANCE OF 911.52 FEET TO A POINT, THENCE S 27 DEG. 37 MIN. 40 SEC. E A DISTANCE OF 897.62 FEET TO A POINT, THENCE S 28 DEG. 23 MIN. 02 SEC. E A DISTANCE OF 887.47 FEET TO

A POINT, THENCE S 28 DEG. 55 MIN. 59 SEC. E A DISTANCE OF 555.31 FEET TO A POINT, THENCE S 59 DEG. 34 MIN. 47 SEC. W A DISTANCE OF 78.15 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE NORTH SEGMENT (MARTIN COUNTY). SOUTH SEGMENT: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 89-84-A01 AND RUN THENCE S 57 DEG. 09 MIN. 10 SEC. W A DISTANCE OF 233.10 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 30 DEG. 23 MIN. 10 SEC. E A DISTANCE OF 405.49 FEET TO A POINT, THENCE S 29 DEG. 15 MIN. 40 SEC. E A DISTANCE OF 267.55 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 60 DEG. 44 MIN. 18 SEC. E A DISTANCE OF 168.35 FEET TO A POINT, THENCE S 28 DEG. 32 MIN. 51 SEC. E A DISTANCE OF 674.90 FEET TO A POINT, THENCE S 28 DEG. 24 MIN. 5 SEC. E A DISTANCE OF 899.88 FEET TO A POINT, THENCE S 27 DEG. 42 MIN. 26 SEC. E A DISTANCE OF 904.63 FEET TO A POINT, THENCE S 27 DEG. 34 MIN. 31 SEC. E A DISTANCE OF 904.87 FEET TO A POINT, THENCE S 26 DEG. 51 MIN. 43 SEC. E A DISTANCE OF 902.79 FEET TO A POINT, THENCE S 24 DEG. 34 MIN. 25 SEC. E A DISTANCE OF 898.99 FEET TO A POINT, THENCE S 20 DEG. 35 MIN. 37 SEC. E A DISTANCE OF 1138.67 FEET TO A POINT, THENCE S 19 DEG. 43 MIN. 1 SEC. E A DISTANCE OF 743.84 FEET TO A POINT, THENCE S 15 DEG. 46 MIN. 38 SEC. E A DISTANCE OF 1089.05 FEET TO A POINT, THENCE S 20 DEG. 51 MIN. 38 SEC. E A DISTANCE OF 638.63 FEET TO A POINT, THENCE S 28 DEG. 59 MIN. 8 SEC. E A DISTANCE OF 793.67 FEET TO A POINT, THENCE S 25 DEG. 19 MIN. 47 SEC. E A DISTANCE OF 1017.71 FEET TO A POINT, THENCE S 25 DEG. 25 MIN. 56 SEC. E A DISTANCE OF 971.04 FEET TO A POINT, THENCE S 24 DEG. 5 MIN. 38 SEC. E A DISTANCE OF 430.42 FEET TO A POINT, THENCE S 68 DEG. 59 MIN. 58 SEC. W A DISTANCE OF 24.91 FEET TO A POINT, THENCE S 23 DEG. 56 MIN. 50 SEC. E A DISTANCE OF 401.75 FEET TO A POINT, THENCE S 24 DEG. 15 MIN. 43 SEC. E A DISTANCE OF 886.51 FEET TO A POINT, THENCE S 21 DEG. 47 MIN. 12 SEC. E A DISTANCE OF 897.61 FEET TO A POINT, THENCE S 20 DEG. 33 MIN. 11 SEC. E A DISTANCE OF 896.17 FEET TO A POINT, THENCE S 20 DEG. 54 MIN. 47 SEC. E A DISTANCE OF 901.65 FEET TO A POINT, THENCE S 19 DEG. 59 MIN. 56 SEC. E A DISTANCE OF 869.39 FEET TO A POINT, THENCE S 20 DEG. 46 MIN. 14 SEC. E A DISTANCE OF 1097.90 FEET TO A POINT, THENCE S 22 DEG. 37 MIN. 10 SEC. E A DISTANCE OF 698.89 FEET TO A POINT, THENCE S 21 DEG. 14 MIN. 23 SEC. E A DISTANCE OF 900.82 FEET TO A POINT, THENCE S 23 DEG. 3 MIN. 7 SEC. E A DISTANCE OF 1144.10 FEET TO A POINT, THENCE S 21 DEG. 52 MIN. 1 SEC. E A DISTANCE OF 795.52 FEET TO A POINT, THENCE S 23 DEG. 9 MIN. 24 SEC. E A DISTANCE OF 888.84 FEET TO A POINT, THENCE S 21 DEG. 0 MIN. 34 SEC. E A DISTANCE OF 890.24 FEET TO A

POINT, THENCE S 19 DEG. 26 MIN. 54 SEC. E A DISTANCE OF 883.24 FEET TO A POINT, THENCE S 18 DEG. 58 MIN. 39 SEC. E A DISTANCE OF 896.21 FEET TO A POINT, THENCE S 17 DEG. 42 MIN. 7 SEC. E A DISTANCE OF 517.06 FEET TO A POINT, THENCE S 17 DEG. 46 MIN. 13 SEC. E A DISTANCE OF 402.34 FEET TO A POINT, THENCE S 18 DEG. 31 MIN. 37 SEC. E A DISTANCE OF 851.10 FEET TO A POINT, THENCE S 16 DEG. 55 MIN. 29 SEC. E A DISTANCE OF 889.76 FEET TO A POINT, THENCE S 17 DEG. 56 MIN. 33 SEC. E A DISTANCE OF 893.76 FEET TO A POINT, THENCE S 16 DEG. 34 MIN. 46 SEC. E A DISTANCE OF 863.49 FEET TO A POINT, THENCE S 12 DEG. 28 MIN. 50 SEC. E A DISTANCE OF 1784.22 FEET TO A POINT, THENCE S 13 DEG. 26 MIN. 8 SEC. E A DISTANCE OF 894.42 FEET TO A POINT, THENCE S 11 DEG. 28 MIN. 16 SEC. E A DISTANCE OF 889.86 FEET TO A POINT, THENCE S 11 DEG. 34 MIN. 41 SEC. E A DISTANCE OF 892.98 FEET TO A POINT, THENCE S 7 DEG. 20 MIN. 36 SEC. E A DISTANCE OF 888.41 FEET TO A POINT, THENCE S 5 DEG. 17 MIN. 32 SEC. E A DISTANCE OF 897.38 FEET TO A POINT, THENCE S 5 DEG. 24 MIN. 10 SEC. E A DISTANCE OF 904.22 FEET TO A POINT, THENCE S 16 DEG. 43 MIN. 9 SEC. E A DISTANCE OF 902.88 FEET TO A POINT, THENCE S 19 DEG. 13 MIN. 20 SEC. E A DISTANCE OF 886.16 FEET TO A POINT, THENCE S 20 DEG. 22 MIN. 8 SEC. E A DISTANCE OF 501.40 FEET TO A POINT, THENCE S 88 DEG. 8 MIN. 7 SEC. W A DISTANCE OF 55.02 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SOUTH SEGMENT (MARTIN COUNTY).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS. History—New 4-7-10.

#### **62B-34.270 Palm Beach County.**

The legal description for the Palm Beach County General Permit Line is based on the Official Map of Record of the Coastal Construction Control Line (CCCL), previously established in compliance with Section 161.053, F.S., and recorded August 22, 1997 in "CCCL Book 80 Pages 137 through 155" and in "O.R. Book 9951 Pages 85 through 108" of the public records of Palm Beach County, Florida, said General Permit Line being more particularly described as follows:

SEGMENT 1: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 06 78 C05-2 AND RUN THENCE N 44 DEG. 33 MIN. 04 SEC. W A DISTANCE OF 488.13 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 74 DEG. 18 MIN. 44 SEC. E A DISTANCE OF 74.49 FEET TO A POINT, THENCE S 10 DEG. 13 MIN. 28 SEC. E A DISTANCE OF 877.21 FEET TO A POINT, THENCE S 8 DEG. 57 MIN. 26 SEC. E A DISTANCE OF 968.54 FEET TO A POINT,

THENCE S 4 DEG. 16 MIN. 18 SEC. E A DISTANCE OF 658.92 FEET TO A POINT,  
THENCE S 13 DEG. 54 MIN. 42 SEC. E A DISTANCE OF 671.08 FEET TO A POINT,  
THENCE S 10 DEG. 48 MIN. 36 SEC. E A DISTANCE OF 1348.64 FEET TO A POINT,  
THENCE S 12 DEG. 28 MIN. 1 SEC. E A DISTANCE OF 1205.11 FEET TO A POINT,  
THENCE S 13 DEG. 59 MIN. 14 SEC. E A DISTANCE OF 1022.74 FEET TO A POINT,  
THENCE S 13 DEG. 56 MIN. 58 SEC. E A DISTANCE OF 1585.63 FEET TO A POINT,  
THENCE S 74 DEG. 24 MIN. 19 SEC. W A DISTANCE OF 25.36 FEET TO A POINT,  
SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE  
HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 1 (PALM BEACH  
COUNTY). SEGMENT 2: COMMENCE AT FLORIDA DEPARTMENT OF  
ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF  
NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 06  
78 D04 AND RUN THENCE S 55 DEG. 38 MIN. 25 SEC. W A DISTANCE OF 74.12  
FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID  
POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL  
PERMITLINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE  
RUN: THENCE N 78 DEG. 18 MIN. 38 SEC. E A DISTANCE OF 32.42 FEET TO A  
POINT, THENCE S 06 DEG. 25 MIN. 43 SEC. E A DISTANCE OF 1082.60 FEET TO A  
POINT, THENCE S 06 DEG. 36 MIN. 07 SEC. E A DISTANCE OF 1010.80 FEET TO A  
POINT, THENCE S 05 DEG. 39 MIN. 50 SEC. E A DISTANCE OF 1121.84 FEET TO A  
POINT, THENCE S 06 DEG. 35 MIN. 07 SEC. E A DISTANCE OF 1344.13 FEET TO A  
POINT, THENCE S 04 DEG. 34 MIN. 08 SEC. E A DISTANCE OF 1311.24 FEET TO A  
POINT, THENCE S 06 DEG. 25 MIN. 06 SEC. E A DISTANCE OF 1206.72 FEET TO A  
POINT, THENCE S 03 DEG. 26 MIN. 30 SEC. E A DISTANCE OF 972.17 FEET TO A  
POINT, THENCE S 02 DEG. 48 MIN. 39 SEC. E A DISTANCE OF 898.91 FEET TO A  
POINT, THENCE S 02 DEG. 34 MIN. 15 SEC. E A DISTANCE OF 1298.03 FEET TO A  
POINT, THENCE S 00 DEG. 18 MIN. 26 SEC. W A DISTANCE OF 977.51 FEET TO A  
POINT, THENCE S 02 DEG. 01 MIN. 15 SEC. W A DISTANCE OF 937.59 FEET TO A  
POINT, THENCE S 00 DEG. 06 MIN. 39 SEC. E A DISTANCE OF 1048.83 FEET TO A  
POINT, THENCE S 04 DEG. 22 MIN. 33 SEC. E A DISTANCE OF 1131.17 FEET TO A  
POINT, THENCE S 06 DEG. 01 MIN. 04 SEC. E A DISTANCE OF 1255.67 FEET TO A  
POINT, THENCE S 06 DEG. 55 MIN. 54 SEC. E A DISTANCE OF 1081.42 FEET TO A  
POINT, THENCE S 09 DEG. 13 MIN. 24 SEC. E A DISTANCE OF 1100.10 FEET TO A  
POINT, THENCE S 01 DEG. 48 MIN. 34 SEC. E A DISTANCE OF 1618.79 FEET TO A  
POINT, THENCE S 00 DEG. 45 MIN. 28 SEC. E A DISTANCE OF 744.33 FEET TO A  
POINT, THENCE S 04 DEG. 06 MIN. 05 SEC. E A DISTANCE OF 1279.02 FEET TO A  
POINT, THENCE S 02 DEG. 11 MIN. 19 SEC. E A DISTANCE OF 1206.22 FEET TO A  
POINT, THENCE S 02 DEG. 33 MIN. 49 SEC. W A DISTANCE OF 1167.70 FEET TO  
A POINT, THENCE S 02 DEG. 49 MIN. 23 SEC. W A DISTANCE OF 989.12 FEET TO  
A POINT, THENCE S 02 DEG. 23 MIN. 21 SEC. W A DISTANCE OF 1198.04 FEET  
TO A POINT, THENCE S 02 DEG. 51 MIN. 50 SEC. W A DISTANCE OF 1099.09  
FEET TO A POINT, THENCE S 03 DEG. 00 MIN. 46 SEC. W A DISTANCE OF 246.69

FEET TO A POINT, THENCE S 15 DEG. 47 MIN. 19 SEC. W A DISTANCE OF 346.17 FEET TO A POINT, THENCE S 07 DEG. 28 MIN. 52 SEC. W A DISTANCE OF 467.40 FEET TO A POINT, THENCE S 06 DEG. 45 MIN. 49 SEC. W A DISTANCE OF 1264.70 FEET TO A POINT, THENCE S 06 DEG. 47 MIN. 56 SEC. W A DISTANCE OF 1218.60 FEET TO A POINT, THENCE S 03 DEG. 41 MIN. 06 SEC. W A DISTANCE OF 1158.82 FEET TO A POINT, THENCE N 89 DEG. 27 MIN. 49 SEC. W A DISTANCE OF 105.94 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 2 (PALM BEACH COUNTY). SEGMENT 3: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) R-111 PM BH 1989 AND RUN THENCE S 89 DEG. 52 MIN. 05 SEC. W A DISTANCE OF 195.22 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 02 DEG. 49 MIN. 03 SEC. E A DISTANCE OF 605.38 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 87 DEG. 10 MIN. 57 SEC. E A DISTANCE OF 144.39 FEET TO A POINT, THENCE S 04 DEG. 13 MIN. 23 SEC. W A DISTANCE OF 599.69 FEET TO A POINT, THENCE S 00 DEG. 03 MIN. 21 SEC. E A DISTANCE OF 1138.24 FEET TO A POINT, THENCE S 02 DEG. 21 MIN. 39 SEC. W A DISTANCE OF 1038.85 FEET TO A POINT, THENCE S 03 DEG. 06 MIN. 59 SEC. W A DISTANCE OF 427.53 FEET TO A POINT, THENCE S 02 DEG. 13 MIN. 57 SEC. E A DISTANCE OF 590.86 FEET TO A POINT, THENCE S 01 DEG. 20 MIN. 22 SEC. W A DISTANCE OF 1108.00 FEET TO A POINT, THENCE S 02 DEG. 25 MIN. 49 SEC. W A DISTANCE OF 965.13 FEET TO A POINT, THENCE S 04 DEG. 51 MIN. 26 SEC. W A DISTANCE OF 489.99 FEET TO A POINT, THENCE N 88 DEG. 00 MIN. 01 SEC. W A DISTANCE OF 100.80 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 3 (PALM BEACH COUNTY). SEGMENT 4: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 06 78 E07 AND RUN THENCE N 66 DEG. 49 MIN. 38 SEC. W A DISTANCE OF 170.69 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 02 DEG. 30 MIN. 39 SEC. E A DISTANCE OF 1022.85 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE N 85 DEG. 07 MIN. 43 SEC. E A DISTANCE OF 42.30 FEET TO A POINT, THENCE S 01 DEG. 54 MIN. 22 SEC. E A DISTANCE OF 1009.56 FEET TO A POINT, THENCE S 03 DEG. 08 MIN. 57 SEC. E A DISTANCE OF 1260.79 FEET TO A POINT, THENCE S 01 DEG. 57 MIN. 44 SEC. E A DISTANCE OF 1182.31 FEET TO A POINT,

THENCE S 00 DEG. 29 MIN. 42 SEC. E A DISTANCE OF 1142.02 FEET TO A POINT,  
THENCE S 01 DEG. 13 MIN. 05 SEC. E A DISTANCE OF 923.70 FEET TO A POINT,  
THENCE S 00 DEG. 33 MIN. 58 SEC. E A DISTANCE OF 1175.26 FEET TO A POINT,  
THENCE S 00 DEG. 07 MIN. 41 SEC. W A DISTANCE OF 1390.13 FEET TO A  
POINT, THENCE S 00 DEG. 38 MIN. 01 SEC. W A DISTANCE OF 1311.24 FEET TO  
A POINT, THENCE S 00 DEG. 48 MIN. 01 SEC. E A DISTANCE OF 1080.49 FEET TO  
A POINT, THENCE S 00 DEG. 41 MIN. 30 SEC. E A DISTANCE OF 1311.34 FEET TO  
A POINT, THENCE S 01 DEG. 31 MIN. 49 SEC. W A DISTANCE OF 1173.10 FEET  
TO A POINT, THENCE S 03 DEG. 02 MIN. 40 SEC. W A DISTANCE OF 1310.62  
FEET TO A POINT, THENCE S 01 DEG. 07 MIN. 07 SEC. W A DISTANCE OF 965.42  
FEET TO A POINT, THENCE S 03 DEG. 13 MIN. 06 SEC. W A DISTANCE OF 981.99  
FEET TO A POINT, THENCE S 03 DEG. 20 MIN. 36 SEC. W A DISTANCE OF 609.70  
FEET TO A POINT, THENCE S 03 DEG. 23 MIN. 54 SEC. W A DISTANCE OF  
1308.31 FEET TO A POINT, THENCE S 03 DEG. 20 MIN. 00 SEC. W A DISTANCE  
OF 1064.70 FEET TO A POINT, THENCE S 03 DEG. 52 MIN. 45 SEC. W A  
DISTANCE OF 1038.92 FEET TO A POINT, THENCE S 05 DEG. 15 MIN. 30 SEC. W  
A DISTANCE OF 1036.20 FEET TO A POINT, THENCE S 05 DEG. 52 MIN. 33 SEC.  
W A DISTANCE OF 1018.70 FEET TO A POINT, THENCE S 11 DEG. 16 MIN. 28  
SEC. W A DISTANCE OF 973.49 FEET TO A POINT, THENCE S 13 DEG. 25 MIN. 39  
SEC. W A DISTANCE OF 1130.48 FEET TO A POINT, THENCE S 12 DEG. 02 MIN.  
00 SEC. W A DISTANCE OF 1085.69 FEET TO A POINT, THENCE N 78 DEG. 52  
MIN. 15 SEC. W A DISTANCE OF 21.94 FEET TO A POINT, SAID POINT BEING  
LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL  
LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED  
GENERAL PERMIT LINE SEGMENT 4 (PALM BEACH COUNTY). SEGMENT 5:  
COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
(FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR])  
PERMANENT REFERENCE MONUMENT (PRM) HAULOVER 1929 NO3 1970 AND  
RUN THENCE N 37 DEG. 25 MIN. 13 SEC. W A DISTANCE OF 459.21 FEET TO A  
POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 03 DEG.  
45 MIN. 44 SEC. W A DISTANCE OF 400.95 FEET TO A POINT, THENCE N 84 DEG.  
57 MIN. 53 SEC. W A DISTANCE OF 227.88 FEET TO A POINT, THENCE S 12 DEG.  
02 MIN. 58 SEC. W A DISTANCE OF 41.87 FEET TO A POINT, SAID POINT BEING  
THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE;  
THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN:  
THENCE S 80 DEG. 14 MIN. 49 SEC. E A DISTANCE OF 172.01 FEET TO A POINT,  
THENCE S 12 DEG. 30 MIN. 00 SEC. W A DISTANCE OF 425.55 FEET TO A POINT,  
THENCE S 15 DEG. 6 MIN. 03 SEC. W A DISTANCE OF 1325.34 FEET TO A POINT,  
THENCE S 14 DEG. 29 MIN. 39 SEC. W A DISTANCE OF 1014.72 FEET TO A  
POINT, THENCE S 12 DEG. 40 MIN. 58 SEC. W A DISTANCE OF 1047.75 FEET TO  
A POINT, THENCE S 89 DEG. 38 MIN. 27 SEC. W A DISTANCE OF 101.63 FEET TO  
A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL  
CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE

HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 5 (PALM BEACH COUNTY). SEGMENT 6: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) HAULOVER-B 1991 AND RUN THENCE S 32 DEG. 05 MIN. 25 SEC. E A DISTANCE OF 202.03 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 86 DEG. 36 MIN. 25 SEC. E A DISTANCE OF 86.30 FEET TO A POINT, THENCE S 08 DEG. 09 MIN. 07 SEC. W A DISTANCE OF 1005.24 FEET TO A POINT, THENCE S 05 DEG. 14 MIN. 51 SEC. W A DISTANCE OF 706.38 FEET TO A POINT, THENCE S 06 DEG. 18 MIN. 54 SEC. W A DISTANCE OF 695.34 FEET TO A POINT, THENCE S 07 DEG. 13 MIN. 10 SEC. W A DISTANCE OF 1192.02 FEET TO A POINT, THENCE S 08 DEG. 05 MIN. 15 SEC. W A DISTANCE OF 864.33 FEET TO A POINT, THENCE S 08 DEG. 36 MIN. 51 SEC. W A DISTANCE OF 1151.85 FEET TO A POINT, THENCE S 10 DEG. 46 MIN. 00 SEC. W A DISTANCE OF 1089.08 FEET TO A POINT, THENCE S 10 DEG. 52 MIN. 36 SEC. W A DISTANCE OF 1131.10 FEET TO A POINT, THENCE S 09 DEG. 59 MIN. 40 SEC. W A DISTANCE OF 991.73 FEET TO A POINT, THENCE S 07 DEG. 43 MIN. 57 SEC. W A DISTANCE OF 1182.55 FEET TO A POINT, THENCE S 06 DEG. 20 MIN. 40 SEC. W A DISTANCE OF 917.39 FEET TO A POINT, THENCE S 04 DEG. 38 MIN. 14 SEC. W A DISTANCE OF 1036.36 FEET TO A POINT, THENCE S 08 DEG. 52 MIN. 50 SEC. W A DISTANCE OF 341.20 FEET TO A POINT, THENCE S 10 DEG. 32 MIN. 33 SEC. W A DISTANCE OF 776.97 FEET TO A POINT, THENCE S 04 DEG. 56 MIN. 21 SEC. W A DISTANCE OF 326.93 FEET TO A POINT, THENCE S 02 DEG. 40 MIN. 42 SEC. W A DISTANCE OF 1071.68 FEET TO A POINT, THENCE S 08 DEG. 27 MIN. 58 SEC. W A DISTANCE OF 1124.46 FEET TO A POINT, THENCE S 07 DEG. 32 MIN. 10 SEC. W A DISTANCE OF 1006.99 FEET TO A POINT, THENCE S 07 DEG. 36 MIN. 08 SEC. W A DISTANCE OF 1187.58 FEET TO A POINT, THENCE S 07 DEG. 28 MIN. 05 SEC. W A DISTANCE OF 1015.95 FEET TO A POINT, THENCE S 08 DEG. 00 MIN. 08 SEC. W A DISTANCE OF 1328.30 FEET TO A POINT, THENCE S 09 DEG. 06 MIN. 00 SEC. W A DISTANCE OF 935.91 FEET TO A POINT, THENCE S 07 DEG. 58 MIN. 27 SEC. W A DISTANCE OF 1247.13 FEET TO A POINT, THENCE N 85 DEG. 59 MIN. 36 SEC. W A DISTANCE OF 78.71 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 6 (PALM BEACH COUNTY). SEGMENT 7: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 93 89 A21 AND RUN THENCE S 43 DEG. 20 MIN. 44 SEC. W A DISTANCE OF 291.79 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE N 03 DEG. 54 MIN. 43 SEC. E A DISTANCE OF 850.09 FEET TO A POINT, SAID

POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 85 DEG. 20 MIN. 02 SEC. E A DISTANCE OF 50.03 FEET TO A POINT, THENCE S 03 DEG. 20 MIN. 30 SEC. W A DISTANCE OF 832.98 FEET TO A POINT, THENCE S 03 DEG. 38 MIN. 23 SEC. W A DISTANCE OF 1123.15 FEET TO A POINT, THENCE S 02 DEG. 47 MIN. 20 SEC. W A DISTANCE OF 906.36 FEET TO A POINT, THENCE S 04 DEG. 38 MIN. 27 SEC. W A DISTANCE OF 1024.54 FEET TO A POINT, THENCE S 04 DEG. 45 MIN. 57 SEC. W A DISTANCE OF 1114.45 FEET TO A POINT, THENCE S 05 DEG. 32 MIN. 12 SEC. W A DISTANCE OF 1173.28 FEET TO A POINT, THENCE S 03 DEG. 45 MIN. 31 SEC. W A DISTANCE OF 1103.36 FEET TO A POINT, THENCE S 04 DEG. 59 MIN. 53 SEC. W A DISTANCE OF 841.88 FEET TO A POINT, THENCE S 88 DEG. 25 MIN. 35 SEC. W A DISTANCE OF 87.83 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 7 (PALM BEACH COUNTY). SEGMENT 8: COMMENCE AT FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FORMERLY FLORIDA DEPARTMENT OF NATURAL RESOURCES [DNR]) PERMANENT REFERENCE MONUMENT (PRM) 93 89 A27 AND RUN THENCE N 89 DEG. 05 MIN. 14 SEC. W A DISTANCE OF 187.87 FEET TO A POINT ON THE COASTAL CONSTRUCTION CONTROL LINE; THENCE S 06 DEG. 38 MIN. 04 SEC. W A DISTANCE OF 727.00 FEET TO A POINT, SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED GENERAL PERMIT LINE; THENCE LEAVING SAID COASTAL CONSTRUCTION CONTROL LINE RUN: THENCE S 83 DEG. 21 MIN. 56 SEC. E A DISTANCE OF 113.74 FEET TO A POINT, THENCE S 08 DEG. 52 MIN. 37 SEC. W A DISTANCE OF 653.69 FEET TO A POINT, THENCE S 11 DEG. 43 MIN. 41 SEC. W A DISTANCE OF 1007.53 FEET TO A POINT, THENCE S 11 DEG. 13 MIN. 38 SEC. W A DISTANCE OF 910.17 FEET TO A POINT, THENCE S 06 DEG. 50 MIN. 48 SEC. W A DISTANCE OF 1031.91 FEET TO A POINT, THENCE S 06 DEG. 37 MIN. 08 SEC. W A DISTANCE OF 970.79 FEET TO A POINT, THENCE S 88 DEG. 00 MIN. 32 SEC. W A DISTANCE OF 29.33 FEET TO A POINT, SAID POINT BEING LOCATED ON THE AFOREMENTIONED COASTAL CONSTRUCTION CONTROL LINE AND BEING THE POINT OF TERMINUS OF THE HEREIN DESCRIBED GENERAL PERMIT LINE SEGMENT 8 (PALM BEACH COUNTY).

Rulemaking Authority 161.053(21) FS. Law Implemented 161.053(5), (19), (22) FS. History—New 4-7-10.