

62-550.800 Control of Lead and Copper.

The requirements contained in the July 1, 2008, edition of 40 CFR 141, subpart I (sections 80 through 91), are adopted and incorporated herein by reference and are enforceable under this rule. The following are clarifications to the requirements in 40 CFR 141, subpart I (sections 80 through 91).

(1) The term “State” shall mean “Department.”

(2) The Department shall not allow the option in 40 CFR 141.85(b)(3)(iv) that allows an extension of the activities beyond the 60 day requirement stated in 40 CFR 141.85(b)(2).

(3) The Department shall not allow the option in 40 CFR 141.85(b)(5) that allows an extension of the activities beyond the 60 day requirement stated in 40 CFR 141.85(b)(4).

(4) To fulfill the noticing requirements in 40 CFR 141.90(f)(2)-(3), the Department hereby adopts and incorporates Form 62-555.900(16), PWS Certification of Notification of Lead and Copper Tap Sample Results, (10-1-10), and Form 62-555.900(17), Lead Public Education Program Report for PWSs, (10-1-10). These forms are available as described in Rule 62-555.900, F.A.C.

Rulemaking Authority 403.8055, 403.861(9) FS. Law Implemented 403.853 FS. History—New 12-9-96, Amended 8-1-00, 11-27-01, 10-1-10.