


Floodplain Forest Central Florida



Typical upper terrace trees and shrubs include:

Bumelia reclinata FAC
Citrus spp. UPLAND
Diospyros virginiana FAC
Liquidambar styraciflua FACW
Morus rubra FAC

Pinus elliottii UPLAND
Sabal palmetto FAC

Tilia americana FACW
Quercus nigra FACW

Quercus virginiana UPLAND
Quercus michauxii FACW

Vaccinium corymbosum FACW
Typical lower terrace trees and shrubs include:

Acer rubrum FACW
Amorpha fruticosa FACW
Carpinus caroliniana FACW
Carya aquatica OBL
Celtis laevigata FACW
Cephaelanthus occidentalis OBL
Cornus foemina OBL
Decodon verticillatus OBL
Fraxinus caroliniana OBL

Gleditsia aquatica OBL
Itea virginica OBL
Ilex cassine OBL
Magnolia virginiana OBL
Nyssa sylvatica var *biflora* OBL
Persea palustris OBL
Quercus laurifolia FACW
Sabal minor FACW
Salix caroliniana OBL
Styrax americana FACW
Taxodium distichum OBL
Ulmus americana OBL
Viburnum nudum FACW
Viburnum obovatum FACW

Herbaceous plants include:
Alternanthera philoxeroides OBL
Aster carolinianus OBL
Axonopus furcatus FAC
Boehmeria cylindrica OBL
Brachiaria mutica FACW
Canna flaccida OBL
Carex glaucescens FACW
C. stipata & *C. comosa* OBL,
C. lurida & *C. gigantea* OBL
Colocasia esculenta OBL

Crinum americanum OBL
Echinocloa spp. FACW
Hygrophila lacustris OBL
Hymenocallis crassifolia OBL
Hydrochloa caroliniensis OBL
Juncus effusus OBL
Ludwigia repens OBL
Lycopus spp. OBL
Oplismenus setarius FAC
Orontium aquaticum OBL
Panicum repens FACW
Panicum rigidulum FACW
Paspalidium geminatum OBL
Paspalum conjugatum FAC
Paspalum repens OBL
Peltandra virginica OBL
Physostegia leptophylla OBL
Pluchea spp. FACW
Pontederia cordata OBL
Rhynchospora inundata OBL
R. miliacea OBL
Rumex verticillatus FACW
Sabatia calycina OBL
Sacciolepis striata OBL
Sagittaria spp. OBL

Saururus cernuus OBL
Senecio glabellus OBL
Spilanthes americana FACW
Thalia geniculata OBL
Triadenium virginicum OBL
Tripsacum dactyloides FAC
Zizania aquatica OBL
Zizaniopsis miliaceae OBL
Ferns include:
Blechnum serrulatum FACW
Dryopteris ludoviciana FACW
Osmunda cinnamomea FACW
Osmunda regalis OBL
Thelypteris kunthii, *T. dentata*, *T. palustris*,
T. torresiana - FACW
Woodwardia aereolata OBL
Woodwardia virginica FACW

Look for hydrologic indicators to determine the Ordinary High Water Line (OHWL). The mean annual flood is an approximation of the OHWL. Secondary Flow channels, Elevated lichen lines, Stain lines, Rafted debris, Adventitious roots, loop roots, expanded lenticels and other morphological plant adaptations, Sediment deposition, Evidence of aquatic life, Algal mats